
CZMEDITECH

TÜVRheinland ISO:13485



2025

INTRAMEDULLARY NAIL

PRODUCT CATALOG

www.czmeditech.com

CZMEDITECH

Changzhou Meditech Technology Co., Ltd.

Address: 9th. Floor, Inno Laser Building, Science & Education Town, Wujin District, Changzhou City, Jiangsu Province, China. PC: 213164

Website: www.czmeditech.com

Tel/Fax: +86-519-85855955

CZMEDITECH

Multi-lock Humeral Intramedullary Nail



REF(Titanium Alloy)	Specification
T1100-2601	8.5*160 L
T1100-2602	8.5*160 R
T1100-2603	7.0*200 L
T1100-2604	7.0*220 L
T1100-2605	7.0*240 L
T1100-2606	7.0*260 L
T1100-2607	7.0*280 L
T1100-2608	7.0*300 L
T1100-2609	7.0*200 R
T1100-2610	7.0*220 R
T1100-2611	7.0*240 R
T1100-2612	7.0*260 R
T1100-2613	7.0*280 R

REF(Titanium Alloy)	Specification
T1100-2614	7.0*300 R
T1100-2615	8.0*200 L
T1100-2616	8.0*220 L
T1100-2617	8.0*240 L
T1100-2618	8.0*260 L
T1100-2619	8.0*280 L
T1100-2620	8.0*300 L
T1100-2621	8.0*200 R
T1100-2622	8.0*220 R
T1100-2623	8.0*240 R
T1100-2624	8.0*260 R
T1100-2625	8.0*280 R
T1100-2626	8.0*300 R

4.5mm Multi-lock Screw



REF(Titanium Alloy)	Specification
T1100-2701	4.5*20
T1100-2702	4.5*22
T1100-2703	4.5*24
T1100-2704	4.5*26
T1100-2705	4.5*28
T1100-2706	4.5*30
T1100-2707	4.5*32
T1100-2708	4.5*34
T1100-2709	4.5*36
T1100-2710	4.5*38
T1100-2711	4.5*40

REF(Titanium Alloy)	Specification
T1100-2712	4.5*42
T1100-2713	4.5*44
T1100-2714	4.5*46
T1100-2715	4.5*48
T1100-2716	4.5*50
T1100-2717	4.5*52
T1100-2718	4.5*54
T1100-2719	4.5*56
T1100-2720	4.5*58
T1100-2721	4.5*60


3.5mm Inside Locking Screw



REF(Titanium Alloy)	Specification
T1100-2801	3.5*26
T1100-2802	3.5*28
T1100-2803	3.5*30
T1100-2804	3.5*32
T1100-2805	3.5*34
T1100-2806	3.5*36
T1100-2807	3.5*38

REF(Titanium Alloy)	Specification
T1100-2808	3.5*40
T1100-2809	3.5*42
T1100-2810	3.5*44
T1100-2811	3.5*46
T1100-2812	3.5*48
T1100-2813	3.5*50
T1100-2814	3.5*52


3.5mm Locking Screw



REF(Titanium Alloy)	Specification
T1100-2901	3.5*20
T1100-2902	3.5*22
T1100-2903	3.5*24
T1100-2904	3.5*26
T1100-2905	3.5*28
T1100-2906	3.5*30
T1100-2907	3.5*32
T1100-2908	3.5*34
T1100-2909	3.5*36
T1100-2910	3.5*38
T1100-2911	3.5*40
T1100-2912	3.5*42

REF(Titanium Alloy)	Specification
T1100-2913	3.5*44
T1100-2914	3.5*46
T1100-2915	3.5*48
T1100-2916	3.5*50
T1100-2917	3.5*52
T1100-2918	3.5*54
T1100-2919	3.5*56
T1100-2920	3.5*58
T1100-2921	3.5*60
T1100-2922	3.5*62
T1100-2923	3.5*64
T1100-2924	3.5*66

Humeral Intramedullary Nail (Blade Type)



REF	Specification
T1100-5101	7.0*120
T1100-5102	8.0*120
T1100-5103	7.0*160
T1100-5104	7.0*180
T1100-5105	7.0*200
T1100-5106	7.0*220
T1100-5107	7.0*240
T1100-5108	7.0*260
T1100-5109	7.0*280
T1100-5110	8.0*160
T1100-5111	8.0*180
T1100-5112	8.0*200
T1100-5113	8.0*220
T1100-5114	8.0*240
T1100-5115	8.0*260
T1100-5116	8.0*280

Humeral Blade Screw



REF(Titanium Alloy)	Specification
T1100-5201	28mm
T1100-5202	30mm
T1100-5203	32mm
T1100-5204	34mm
T1100-5205	36mm
T1100-5206	38mm

REF(Titanium Alloy)	Specification
T1100-5207	40mm
T1100-5208	42mm
T1100-5209	44mm
T1100-5210	46mm
T1100-5211	48mm


3.5mm Locking Screw



REF(Titanium Alloy)	Specification
T1100-2901	3.5*20
T1100-2902	3.5*22
T1100-2903	3.5*24
T1100-2904	3.5*26
T1100-2905	3.5*28
T1100-2906	3.5*30
T1100-2907	3.5*32
T1100-2908	3.5*34
T1100-2909	3.5*36
T1100-2910	3.5*38
T1100-2911	3.5*40
T1100-2912	3.5*42

REF(Titanium Alloy)	Specification
T1100-2913	3.5*44
T1100-2914	3.5*46
T1100-2915	3.5*48
T1100-2916	3.5*50
T1100-2917	3.5*52
T1100-2918	3.5*54
T1100-2919	3.5*56
T1100-2920	3.5*58
T1100-2921	3.5*60
T1100-2922	3.5*62
T1100-2923	3.5*64
T1100-2924	3.5*66

End Cap



REF	Specification
T1100-5301	0mm
T1100-5302	5mm
T1100-5303	10mm
T1100-5304	15mm

Expert Tibia Intramedullary Nail





REF(Titanium Alloy)	Specification
T1100-1701	Φ8*255
T1100-1702	Φ8*270
T1100-1703	Φ8*285
T1100-1704	Φ8*300
T1100-1705	Φ8*315
T1100-1706	Φ8*330
T1100-1707	Φ8*345
T1100-1708	Φ8*360
T1100-1709	Φ8*375
T1100-1710	Φ9*255
T1100-1711	Φ9*270
T1100-1712	Φ9*285
T1100-1713	Φ9*300
T1100-1714	Φ9*315
T1100-1715	Φ9*330
T1100-1716	Φ9*345
T1100-1717	Φ9*360
T1100-1718	Φ9*375
T1100-1719	Φ10*255
T1100-1720	Φ10*270
T1100-1721	Φ10*285
T1100-1722	Φ10*300
T1100-1723	Φ10*315
T1100-1724	Φ10*330
T1100-1725	Φ10*345
T1100-1726	Φ10*360
T1100-1727	Φ10*375
T1100-1728	Φ11*255
T1100-1729	Φ11*270
T1100-1730	Φ11*285
T1100-1731	Φ11*300
T1100-1732	Φ11*315
T1100-1733	Φ11*330
T1100-1734	Φ11*345
T1100-1735	Φ11*360
T1100-1736	Φ11*375

4.3mm Locking Screw



REF(Titanium Alloy)	Specification
T1100-1801	Φ4.3*25
T1100-1802	Φ4.3*30
T1100-1803	Φ4.3*35
T1100-1804	Φ4.3*40
T1100-1805	Φ4.3*45
T1100-1806	Φ4.3*50

REF(Titanium Alloy)	Specification
T1100-1807	Φ4.3*55
T1100-1808	Φ4.3*60
T1100-1809	Φ4.3*65
T1100-1810	Φ4.3*70
T1100-1811	Φ4.3*75
T1100-1812	Φ4.3*80


4.8mm Locking Screw



REF(Titanium Alloy)	Specification
T1100-1901	Φ4.8*30
T1100-1902	Φ4.8*35
T1100-1903	Φ4.8*40
T1100-1904	Φ4.8*45
T1100-1905	Φ4.8*50
T1100-1906	Φ4.8*55

REF(Titanium Alloy)	Specification
T1100-1907	Φ4.8*60
T1100-1908	Φ4.8*65
T1100-1909	Φ4.8*70
T1100-1910	Φ4.8*75
T1100-1911	Φ4.8*80

Suprapatellar Approach Tibial Intramedullary Nail





REF(Titanium Alloy)	Specification
T1100-3001	8*180
T1100-3002	8*200
T1100-3003	8*220
T1100-3004	8*240
T1100-3005	8*260
T1100-3006	8*280
T1100-3007	8*300
T1100-3008	8*320
T1100-3009	8*340
T1100-3010	8*360
T1100-3011	9*180
T1100-3012	9*200
T1100-3013	9*220
T1100-3014	9*240
T1100-3015	9*260
T1100-3016	9*280
T1100-3017	9*300
T1100-3018	9*320
T1100-3019	9*340
T1100-3020	9*360
T1100-3021	10*180
T1100-3022	10*200
T1100-3023	10*220
T1100-3024	10*240
T1100-3025	10*260
T1100-3026	10*280
T1100-3027	10*300
T1100-3028	10*320
T1100-3029	10*340
T1100-3030	10*360

4.3mm Locking Screw



REF	Specification
T1100-1801	4.3*25
T1100-1802	4.3*30
T1100-1803	4.3*35
T1100-1804	4.3*40
T1100-1805	4.3*45
T1100-1806	4.3*50

REF	Specification
T1100-1807	4.3*55
T1100-1808	4.3*60
T1100-1809	4.3*65
T1100-1810	4.3*70
T1100-1811	4.3*75
T1100-1812	4.3*80


4.8mm Locking Screw



REF	Specification
T1100-3201	4.8*40
T1100-3202	4.8*45
T1100-3203	4.8*50
T1100-3204	4.8*55
T1100-3205	4.8*60

REF	Specification
T1100-3206	4.8*65
T1100-3207	4.8*70
T1100-3208	4.8*75
T1100-3209	4.8*80

Distal Tibial Intramedullary Nail (DTN)



REF(Titanium Alloy)	Specification
T1100-5901	Φ7x110 L
T1100-5902	Φ7x110 R
T1100-5903	Φ8x120 L
T1100-5904	Φ8x120 R
T1100-5905	Φ8x140 L
T1100-5906	Φ8x140 R

3.5mm Locking Screw





REF(Titanium Alloy)	Specification
T1100-6001	Φ3.5*18
T1100-6002	Φ3.5*20
T1100-6003	Φ3.5*22

REF(Titanium Alloy)	Specification
T1100-6004	Φ3.5*24
T1100-6005	Φ3.5*26
T1100-6006	Φ3.5*28

REF(Titanium Alloy)	Specification
T1100-6101	Φ3.5*30
T1100-6102	Φ3.5*32
T1100-6103	Φ3.5*34
T1100-6104	Φ3.5*36
T1100-6105	Φ3.5*38
T1100-6106	Φ3.5*40

REF(Titanium Alloy)	Specification
T1100-6107	Φ3.5*42
T1100-6108	Φ3.5*44
T1100-6109	Φ3.5*46
T1100-6110	Φ3.5*48
T1100-6111	Φ3.5*50

4.0mm Locking Screw





REF(Titanium Alloy)	Specification
T1100-6201	Φ4.0*24
T1100-6202	Φ4.0*26
T1100-6203	Φ4.0*28

REF(Titanium Alloy)	Specification
T1100-6204	Φ4.0*30
T1100-6205	Φ4.0*32
T1100-6206	Φ4.0*34

REF(Titanium Alloy)	Specification
T1100-6301	Φ4.0*36
T1100-6302	Φ4.0*38
T1100-6303	Φ4.0*40
T1100-6304	Φ4.0*42
T1100-6305	Φ4.0*44

REF(Titanium Alloy)	Specification
T1100-6306	Φ4.0*46
T1100-6307	Φ4.0*48
T1100-6308	Φ4.0*50
T1100-6309	Φ4.0*52

End Cap



REF(Titanium Alloy)	Specification
T1100-6401	0
T1100-6402	5

Expert Femoral Intramedullary Nail



REF(Titanium Alloy)	Specification
T1100-1457	Φ9×180
T1100-1478	Φ9×200
T1100-1445	Φ9×220
T1100-1446	Φ9×240
T1100-1458	Φ10×180
T1100-1479	Φ10×200
T1100-1447	Φ10×220
T1100-1448	Φ10×240
T1100-1480	Φ11×180
T1100-1459	Φ11×200
T1100-1449	Φ11×220
T1100-1450	Φ11×240
T1100-1481	Φ12×180
T1100-1482	Φ12×200
T1100-1483	Φ12×220
T1100-1484	Φ12×240
T1100-1401	Φ9×320 L
T1100-1402	Φ9×340 L
T1100-1403	Φ9×360 L
T1100-1404	Φ9×380 L

REF(Titanium Alloy)	Specification
T1100-1405	Φ9×400 L
T1100-1406	Φ9×420 L
T1100-1437	Φ9×440 L
T1100-1407	Φ9×320 R
T1100-1408	Φ9×340 R
T1100-1409	Φ9×360 R
T1100-1410	Φ9×380 R
T1100-1411	Φ9×400 R
T1100-1412	Φ9×420 R
T1100-1438	Φ9×440 R
T1100-1413	Φ10×320 L
T1100-1414	Φ10×340 L
T1100-1415	Φ10×360 L
T1100-1416	Φ10×380 L
T1100-1417	Φ10×400 L
T1100-1418	Φ10×420 L
T1100-1439	Φ10×440 L
T1100-1419	Φ10×320 R
T1100-1420	Φ10×340 R
T1100-1421	Φ10×360 R

REF(Titanium Alloy)	Specification
T1100-1422	Φ10×380 R
T1100-1423	Φ10×400 R
T1100-1424	Φ10×420 R
T1100-1440	Φ10×440 R
T1100-1425	Φ11×320 L
T1100-1426	Φ11×340 L
T1100-1427	Φ11×360 L
T1100-1428	Φ11×380 L
T1100-1429	Φ11×400 L
T1100-1430	Φ11×420 L
T1100-1441	Φ11×440 L
T1100-1431	Φ11×320 R
T1100-1432	Φ11×340 R
T1100-1433	Φ11×360 R
T1100-1434	Φ11×380 R
T1100-1435	Φ11×400 R
T1100-1436	Φ11×420 R
T1100-1442	Φ11×440 R

6.4mm Locking Screw (Cannulated)



REF(Titanium Alloy)	Specification
T1100-1618	Φ6.4*65
T1100-1619	Φ6.4*70
T1100-1620	Φ6.4*75
T1100-1621	Φ6.4*80
T1100-1622	Φ6.4*85
T1100-1623	Φ6.4*90

REF(Titanium Alloy)	Specification
T1100-1624	Φ6.4*95
T1100-1625	Φ6.4*100
T1100-1626	Φ6.4*105
T1100-1627	Φ6.4*110
T1100-1628	Φ6.4*115

4.7mm Locking Screw



REF(Titanium Alloy)	Specification
T1100-1501	Φ4.7*26
T1100-1502	Φ4.7*28
T1100-1503	Φ4.7*30
T1100-1504	Φ4.7*32
T1100-1505	Φ4.7*34
T1100-1506	Φ4.7*36
T1100-1507	Φ4.7*38
T1100-1508	Φ4.7*40
T1100-1509	Φ4.7*42
T1100-1510	Φ4.7*44
T1100-1511	Φ4.7*46
T1100-1512	Φ4.7*48

REF(Titanium Alloy)	Specification
T1100-1513	Φ4.7*50
T1100-1514	Φ4.7*52
T1100-1515	Φ4.7*54
T1100-1516	Φ4.7*56
T1100-1517	Φ4.7*58
T1100-1518	Φ4.7*60
T1100-1519	Φ4.7*64
T1100-1520	Φ4.7*68
T1100-1521	Φ4.7*72
T1100-1522	Φ4.7*76
T1100-1523	Φ4.7*80
T1100-1524	Φ4.7*84

PFNA Intramedullary Nail



REF(Titanium Alloy)	Specification
T1100-1001	Φ9×180
T1100-1043	Φ9×200
T1100-1044	Φ9×220
T1100-1002	Φ9×240
T1100-1003	Φ10×180
T1100-1045	Φ10×200
T1100-1046	Φ10×220
T1100-1004	Φ10×240
T1100-1005	Φ11×180
T1100-1047	Φ11×200
T1100-1048	Φ11×220
T1100-1006	Φ11×240
T1100-1055	Φ12×180
T1100-1056	Φ12×200
T1100-1057	Φ12×220
T1100-1058	Φ12×240
T1100-1007	Φ9×320 R
T1100-1008	Φ9×340 R
T1100-1009	Φ9×360 R
T1100-1010	Φ9×380 R

REF(Titanium Alloy)	Specification
T1100-1011	Φ9×400 R
T1100-1012	Φ9×420 R
T1100-1050	Φ9×440 R
T1100-1013	Φ9×320 L
T1100-1014	Φ9×340 L
T1100-1015	Φ9×360 L
T1100-1016	Φ9×380 L
T1100-1017	Φ9×400 L
T1100-1018	Φ9×420 L
T1100-1049	Φ9×440 L
T1100-1019	Φ10×320 R
T1100-1020	Φ10×340 R
T1100-1021	Φ10×360 R
T1100-1022	Φ10×380 R
T1100-1023	Φ10×400 R
T1100-1024	Φ10×420 R
T1100-1052	Φ10×440 R
T1100-1025	Φ10×320 L
T1100-1026	Φ10×340 L
T1100-1027	Φ10×360 L

REF(Titanium Alloy)	Specification
T1100-1028	Φ10×380 L
T1100-1029	Φ10×400 L
T1100-1030	Φ10×420 L
T1100-1051	Φ10×440 L
T1100-1031	Φ11×320 R
T1100-1032	Φ11×340 R
T1100-1033	Φ11×360 R
T1100-1034	Φ11×380 R
T1100-1035	Φ11×400 R
T1100-1036	Φ11×420 R
T1100-1054	Φ11×440 R
T1100-1037	Φ11×320 L
T1100-1038	Φ11×340 L
T1100-1039	Φ11×360 L
T1100-1040	Φ11×380 L
T1100-1041	Φ11×400 L
T1100-1042	Φ11×420 L
T1100-1053	Φ11×440 L

Blade Screw



REF(Titanium Alloy)	Specification
T1100-1111	Φ10.4*70
T1100-1101	Φ10.4*75
T1100-1102	Φ10.4*80
T1100-1103	Φ10.4*85
T1100-1104	Φ10.4*90
T1100-1105	Φ10.4*95

REF(Titanium Alloy)	Specification
T1100-1106	Φ10.4*100
T1100-1107	Φ10.4*105
T1100-1108	Φ10.4*110
T1100-1109	Φ10.4*115
T1100-1110	Φ10.4*120


4.7mm Locking Screw



REF(Titanium Alloy)	Specification
T1100-1501	Φ4.7*26
T1100-1502	Φ4.7*28
T1100-1503	Φ4.7*30
T1100-1504	Φ4.7*32
T1100-1505	Φ4.7*34
T1100-1506	Φ4.7*36
T1100-1507	Φ4.7*38
T1100-1508	Φ4.7*40
T1100-1509	Φ4.7*42
T1100-1510	Φ4.7*44
T1100-1511	Φ4.7*46
T1100-1512	Φ4.7*48

REF(Titanium Alloy)	Specification
T1100-1513	Φ4.7*50
T1100-1514	Φ4.7*52
T1100-1515	Φ4.7*54
T1100-1516	Φ4.7*56
T1100-1517	Φ4.7*58
T1100-1518	Φ4.7*60
T1100-1519	Φ4.7*64
T1100-1520	Φ4.7*68
T1100-1521	Φ4.7*72
T1100-1522	Φ4.7*76
T1100-1523	Φ4.7*80
T1100-1524	Φ4.7*84

Intertan Intramedullary Nail



REF(Titanium Alloy)	Specification
T1100-2101	Φ9.4x180
T1100-2102	Φ9.4x200
T1100-2103	Φ9.4x240
T1100-2104	Φ10x180
T1100-2105	Φ10x200
T1100-2106	Φ10x240
T1100-2107	Φ11x180
T1100-2108	Φ11x200
T1100-2109	Φ11x240
T1100-2110	Φ12x180
T1100-2111	Φ12x200
T1100-2112	Φ12x240
T1100-2113	Φ9.4x300 L
T1100-2114	Φ9.4x320 L
T1100-2115	Φ9.4x340 L
T1100-2116	Φ9.4x360 L
T1100-2117	Φ9.4x380 L
T1100-2118	Φ9.4x400 L
T1100-2119	Φ9.4x420 L
T1100-2121	Φ9.4x300 R
T1100-2122	Φ9.4x320 R
T1100-2123	Φ9.4x340 R
T1100-2124	Φ9.4x360 R

REF(Titanium Alloy)	Specification
T1100-2125	Φ9.4x380 R
T1100-2126	Φ9.4x400 R
T1100-2127	Φ9.4x420 R
T1100-2129	Φ10x300 L
T1100-2130	Φ10x320 L
T1100-2131	Φ10x340 L
T1100-2132	Φ10x360 L
T1100-2133	Φ10x380 L
T1100-2134	Φ10x400 L
T1100-2135	Φ10x420 L
T1100-2137	Φ10x300 R
T1100-2138	Φ10x320 R
T1100-2139	Φ10x340 R
T1100-2140	Φ10x360 R
T1100-2141	Φ10x380 R
T1100-2142	Φ10x400 R
T1100-2143	Φ10x420 R
T1100-2145	Φ11x300 L
T1100-2146	Φ11x320 L
T1100-2147	Φ11x340 L
T1100-2148	Φ11x360 L
T1100-2149	Φ11x380 L
T1100-2150	Φ11x400 L

REF(Titanium Alloy)	Specification
T1100-2151	Φ11x420 L
T1100-2153	Φ11x300 R
T1100-2154	Φ11x320 R
T1100-2155	Φ11x340 R
T1100-2156	Φ11x360 R
T1100-2157	Φ11x380 R
T1100-2158	Φ11x400 R
T1100-2159	Φ11x420 R
T1100-2161	Φ12x300 L
T1100-2162	Φ12x320 L
T1100-2163	Φ12x340 L
T1100-2164	Φ12x360 L
T1100-2165	Φ12x380 L
T1100-2166	Φ12x400 L
T1100-2167	Φ12x420 L
T1100-2169	Φ12x300 R
T1100-2170	Φ12x320 R
T1100-2171	Φ12x340 R
T1100-2172	Φ12x360 R
T1100-2173	Φ12x380 R
T1100-2174	Φ12x400 R
T1100-2175	Φ12x420 R

7.0mm Locking Screw



REF(Titanium Alloy)	Specification
T1100-2201	7.0*65
T1100-2202	7.0*70
T1100-2203	7.0*75
T1100-2204	7.0*80
T1100-2205	7.0*85
T1100-2206	7.0*90

REF(Titanium Alloy)	Specification
T1100-2207	7.0*95
T1100-2208	7.0*100
T1100-2209	7.0*105
T1100-2210	7.0*110
T1100-2211	7.0*115

11mm Blade Screw



REF(Titanium Alloy)	Specification
T1100-2301	11*70
T1100-2302	11*75
T1100-2303	11*80
T1100-2304	11*85
T1100-2305	11*90
T1100-2306	11*95

REF(Titanium Alloy)	Specification
T1100-2307	11*100
T1100-2308	11*105
T1100-2309	11*110
T1100-2310	11*115
T1100-2311	11*120

11mm Lag Screw



REF(Titanium Alloy)	Specification
T1100-3401	11*70
T1100-3402	11*75
T1100-3403	11*80
T1100-3404	11*85
T1100-3405	11*90
T1100-3406	11*95

REF(Titanium Alloy)	Specification
T1100-3407	11*100
T1100-3408	11*105
T1100-3409	11*110
T1100-3410	11*115
T1100-3411	11*120


5.0mm Locking Screw



REF(Titanium Alloy)	Specification
T1100-2501	5.0*30
T1100-2502	5.0*35
T1100-2503	5.0*40
T1100-2504	5.0*45
T1100-2505	5.0*50
T1100-2506	5.0*55

REF(Titanium Alloy)	Specification
T1100-2507	5.0*60
T1100-2508	5.0*65
T1100-2509	5.0*70
T1100-2510	5.0*75
T1100-2511	5.0*80

DFN Distal Femur Intramedullary Nail (Spiral Blade Screw Type)



REF	Specification
T1100-4601	10*160
T1100-4602	10*180
T1100-4603	10*200
T1100-4604	10*220
T1100-4605	10*240
T1100-4606	10*260
T1100-4607	11*160
T1100-4608	11*180
T1100-4609	11*200
T1100-4610	11*220
T1100-4611	11*240
T1100-4612	11*260
T1100-4613	12*160
T1100-4614	12*180
T1100-4615	12*200
T1100-4616	12*220
T1100-4617	12*240
T1100-4618	12*260
T1100-4619	9.5*280
T1100-4620	9.5*300

REF	Specification
T1100-4621	9.5*320
T1100-4622	9.5*340
T1100-4623	9.5*360
T1100-4624	9.5*380
T1100-4625	9.5*400
T1100-4626	10*280
T1100-4627	10*300
T1100-4628	10*320
T1100-4629	10*340
T1100-4630	10*360
T1100-4631	10*380
T1100-4632	10*400
T1100-4633	11*280
T1100-4634	11*300
T1100-4635	11*320
T1100-4636	11*340
T1100-4637	11*360
T1100-4638	11*380
T1100-4639	11*400

Spiral Blade Screw



REF	Specification
T1100-4801	12.5*40
T1100-4802	12.5*45
T1100-4803	12.5*50
T1100-4804	12.5*55
T1100-4805	12.5*60
T1100-4806	12.5*65

REF	Specification
T1100-4807	12.5*70
T1100-4808	12.5*75
T1100-4809	12.5*80
T1100-4810	12.5*85
T1100-4811	12.5*90

6.0mm Locking Screw



REF	Specification
T1100-4701	6.0*40
T1100-4702	6.0*45
T1100-4703	6.0*50
T1100-4704	6.0*55
T1100-4705	6.0*60
T1100-4706	6.0*65

REF	Specification
T1100-4707	6.0*70
T1100-4708	6.0*75
T1100-4709	6.0*80
T1100-4710	6.0*85
T1100-4711	6.0*90

6.0 Locking Screw End Cap



REF	Specification
T1100-4901	0mm
T1100-4902	5mm

Spiral Blade Screw End Cap



REF	Specification
T1100-4903	


5.0mm Locking Screw



REF	Specification
T1100-5001	5.0*30
T1100-5002	5.0*32
T1100-5003	5.0*34
T1100-5004	5.0*36
T1100-5005	5.0*38
T1100-5006	5.0*40
T1100-5007	5.0*42
T1100-5008	5.0*44
T1100-5009	5.0*46
T1100-5010	5.0*48
T1100-5011	5.0*50
T1100-5012	5.0*52
T1100-5013	5.0*54

REF	Specification
T1100-5014	5.0*56
T1100-5015	5.0*58
T1100-5016	5.0*60
T1100-5017	5.0*62
T1100-5018	5.0*64
T1100-5019	5.0*66
T1100-5020	5.0*68
T1100-5021	5.0*70
T1100-5022	5.0*72
T1100-5023	5.0*74
T1100-5024	5.0*76
T1100-5025	5.0*78
T1100-5026	5.0*80

Expert Reversed Femoral Intramedullary Nail



REF	Specification
T1100-4401	9*200
T1100-4402	9*220
T1100-4403	9*240
T1100-4404	9*260
T1100-4405	9*280
T1100-4406	9*300
T1100-4407	9*320
T1100-4408	9*340
T1100-4409	9*360
T1100-4410	10*200
T1100-4411	10*220
T1100-4412	10*240
T1100-4413	10*260
T1100-4414	10*280
T1100-4415	10*300
T1100-4416	10*320
T1100-4417	10*340
T1100-4418	10*360

REF	Specification
T1100-4419	11*200
T1100-4420	11*220
T1100-4421	11*240
T1100-4422	11*260
T1100-4423	11*280
T1100-4424	11*300
T1100-4425	11*320
T1100-4426	11*340
T1100-4427	11*360
T1100-4428	12*200
T1100-4429	12*220
T1100-4430	12*240
T1100-4431	12*260
T1100-4432	12*280
T1100-4433	12*300
T1100-4434	12*320
T1100-4435	12*340
T1100-4436	12*360


5.0mm Locking Screw



REF	Specification
T1100-4501	5.0*30
T1100-4502	5.0*35
T1100-4503	5.0*40
T1100-4504	5.0*45
T1100-4505	5.0*50
T1100-4506	5.0*55

REF	Specification
T1100-4507	5.0*60
T1100-4508	5.0*65
T1100-4509	5.0*70
T1100-4510	5.0*75
T1100-4511	5.0*80

Hindfoot Fusion Ankle Nail



REF	Specification
T1100-3801	10*150 L
T1100-3802	10*200 L
T1100-3803	10*250 L
T1100-3804	10*150 R
T1100-3805	10*200 R
T1100-3806	10*250 R
T1100-3807	11*150 L
T1100-3808	11*200 L
T1100-3809	11*250 L

REF	Specification
T1100-3810	11*150 R
T1100-3811	11*200 R
T1100-3812	11*250 R
T1100-3813	12*150 L
T1100-3814	12*200 L
T1100-3815	12*250 L
T1100-3816	12*150 R
T1100-3817	12*200 R
T1100-3818	12*250 R

5.0mm Locking Screws



REF	Specification
T1100-3901	5.0*28
T1100-3902	5.0*30
T1100-3903	5.0*32
T1100-3904	5.0*34
T1100-3905	5.0*36
T1100-3906	5.0*38
T1100-3907	5.0*40
T1100-3908	5.0*42
T1100-3909	5.0*44

REF	Specification
T1100-3910	5.0*46
T1100-3911	5.0*48
T1100-3912	5.0*50
T1100-3913	5.0*52
T1100-3914	5.0*54
T1100-3915	5.0*56
T1100-3916	5.0*58
T1100-3917	5.0*60


6.0mm Locking Screws



REF	Specification
T1100-4001	6.0*26
T1100-4002	6.0*28
T1100-4003	6.0*30
T1100-4004	6.0*32
T1100-4005	6.0*34
T1100-4006	6.0*36
T1100-4007	6.0*38
T1100-4008	6.0*40
T1100-4009	6.0*42
T1100-4010	6.0*44
T1100-4011	6.0*46
T1100-4012	6.0*48
T1100-4013	6.0*50
T1100-4014	6.0*52
T1100-4015	6.0*54
T1100-4016	6.0*56

REF	Specification
T1100-4017	6.0*58
T1100-4018	6.0*60
T1100-4019	6.0*62
T1100-4020	6.0*64
T1100-4021	6.0*66
T1100-4022	6.0*68
T1100-4023	6.0*70
T1100-4024	6.0*72
T1100-4025	6.0*74
T1100-4026	6.0*76
T1100-4027	6.0*78
T1100-4028	6.0*80
T1100-4029	6.0*85
T1100-4030	6.0*90
T1100-4031	6.0*95
T1100-4032	6.0*100

Titanium Elastic Nail



REF(Titanium Alloy)	Specification
T1100-0901	Φ1.5x400
T1100-0902	Φ2.0x400
T1100-0903	Φ2.5x400
T1100-0904	Φ3.0x400
T1100-0905	Φ3.5x400
T1100-0906	Φ4.0x400
T1100-0909	Φ4.5*400


REF(Titanium Alloy)	Specification
T1100-0910	Φ1.5x440
T1100-0911	Φ2.0x440
T1100-0912	Φ2.5x440
T1100-0913	Φ3.0x440
T1100-0914	Φ3.5x440
T1100-0915	Φ4.0x440

Elastic Nail End Cap



REF(Titanium Alloy)	Specification
T1100-0907	1.5/2.0/2.5/3.0mm
T1100-0908	3.5/4.0mm

Radius Intramedullary Nail



REF	Specification
T1100-4101	Φ3.0*190 L
T1100-4102	Φ3.0*210 L
T1100-4103	Φ3.0*230 L
T1100-4104	Φ3.5*190 L
T1100-4105	Φ3.5*210 L
T1100-4106	Φ3.5*230 L
T1100-4107	Φ3.0*190 R
T1100-4108	Φ3.0*210 R
T1100-4109	Φ3.0*230 R
T1100-4110	Φ3.5*190 R
T1100-4111	Φ3.5*210 R
T1100-4112	Φ3.5*230 R

Ulna Intramedullary Nail



REF	Specification
T1100-4201	Φ3.0*210
T1100-4202	Φ3.0*230
T1100-4203	Φ3.0*250
T1100-4204	Φ3.0*270

REF	Specification
T1100-4205	Φ3.5*210
T1100-4206	Φ3.5*230
T1100-4207	Φ3.5*250
T1100-4208	Φ3.5*270

3.5mm Locking Screw



REF	Specification
T1100-4301	Φ3.5*12
T1100-4302	Φ3.5*14
T1100-4303	Φ3.5*16
T1100-4304	Φ3.5*18
T1100-4305	Φ3.5*20

REF	Specification
T1100-4306	Φ3.5*22
T1100-4307	Φ3.5*24
T1100-4308	Φ3.5*26
T1100-4309	Φ3.5*28
T1100-4310	Φ3.5*30

Expert Fibular Intramedullary Nail



REF(Titanium Alloy)	Specification
T1100-6701	Φ3x130 L
T1100-6702	Φ3x130 R
T1100-6703	Φ3x180 L
T1100-6704	Φ3x180 R
T1100-6705	Φ3x230 L
T1100-6706	Φ3x230 R
T1100-6707	Φ4x130 L
T1100-6708	Φ4x130 R
T1100-6709	Φ4x180 L
T1100-6710	Φ4x180 R
T1100-6711	Φ4x230 L
T1100-6712	Φ4x230 R

2.7mm Locking Screw



REF(Titanium Alloy)	Specification
T1100-6501	Φ2.7*10
T1100-6502	Φ2.7*12
T1100-6503	Φ2.7*14
T1100-6504	Φ2.7*16
T1100-6505	Φ2.7*18
T1100-6506	Φ2.7*20
T1100-6507	Φ2.7*22
T1100-6508	Φ2.7*24

REF(Titanium Alloy)	Specification
T1100-6509	Φ2.7*26
T1100-6510	Φ2.7*28
T1100-6511	Φ2.7*30
T1100-6512	Φ2.7*32
T1100-6513	Φ2.7*34
T1100-6514	Φ2.7*36
T1100-6515	Φ2.7*38
T1100-6516	Φ2.7*40

3.5 Cortical Screw



REF(Titanium Alloy)	Specification
5100-4114	3.5*38
5100-4115	3.5*40
5100-4116	3.5*42
5100-4117	3.5*44
5100-4118	3.5*46

REF(Titanium Alloy)	Specification
5100-4119	3.5*48
5100-4120	3.5*50
5100-4121	3.5*55
5100-4122	3.5*60

End Cap



REF(Titanium Alloy)	Specification
T1100-6601	0mm
T1100-6602	5mm

Humeral Intramedually Nail



REF(Stainless Steel)	REF(Titanium Alloy)	Specification
S1100-0101	T1100-0101	Φ7x180
S1100-0102	T1100-0102	Φ7x200
S1100-0103	T1100-0103	Φ7x220
S1100-0104	T1100-0104	Φ7x240
S1100-0105	T1100-0105	Φ7x260
S1100-0106	T1100-0106	Φ7x280
S1100-0107	T1100-0107	Φ7x300
S1100-0108	T1100-0108	Φ8x180
S1100-0109	T1100-0109	Φ8x200
S1100-0110	T1100-0110	Φ8x220
S1100-0111	T1100-0111	Φ8x240
S1100-0112	T1100-0112	Φ8x260
S1100-0113	T1100-0113	Φ8x280
S1100-0114	T1100-0114	Φ8x300
S1100-0115	T1100-0115	Φ9x180
S1100-0116	T1100-0116	Φ9x200
S1100-0117	T1100-0117	Φ9x220
S1100-0118	T1100-0118	Φ9x240
S1100-0119	T1100-0119	Φ9x260
S1100-0120	T1100-0120	Φ9x280
S1100-0121	T1100-0121	Φ9x300

Locking Screw: 3.5 x 20,22,24,26,28,30, 32,34,36,38,40,42mm Full-threaded

Tibial Intramedually Nail



REF(Stainless Steel)	REF(Titanium Alloy)	Specification
S1100-0219	T1100-0219	Φ8x240
S1100-0201	T1100-0201	Φ8x260
S1100-0202	T1100-0202	Φ8x280
S1100-0203	T1100-0203	Φ8x300
S1100-0204	T1100-0204	Φ8x320
S1100-0205	T1100-0205	Φ8x340
S1100-0206	T1100-0206	Φ8x360
S1100-0220	T1100-0220	Φ8x380
S1100-0221	T1100-0221	Φ9x240
S1100-0207	T1100-0207	Φ9x260
S1100-0208	T1100-0208	Φ9x280
S1100-0209	T1100-0209	Φ9x300
S1100-0210	T1100-0210	Φ9x320
S1100-0211	T1100-0211	Φ9x340
S1100-0212	T1100-0212	Φ9x360
S1100-0222	T1100-0222	Φ9x380
S1100-0223	T1100-0223	Φ10x240
S1100-0213	T1100-0213	Φ10x260
S1100-0214	T1100-0214	Φ10x280
S1100-0215	T1100-0215	Φ10x300
S1100-0216	T1100-0216	Φ10x320
S1100-0217	T1100-0217	Φ10x340
S1100-0218	T1100-0218	Φ10x360
S1100-0224	T1100-0224	Φ10x380
S1100-0225	T1100-0225	Φ11x240
S1100-0226	T1100-0226	Φ11x260
S1100-0227	T1100-0227	Φ11x280
S1100-0228	T1100-0228	Φ11x300
S1100-0229	T1100-0229	Φ11x320
S1100-0230	T1100-0230	Φ11x340
S1100-0231	T1100-0231	Φ11x360
S1100-0232	T1100-0232	Φ11x380

Locking Screw:4.5*30,35,40,45,50,55,60,65,70,75,80,85,90mm Full-threaded

Femoral Intramedually Nail



REF(Stainless Steel)	REF(Titanium Alloy)	Specification
S1100-0301	T1100-0301	Φ9×320
S1100-0302	T1100-0302	Φ9×340
S1100-0303	T1100-0303	Φ9×360
S1100-0304	T1100-0304	Φ9×380
S1100-0305	T1100-0305	Φ9×400
S1100-0306	T1100-0306	Φ9×420
S1100-0307	T1100-0307	Φ10×320
S1100-0308	T1100-0308	Φ10×340
S1100-0309	T1100-0309	Φ10×360

REF(Stainless Steel)	REF(Titanium Alloy)	Specification
S1100-0310	T1100-0310	Φ10×380
S1100-0311	T1100-0311	Φ10×400
S1100-0312	T1100-0312	Φ10×420
S1100-0313	T1100-0313	Φ11×320
S1100-0314	T1100-0314	Φ11×340
S1100-0315	T1100-0315	Φ11×360
S1100-0316	T1100-0316	Φ11×380
S1100-0317	T1100-0317	Φ11×400
S1100-0318	T1100-0318	Φ11×420

Locking Screw: 4.5*30,35,40,45,50,55,60,65,70,75,80,85,90mm Full-threaded

Reversed Femoral Intramedually Nail



REF(Stainless Steel)	REF(Titanium Alloy)	Specification
S1100-0401	T1100-0401	Φ9×200
S1100-0402	T1100-0402	Φ9×220
S1100-0403	T1100-0403	Φ9×240
S1100-0404	T1100-0404	Φ9×260
S1100-0405	T1100-0405	Φ9×280
S1100-0406	T1100-0406	Φ9×300
S1100-0407	T1100-0407	Φ10×200
S1100-0408	T1100-0408	Φ10×220
S1100-0409	T1100-0409	Φ10×240

REF(Stainless Steel)	REF(Titanium Alloy)	Specification
S1100-0410	T1100-0410	Φ10×260
S1100-0411	T1100-0411	Φ10×280
S1100-0412	T1100-0412	Φ10×300
S1100-0413	T1100-0413	Φ11×200
S1100-0414	T1100-0414	Φ11×220
S1100-0415	T1100-0415	Φ11×240
S1100-0416	T1100-0416	Φ11×260
S1100-0417	T1100-0417	Φ11×280
S1100-0418	T1100-0418	Φ11×300

Locking Screw: 4.5*30,35,40,45,50,55,60,65,70,75,80,85,90mm, Full-threaded

Femoral Reconstruction Intramedually Nail



REF(Stainless Steel)	REF(Titanium Alloy)	Specification
S1100-0531	T1100-0531	Φ9×320 L
S1100-0501	T1100-0501	Φ9×340 L
S1100-0502	T1100-0502	Φ9×360 L
S1100-0503	T1100-0503	Φ9×380 L
S1100-0504	T1100-0504	Φ9×400 L
S1100-0505	T1100-0505	Φ9×420 L
S1100-0532	T1100-0532	Φ9×320 R
S1100-0506	T1100-0506	Φ9×340 R
S1100-0507	T1100-0507	Φ9×360 R
S1100-0508	T1100-0508	Φ9×380 R
S1100-0509	T1100-0509	Φ9×400 R
S1100-0510	T1100-0510	Φ9×420 R
S1100-0533	T1100-0533	Φ10×320 L
S1100-0511	T1100-0511	Φ10×340 L
S1100-0512	T1100-0512	Φ10×360 L
S1100-0513	T1100-0513	Φ10×380 L
S1100-0514	T1100-0514	Φ10×400 L
S1100-0515	T1100-0515	Φ10×420 L

REF(Stainless Steel)	REF(Titanium Alloy)	Specification
S1100-0534	T1100-0534	Φ10×320 R
S1100-0516	T1100-0516	Φ10×340 R
S1100-0517	T1100-0517	Φ10×360 R
S1100-0518	T1100-0518	Φ10×380 R
S1100-0519	T1100-0519	Φ10×400 R
S1100-0520	T1100-0520	Φ10×420 R
S1100-0535	T1100-0535	Φ11×320 L
S1100-0521	T1100-0521	Φ11×340 L
S1100-0522	T1100-0522	Φ11×360 L
S1100-0523	T1100-0523	Φ11×380 L
S1100-0524	T1100-0524	Φ11×400 L
S1100-0525	T1100-0525	Φ11×420 L
S1100-0536	T1100-0536	Φ11×320 R
S1100-0526	T1100-0526	Φ11×340 R
S1100-0527	T1100-0527	Φ11×360 R
S1100-0528	T1100-0528	Φ11×380 R
S1100-0529	T1100-0529	Φ11×400 R
S1100-0530	T1100-0530	Φ11×420 R

Locking Screw: 4.5*30,35,40,45,50,55,60,70,75,80,85,90mm, 6.5x60,65,70,75,80,85,90,95,100, 105,110mm Full-threaded

Gamma Intramedually Nail



REF(Stainless Steel)	REF(Titanium Alloy)	Specification
S1100-0601	T1100-0601	Φ9×180
S1100-0602	T1100-0602	Φ9×200
S1100-0603	T1100-0603	Φ9×220
S1100-0604	T1100-0604	Φ9×240
S1100-0605	T1100-0605	Φ9×260
S1100-0606	T1100-0606	Φ9×280
S1100-0607	T1100-0607	Φ10×180
S1100-0608	T1100-0608	Φ10×200
S1100-0609	T1100-0609	Φ10×220

REF(Stainless Steel)	REF(Titanium Alloy)	Specification
S1100-0610	T1100-0610	Φ10×240
S1100-0611	T1100-0611	Φ10×260
S1100-0612	T1100-0612	Φ10×280
S1100-0613	T1100-0613	Φ11×180
S1100-0614	T1100-0614	Φ11×200
S1100-0615	T1100-0615	Φ11×220
S1100-0616	T1100-0616	Φ11×240
S1100-0617	T1100-0617	Φ11×260
S1100-0618	T1100-0618	Φ11×280

Locking Screw: 4.5*30,35,40,45,50,55,60,70,75,80,85,90mm, 6.5x60,65,70,75,80,85,90,95,100, 105,110mm Full-threaded

3.5mm Locking Screw



REF(Stainless Steel)	REF(Titanium Alloy)	Specification
S1100-2001	T1100-2001	Φ3.5*20
S1100-2002	T1100-2002	Φ3.5*22
S1100-2003	T1100-2003	Φ3.5*24
S1100-2004	T1100-2004	Φ3.5*26
S1100-2005	T1100-2005	Φ3.5*28
S1100-2006	T1100-2006	Φ3.5*30
S1100-2007	T1100-2007	Φ3.5*32
S1100-2008	T1100-2008	Φ3.5*34

REF(Stainless Steel)	REF(Titanium Alloy)	Specification
S1100-2009	T1100-2009	Φ3.5*36
S1100-2010	T1100-2010	Φ3.5*38
S1100-2011	T1100-2011	Φ3.5*40
S1100-2012	T1100-2012	Φ3.5*42
S1100-2013	T1100-2013	Φ3.5*44
S1100-2014	T1100-2014	Φ3.5*46
S1100-2015	T1100-2015	Φ3.5*48
S1100-2016	T1100-2016	Φ3.5*50

4.5mm Locking Screw



REF(Stainless Steel)	REF(Titanium Alloy)	Specification
S1100-0701	T1100-0701	Φ4.5*30
S1100-0702	T1100-0702	Φ4.5*35
S1100-0703	T1100-0703	Φ4.5*40
S1100-0704	T1100-0704	Φ4.5*45
S1100-0705	T1100-0705	Φ4.5*50
S1100-0706	T1100-0706	Φ4.5*55
S1100-0707	T1100-0707	Φ4.5*60

REF(Stainless Steel)	REF(Titanium Alloy)	Specification
S1100-0708	T1100-0708	Φ4.5*65
S1100-0709	T1100-0709	Φ4.5*70
S1100-0710	T1100-0710	Φ4.5*75
S1100-0711	T1100-0711	Φ4.5*80
S1100-0712	T1100-0712	Φ4.5*85
S1100-0713	T1100-0713	Φ4.5*90


6.5mm Locking Screw(Solid)



REF(Stainless Steel)	REF(Titanium Alloy)	Specification
S1100-0801	T1100-0801	Φ6.5*70
S1100-0802	T1100-0802	Φ6.5*75
S1100-0803	T1100-0803	Φ6.5*80
S1100-0804	T1100-0804	Φ6.5*85
S1100-0805	T1100-0805	Φ6.5*90


REF(Stainless Steel)	REF(Titanium Alloy)	Specification
S1100-0806	T1100-0806	Φ6.5*95
S1100-0807	T1100-0807	Φ6.5*100
S1100-0808	T1100-0808	Φ6.5*105
S1100-0809	T1100-0809	Φ6.5*110

Multi-lock Humeral Intramedullary Nail Instrument Set 1200-17




NO	REF	Description	Qty
1	1200-1701	Guide Wire Φ2.5*250	2
2	1200-1702	Limited Guide Wire Φ2.5*200	2
3	1200-1703	Guide Wire Φ1.5*150	2
4	1200-1704	Adaptor	1
5	1200-1705	Protective Sleeve	1
6	1200-1706	Hollow Φ11.5	1
7	1200-1707	Hollow Φ10	1
8	1200-1708	Reduction Rod	1
9	1200-1709	Development Ruler Φ7-Φ9.5*160-300	1
10	1200-1710	Oliver Guide Wire Measurement	1
11	1200-1711	Flexible Reamer Φ9	1
	1200-1767	Flexible Reamer Φ8	1
12	1200-1712	Flexible Reamer Φ10	1
	1200-1768	Flexible Reamer Φ7	1
13	1200-1132	Oliver Guide Wire ϕ2.5*680mm (Nitinol Alloy)	1
14	1200-1714	Cannulated AWL Φ3.5/Φ10	1
15	1200-1715	Guide Wire Holding Forcep	1
16	1200-1716	Cannulated T-handle	1
17	1200-1717	Proximal Guider Rod Wheel M6/SW5/40.5	1
18	1200-1717	Proximal Guider Rod Wheel M6/SW5/40.5	1
19	1200-1719	Proximal Guider Aluminium	1
20	1200-1720	Proximal Anterior Guider Aluminium	1
21	1200-1721	Multi-locking Screwdriver 2ND Screw	1
22	1200-1722	Drill Bit Φ3.8*270 with block	3
23	1200-1723	Depth Gague (0-90mm)	1
24	1200-1724	Compression Bolt M6/Φ3.2/SW11	1
25	1200-1725	Connecting Bolt M6/Φ2.5/SW11	1
26	1200-1726	Bolt M6/Φ3.45/SW11	1
27	1200-1726	Bolt M6/Φ3.45/SW11	1
28	1200-1728	Spaner SW11	1
30	1200-1729	Handle	1
31	1200-1730	Sliding Hammer	1
32	1200-1731	Drill Sleeve Φ13/Φ10	2
33	1200-1732	Drill Sleeve Φ10/Φ3.9	2
34	1200-1733	Sleeve Wire Φ3.8	1
35	1200-1734	Proximal Guide Pin Locking Wheel	1
36	1200-1735	Quick Coupling Screwdriver SW3.5	1
37	1200-1736	Screwdrver SW3.5	1
38	1200-1737	Depth Gague (0-90mm)	1
39	1200-1738	Hex Key SW3.0	1
40	1200-1739	Drill Bit Φ3.0*300 with Limitator	3
40.1	1200-1739-1	Drill Bit Φ3.0*300	3
40.2	1200-1739-2	Φ3.0 Drill Bit Limitator	1
41	1200-1740	Oliver Guide Wire	1
42	1200-1741	Drill Bit with Block Φ8.2/Φ3.1	2
43	1200-1742	Sleeve Wire Φ11/Φ8.3	2
44	1200-1743	Drill Bit Φ2.8*200 with block	2
44.1	1200-1743-2	Drill Bit Φ2.8*200	2
44.2	1200-1743-2	Φ2.8with block	1
45	1200-1744	Pin Holder	1
46	1200-1745	Locking Screw Location Sleeve Φ10/5.8	1
47	1200-1745	Locking Screw Location Sleeve Φ10/5.8	2
48	1200-1744	Pin Holder	2
49	1200-1750	Connecting Bolt M6/SW5/32	1
50	1200-1751	Stardriver T15	1
51	1200-1752	Torque Wrench 1.5 N.m Stardriver T15	1
52	1200-1753	End Cap Measurement	1
53	1200-1754	Connect Clamp	1
54	1200-1755	Distal Guider Rod	1
55	1200-1756	Removal Rod	1
56	1200-1757	Nut Holder SW3.5	1
57	1200-1758	Temporary Location Rod	1
58	1200-1759	Hex Key SW5.0	1
59	1200-1760	T-handle Flat Drill Φ3.8	1
60	1200-1761	Location Rod	1
61	1200-1762	Distal Location Guider L	1
62	1200-1763	Distal Location Guider R	1
63	1200-1764	Connecting Bolt M6/SW5/32	1
64	1200-1764	Connecting Bolt M6/SW5/32	1
65	1200-1766-N	Aluminium Box	1


Humeral Intramedullary Nail (Blade Type) Instrument Set 1200-22




NO	REF	Description	Qty.
1	1200-2201	Flexible Reamer Φ9*370mm	1
2	1200-2202	Flexible Reamer Φ8.5*370mm	1
3	1200-2203	Flexible Reamer Φ8*370mm	1
4	1200-2204	Flexible Reamer Φ7*370mm	1
5	1200-2205	T-handle Reduction Rod Φ5.5/Φ3.3*320mm	1
6	1200-2206	Proximal Hollow Drill Φ9.5/Φ2.5*185mm	1
7	1200-2207	Countersink Drill Sharp Φ9.2*120mm	1
8	1200-2208	Countersink Drill Blunt Φ4/Φ7*120mm	1
9	1200-2209	Drill Bit Φ4*120mm	2
10	1200-2210	Cannulated AWL Φ9.5/Φ3.3	1
11	1200-2211	Threaded Guide Pin Φ2.5*200	2
12	1200-2212	Protect Sleeve Φ9.5	1
13	1200-2213	Pin Holder T-handle	1
14	1200-2214	T-handle Φ5.5	1
15	1200-2215	Adapter	1
16	1200-2216	Development Ruler 295mm	1
17	1200-2217	Trocar Φ2.0	1
18	1200-2218	Pin Guider Φ2.0/Φ7.1	1
19	1200-2219	Drill Guider Φ7.1/Φ13	1
20	1200-2220	K-wire Φ2.0*200mm	3
21	1200-2221	Threaded K-wire Φ2.0*200mm	3
22	1200-2222	Wire Depth Gague Φ2.0(20-50mm)	1
23	1200-2223	Hex Screwdriver SW3.5	1
24	1200-2224	Blade Inserter	1
25	1200-2225	Blade Connecting Rod	1
26	1200-2226	Accessary Box PPSU	1
27	1200-2227	Locking Screw Outer Sleeve Φ7.1/Φ9	1
28	1200-2227	Locking Screw Outer Sleeve Φ7.1/Φ9	1
29	1200-2228	Drill Guider Φ3.0/Φ7.1	1
30	1200-2228	Drill Guider Φ3.0/Φ7.1	1
31	1200-2229	Drill Bit Φ3.0*220mm	2
32	1200-2230	Drill Bit Φ3.0*220mm with limitator	1
33	1200-2231	Hex Wrench SW3.0	1
34	1200-2232	Temporary Location Rod Φ3.0	1
35	1200-2233	Depth Gague (0-50mm)	1
36	1200-2234	Cannulated Drill	1
37	1200-2235	End Cap Holder SW3.5	1
38	1200-2236	Silicon Handle Screwdriver SW3.5	1
39	1200-2237	Sliding Hammer	1
40	1200-2238	Sliding Hammer Guider Rod M6/Φ2.5/SW10	1
41	1200-2239	Wrench SW10	1
42	1200-2240	Compression Bolt M6/Φ3.0/SW10	1
43	1200-2241	Combined Rod M6/Φ3.0/SW10	1
44	1200-2241	Combined Rod M6/Φ3.0/SW10	1
45	1200-2242	Handle	1
46	1200-2243	Olive Guide Wire Φ3.3/Φ2.0*600mm	2
47	1200-2244	Auxiliary Locationg Rod Φ3.6	1
48	1200-2245	Position Block	1
49	1200-2246	Location Rod Φ3.6/Φ7.1	1
50	1200-2247	Location Drill Bit Φ3.6*180mm	1
51	1200-2248	T-handle Flat Drill Φ3.6	1
52	1200-2249	Location Drill Guider Φ3.6	1
53	1200-2250	Trocar Φ7.1	1
54	1200-2251	Distal Rod Sleeve Φ7.1/Φ9	1
55	1200-2252	Distal Clocation Device A	1
56	1200-2253	Distal Clocation Device B	1
57	1200-2254	Bolt	3
58	1200-2255	Guider Rod 160-280mm	1
59	1200-2256	L-wrench, SW5.0	1
60	1200-2257	Proximal Location Device	1
61	1200-2258	Aluminim Box	1

Expert Tibial Intramedullary Nail Instrument Set 1200-09










NO	REF	Description	Qty
1	1200-0901	Sleeve Φ3.2	1
1.1	1200-0901-1	Sleeve Φ3.2/138	1
1.2	1200-0901-2	Wire Sleeve Φ3.2/150	1
2	1200-0902	Soft Tissue Retractor	1
3	1200-0903	L-shaped Sleeve Φ5.2	1
4	1200-0904	L-shaped Sleeve Φ4.0	1
5	1200-0904	L-shaped Sleeve Φ4.0	1
6	1200-0906	L Wrench SW3.0	1
7	1200-0907	L Wrench SW5.0	1
8	1200-0908	Fasten Wrench Φ4.0	1
9	1200-0909	Open Wrench SW11.0	1
10	1200-0910	Protection Sleeve Φ12	1
11	1200-0911	Depth Gague 0-90mm	1
12	1200-0912	Location Device	1
13	1200-0913	T-handle Drill Φ5.2	1
14	1200-0914	T-handle Reduction Rod	1
15	1200-0915	Developing Calculator	1
16	1200-0916	Screwdriver SW3.5	1
17	1200-0917	T-handle Screwdriver SW3.5	1
18	1200-0918	T-handle Universal Screwdriver SW6.5	1
19	1200-0919	End Cap Holder SW3.5	1
20	1200-0920	Compression Bolt Φ4/M6/SW6.5	1
21	1200-0921	Protection Plate	1
22	1200-0922	Drill Bit Φ5.2	1
23	1200-0923	Drill Bit with Limitator Φ3.2	1
23.1	1200-0923-1	Drill Bit with Φ3.2/250	1
23.2	1200-0923-2	Drill Bit Limitator Φ3.2/SW3	1
24	1200-0924	Threaded Guide Pin Φ3x300	3
25	1200-0925	Proximal Knife Rod Φ12/Φ3.2	1
26	1200-0926	Drill Bit Φ4.0	1
27	1200-0927	Drill Bit with Limitator Φ4.0	1
27.1	1200-0927-1	Drill Bit Limitator Φ4.0	1
28	1200-0928	Flexible Reamer Bar 7.2mm	1
29	1200-0929	Connector M8x1/SW6.5	1
30	1200-0930	T-handle Quick Coupling	1
31	1200-0931	T-handle Screwdriver SW6.5	1
32	1200-0932	Connector	1
33	1200-0933	Sleeve Φ8.1/Φ10*120	1
34	1200-0933	Sleeve Φ8.1/Φ10*120	1
35	1200-0935	Cannulated AWL	1
36	1200-0936	Proximal Target Device	1
37	1200-0937	Target Device	1
38	1200-0938	Target Device	1
39	1200-0939	Hammer Guider Rod M10*1	1
40	1200-0940	Bolt M11/31	1
41	1200-0941	Bolt M8x1/SW5 /41	1
42	1200-0942	Bolt M6/36	1
43	1200-0943	Connector M8/SW11	1
44	1200-0944	Reamer Head 7.5-12mm	1
45	1200-1130	Olive Guide Wire Ø2.5*1000	1
46	1200-0946	Hammer	1
47	1200-0953	Guide Rod	1
48	1200-0954	Cannulated Chisel Φ12/3.2	1
49	1200-0942	Bolt M6/36	1
50	1200-0950	Lock Clamp	1
51	1200-0951	Handle	1
52	1200-0952	Pin Holder	1
53	1200-0947-N	Aluminium Box	1

Suprapatellar Approach Tibial Intramedullary Nail Instrument Set 1200-15









NO	REF	Description	Qty.
1	1200-1501	Nail Removal M8*1	1
2	1200-1502	Bolt M6/SW5/36	1
3	1200-1503	Distal Aim Stand	1
4	1200-1502	Bolt M6/SW5/36	1
5	1200-1505	Hex Key SW5	1
6	1200-1506	Locking Sleeve Φ10/Φ8.1*120	1
7	1200-1507	Soft Tissue Divider	1
8	1200-1508	Location Rod Sleeve Φ8.1/Φ5.2	1
9	1200-1509	Drill Bit Φ5.2	1
10	1200-1510	Flat Drill Φ5.2	1
11	1200-1511	Location Rod	1
12	1200-1512	Sliding Hammer	1
13	1200-1502	Bolt M6/SW5/36	1
14	1200-1514	Guide Rod	1
15	1200-1515	Nail Pull Connector M8*1	1
16	1200-1516	Bolt Universal Screwdriver SW6.5	1
17	1200-1517	Spanner SW11	1
18	1200-1518	Connect Clamp	1
19	1200-1519	Handle Short	1
20	1200-1520	Connect Bolt Short M8*1/M6/SW6.5	1
21	1200-1521	Connect Bolt Screwdriver SW6.5	1
22	1200-1520	Connect Bolt Short M8*1/M6/SW6.5	1
23	1200-1523	Compression Bolt Φ4/M6/SW6.5	1
24	1200-1524	Handle Long	1
25	1200-1525	Connect Bolt Long M8*1/M6/SW6.5	1
26	1200-1525	Connect Bolt Long M8*1/M6/SW6.5	1
27	1200-1527	Compression Bolt Long Φ4/M6/SW6.5	1
28	1200-1528	Proximal Flexible Cannulated Drill Φ12.8/Φ3.2	1
29	1200-1506	Sleeve Φ11/Φ8.6*120	2
30	1200-1530	Drill Sleeve Φ8.6/Φ3.2	2
31	1200-1531	L Sleeve Φ4.0/Φ8.5(Proximal)	1
32	1200-1532	Sleeve Pin Φ3.2	1
33	1200-1533	Drill Bit Φ3.2*250 with Limitator	3
33.1	1200-1533-1	Φ3.2 Drill Bit	3
33.2	1200-1533-2	Φ3.2 Limitator	1
34	1200-1534	Proximal Aim Guider	1
35	1200-1535	Block Clamp	1
36	1200-1536	Block Clamp Measurement	1
37	1200-1506	Sleeve Φ10/Φ8.1*120	1
38	1200-1506	Sleeve Φ10/Φ8.1*120	1
39	1200-1539	L Sleeve Φ4.0/Φ8.0(Distal)	1
40	1200-1539	L Sleeve Φ4.0/Φ8.0(Distal)	1
41	1200-1541	Drill Bit Φ4.0*300 with Limitator	3
41.1	1200-1541-1	Drill Bit Φ4.0*300	3
41.2	1200-1541-2	Φ4.0 Limitator	1
42	1200-1542	Temporary Location RodΦ8.1/Φ4.0	1
43	1200-1543	Depth Gague(0-90mm)	1
44	1200-1544	T-handle Screwdriver SW3.5	1
45	1200-1545	Screwdriver SW3.5	1
46	1200-1546	End Cap Holder SW3.5	1
47	1200-1547	Screwdriver SW3.5	1
48	1200-1548	Protective Sleeve Φ13*125	1
49	1200-1549	Guide Pin Sleeve Φ13/Φ3.2	1
50	1200-1550	Canulated AWL Φ9.5/Φ4.0	1
51	1200-1551	Proximal Cannulated Drill Φ12.8/Φ3.2	1
52	1200-1552	Reduction Rod	1
53	1200-1553	Flexible Reamer Φ9*570	1
54	1200-1554	Flexible Reamer Φ10*570	1
55	1200-1555	Adaptor	1
56	1200-1556	Development Mould Plate	1
57	1200-1557	Threaded Guide Pin Φ3.2*300	2
58	1200-1558	Olive Guide Wire Measurement	1
59	1200-1559	T-handle Quick Coupling	1
60	1200-1560	Guide Wire Holder	1
61	1200-1561	Flexible Reamer Φ8*570	1
62	1200-1562	Flexible Reamer Φ11*570	1
63	1200-1563	Flexible Reamer Φ12*570	1
64	1200-1564	Threaded Guide Pin Φ3.2*400	2
65	1200-1565	Aluminium Box	1
66	1200-1566	L Wrench SW3.0	1
67	1200-1130	Olive Guide Wire Ø2.5*1000 (Nitinol Alloy)	2


Distal Tibial Intramedullary Nail (DTN) Instrument Set 1200-27







NO	REF	Description	Qty
1	1200-2731	Hammer Guide Shaft	1
2	1200-2729	Screwdriver T20*200	1
3	1200-2728	Screwdriver T20*250	1
4	1200-2726	Drill Bit Ø3.2 x 220	2
5	1200-2727	Drill Bit Ø2.8 x 220	2
6	1200-2730	Depth Gauge, Curved 0-50mm	1
7	1200-2732	Depth Gauge,Straight 0-50mm	1
8	1200-2704	Sliding Hammer	1
9.1	1200-2721	Trocar ϕ3.2X142	2
9.2	1200-2722	Cannulated Sleeve for Drill Bit Ø3.2	2
9.3	1200-2723	Outer Sleeve ϕ8.0/ϕ5.6X115	2
10.1	1200-2724	Trocar ϕ2.8X142	2
10.2	1200-2725	Cannulated Sleeve for Drill Bit Ø2.8mm	2
10.3	1200-2723	Outer Sleeve ϕ8.0/ϕ5.6X115	2
11	1200-2703	Guide Wire Holder	1
12	1200-2708	Cannulated Reamer Ø7.5*165	1
13	1200-2709	Cannulated Reamer Ø8.5*165	1
14	1200-2710	Entry Reamer Ø7.5*165mm	1
15	1200-2711	Entry Reamer Ø8.5*165mm	1
16	1200-2720	Positioning Arm	1
17	1200-2719	Positioning Arm Coupler	1
18	1200-2713	Aiming Jig Ø8.0mm X 140	1
19	1200-2714	Aiming Jig Ø8.0mmX120	1
20	1200-2712	Aiming Jig Ø7.0mm X 110	1
21	1200-2705	Trocar Ø2.0x180mm	4
22	1200-2715	M5 Connecting Bolt	1
23	1200-2716	Trial for Ø7x110	1
24	1200-2717	Trial for Ø8*120	1
25	1200-2718	Trial for Ø8*140	1
26	1200-2706	Protection Sleeve ϕ10.5/ϕ12.5X35	1
27	1200-2702	T-Handle Quick Coupling	1
28	1200-2701	Wrench	1
29	1200-2707	Entry Guide Wire Ø10.4/Ø2.2*50mm	1
30	1200-2733	Aluminium Box	1

Expert Femoral Intramedullary Nail Instrument Set 1200-08-C










NO	REF	Description	Qty.
1	1200-0801	Soft Tissue Separting Device, Short	1
2	1200-0802	Ø5.2mm Positioning Plat Drill	1
3	1200-0803	Soft Tissue Separting Device, Long	1
4	1200-0804	Positiong Rod	1
5	1200-0805	Ø4.0*300mm Drill Bit	1
6	1200-0806	Ø4.0*300mm Drill Bit with limit Device	1
6.1	1200-0806-1	Ø4.0*300mm Drill Bit	1
6.2	1200-0806-2	Ø4.0mm Limitator	1
7	1200-0807	Locking Spanner SW6.5	1
8	1200-0808	Connecting Screw Universal Spanner SW6.5	1
9	1200-0809	Locking Pipe Ø10*8.1*120	1
10	1200-0810	Femur neck Nail/tail spanner SW5.0	1
10.1	1200-0810-1	Tail cap wrench SW5.0	1
10.2	1200-0810-2	Tail cap suspension rod	1
11	1200-0811	Locking Pipe, Long Ø10*8.1*155	1
12	1200-0811	Locking Pipe, Long Ø10*8.1*155	1
13	1200-0868	K-wire Sleeve	1
14	1200-0814	Ø5.2*250mm Drill Bit	1
15	1200-0815	T-handle Screwdriver, SW4.0	1
16	1200-0816	Drill Sleeve, 5.2mm, Short	1
17	1200-0817	Drill Sleeve, 6.4mm	1
18	1200-0818	Drill Sleeve, 2.5mm, Long	1
19	1200-0819	Drill Sleeve, 4.0mm	1
20	1200-0819	Drill Sleeve, 4.0mm	1
21	1200-0821	Screwdriver, SW5.0	1
22	1200-0822	Handle	1
23	1200-0823	Bolt	1
24	1200-0824	Guide Pin Device	1
25	1200-0825	AWL	1
26	1200-0826	Main Nail Pull Connecting Rod	1
27	1200-0827	T-handle	1
28	1200-0828	Positioning Card	1
29	1200-0829	L-wrench, SW3.0	1
30	1200-0830	L-wrench, SW5.0	1
31	1200-0862	Ø6.4 Femur neck Nail Drill Cannulated with Limitator	1
31.1	1200-0862-1	Cannulated Femur neck Nail Drill Φ4.6x26/Φ6.4/L340	1
31.2	1200-0831-2	Ø6.4 Step Drill Bit Limitator	1
32	1200-0832	Femur Neck Guide Depth Gauge	1
33	1200-0833	Locking Hole Depth Gauge	1
34	1200-0834	Ø2.5 Guider Pin with Thread	2
35	1200-0835	Ø2.5 Guider Pin, sharp head	2
36	1200-0836	Skin Protecting Board	2
37	1200-0837	Distal Postioning Frame	1
38	1200-0838	Bolt M8*1/32.5	1
39	1200-0838	Bolt M8*1/32.5	1
40	1200-0840	Reamer Head 8.5/9.0/9.5/10.0/10.5/11.0/11.5/12.0/12.5/13	1
41	1200-1130	Olive Guide Wire Ø2.5*1000 (Nitinol Alloy)	1
42	1200-0842	Bolt M8*1/41	1
43	1200-0842	Bolt M8*1/41	1
44	1200-0844	Pulling device	1
45	1200-0845	Distal Guider Rod (180-240mm)	1
46	1200-0846	Proximal Guider Rod	1
47	1200-0847	Distal Guider Rod (320-440mm)	1
48	1200-0848	Reduction Rod(Guider Pin)	1
49	1200-0849	Proximal Enlargement Ø13.8	1
49.1	1200-0849-1	Proximal Enlargement Φ2.5/Φ13.8/L270	1
49.2	1200-0849-2	Cannulated Proximal Drill Bit LimitatorΦ7	1
50	1200-0850	Flexible Reamer Shaft	1
51	1200-0869	Proximal Enlargement Sleeve	1
52	1200-0859-N	Aluminium Box	1

PFNA Nail Instrument Set 1200-07











NO	REF	Description	Qty.
1	1200-0701	Screwdriver Hex SW4.0	1
2	1200-0702	Proximal Hollow Drill Φ16.5	1
3	1200-0703	Proximal Hollow Position StopperΦ 10.6/Φ3.2	1
4	1200-0704	Drill Bit Ø4.0*300	2
4.1	1200-0704-1	Limitator Ø4.0	1
5	1200-0705	Drill Sleeve(Out Sleeve+Sleeve+Pin)	1
5.1	1200-0705-1	Locking Screw Sleeve Φ11/Φ8.2	1
5.2	1200-0705-2	Drill Sleeve Φ8.2/Φ4.0	1
5.3	1200-0705-3	Sleeve Pin Φ4.0	1
6	1200-0706	Drill Sleeve	1
6.1	1200-0706-1	Locking Screw Sleeve Φ11/Φ8.2	1
6.2	1200-0706-2	Drill Sleeve Φ8.2/Φ4.0	1
7	1200-0707	Depth Gague 70-120mm	1
8	1200-0708	Nut Screwdriver SW8.0	1
9	1200-0709	Wrench	1
10	1200-0710	Guider Sleeve(Protect Sleeve+Pin Sleeve)	1
10.1	1200-0710-1	Wire SleeveΦ16.5/Φ3.2	1
10.2	1200-0710-2	Protect Sleeve Φ16.5×140	1
11	1200-0711	Cannulated Screwdriver	1
12	1200-0712	Tail Cannulated Screwdriver	1
13	1200-0713	Tissue Protection Plate	1
14	1200-0714	Quick Coupling T-handle	1
15	1200-0715	AWL	1
16	1200-0716	Guider Wire Holder	1
17	1200-0717	Distal Position Lock	1
18	1200-0718	Position Drill Ø5.2	1
19	1200-0719	Position Rod	1
20	1200-0720	Position Drill Bit Ø5.2 (Position Drill Bit+Drill Sleeve+Drill Bit)	1
20.1	1200-0720-1	Ø5.2 Drill Sleeve	1
20.2	1200-0720-2	Position Drill Bit Ø5.2*250	1
21	1200-0721	Nail Removal Rod M10X1.5	1
22	1200-0722	Depth Gague 0-90mm	1
23	1200-0723	Blade Screw Device	1
24	1200-0724	Reduction Rod	1
25	1200-0725	Flexible Reamer Bar	1
26	1200-0726	Threaded K-WireΦ 3.2×400	3
27	1200-0727	End Cap Guider Φ2.8	1
28	1200-0728	Template for Development	1
29	1200-0729	Reamer Head 8.5/9.0/9.5/10.0/10.5/11.0/11.5/12.0/12.5/13	1
30	1200-0730	Main Pin Impactor	1
31	1200-0731	Drill Sleeve(Position Rod Sleeve+Soft Tissue Separator)	1
31.1	1200-0731-1	Sleeve Φ8.1/Φ10x120	1
31.2	1200-0731-2	Soft Tissue Separator	1
32	1200-0732	Open Wrench SW11.0	1
33	1200-0733	Hex Key Large SW5.0	1
34	1200-0734	Hex Key Small SW3.0	1
35	1200-0735	Distal Guider Device 180-200	1
36	1200-0736	Distal Guider Device 90°	1
37	1200-0737	Distal Guider Device 220/ 240	1
38	1200-0738	Proximal Guider Device	1
39	1200-0739	Hammer	1
40	1200-0740	Handle	1
41	1200-0741	Bolt M6/36	1
42	1200-0742	Bolt M8*1/31.5	1
43	1200-0743	Bolt M8*1/41	1
44	1200-0744	Bolt M10*1.5/42.5	2
45	1200-0745	Long Nail Distal Guider Bar	1
46	1200-0746	Saw Blade Screwdriver	1
47	1200-0747	Long Nail Distal Guider Bar	1
48	1200-0748	Slide Hammer	1
49	1200-0749	Connector	1
50	1200-0750	Long Nail Distal Screw Location Device	1
51	1200-0751	Guider Sleeve(Blade Screw Sleeve+Inner Sleeve+Pin Sleeve)	1
51.1	1200-0751-1	Blade Screw Sleeve	1
51.2	1200-0751-2	Drill Sleeve Φ11.2/Φ3.2	1
51.3	1200-0751-3	Sleeve Pin Φ3.2	1
52	1200-1130	Olive Guide Wire Ø2.5*1000 (Nitinol Alloy)	1
53	1200-0753-N	Aluminium Box	1

Intertan Intramedullary Nail Instrument Set 1200-13












NO	REF	Description	Qty
1	1200-1301	Drill Bit Φ4.0*300	2
2	1200-1302	Drill Bit With Limitator Φ4.0*300	1
2.1	1200-1302-1	Φ4.0 Drill Bit Limitator	1
3	1200-1303	Nail Pull Device M10*1	1
4	1200-1304	Hex Key SW3.0	1
5	1200-1305	Compression Anti-rotation Forcep SW5.0/M3.5	1
6	1200-1306	Proximal Bolt Universal Wrench SW6.5	1
7	1200-1307	Proximal Cannulated Tap	1
8	1200-1308	Connector M10*1/SW11	1
9	1200-1309	T-handle Screwdriver SW3.5	1
10	1200-1310	Open Sapner SW11	1
11	1200-1311	Flat Drill Φ5.2	1
12	1200-1312	Drill Bit Φ5.2	1
13	1200-1313	Cannulated Reduction Rod	1
14	1200-1314	End Cap Screwdriver SW5.0	1
15	1200-1315	Universal Screwdriver SW5.0	1
16	1200-1316	Proximal Limited Cannulated Drill Φ3.2/Φ11.2	1
16.1	1200-1316-1	Proximal Cannulated Drill Φ3.2/Φ11.2	1
16.2	1200-1316-2	Φ11.2 Drill Bit Limitator	1
17	1200-1317	Flexible Reamer Φ13	1
18	1200-1318	Flexible Reamer Φ12	1
19	1200-1319	Adaptor	1
20	1200-1320	Cannulated AWL	1
21	1200-1321	Soft Tissue Protector	1
22	1200-1322	Depth Gague 0-90mm	1
23	1200-1323	Screwdriver SW3.5	1
24	1200-1324	Proximal Cortical Cannulated Drill Φ3.2/Φ11.2	1
25	1200-1325	Flexible Reamer Φ11	1
26	1200-1326	Flexible Reamer Φ10	1
27	1200-1327	Flexible Reamer Φ9	1
28	1200-1328	Proximal Guider/Distal Static	1
29	1200-1329	Distal 90 ° Static Guider	1
30	1200-1330	Distal Dynamic Guider	1
31	1200-1331	Connector Wrench SW6.5	1
32	1200-1332	Connect Bolt M10*1/SW6.5	1
33	1200-1333	Connect Bolt M10*1/SW6.5	1
34	1200-1334	Proximal Cannulated Drill Φ17.5/Φ3.2	1
35	1200-1335	Proximal Compression Cortical Sleeve	1
35.1	1200-1335-1	Lag Screw Sleeve	1
35.2	1200-1335-2	4.0 Separator Sleeve	1
35.3	1200-1335-3	Skin Separator	1
36	1200-1336	Wire Depth Gague Φ3.2/ 70-120mm	1
37	1200-1337	Distal Guide Rod	1
38	1200-1338	Bolt M8*1/SW5	1
39	1200-1339	Distal Guide Rod Connector	1
40	1200-1338	Bolt M8*1/SW5	1
41	1200-1338	Bolt M8*1/SW5	1
42	1200-1342	Distal Guider Location Device L	1
43	1200-1338	Bolt M8*1/SW5	1
44	1200-1344	Distal Guider Location Device R	1
45	1200-1345	Hex Key SW5	1
46	1200-1346	Handle	1
47	1200-1347	Compression Drill Bit Φ7.0/Φ7.8	1
48	1200-1348	Compression Drill Bit Φ7.8	1
49	1200-1349	Connect Clamp	1
50	1200-1350	Location Rod	1
51	1200-1351	Distal Locking Sleeve Φ11/Φ8.2/Φ4.0	1
51.1	1200-1351-1	Φ11/Φ8.2 Screw Sleeve	1
51.2	1200-1351-2	Φ8.2/Φ4.0 Drill Sleeve	1
52	1200-1352	Distal Locking Sleeve Φ11/Φ8.2/Φ4.0	1
52.1	1200-1352-1	Φ11/Φ8.2 Screw Sleeve	1
52.2	1200-1352-2	Φ8.2/Φ4.0 Drill Sleeve	1
53	1200-1353	Proximal Drill Location Device	1
54	1200-1354	Temporary Location Rod Φ4.0	1
55	1200-1355	Guide Pin Sleeve Φ3.2/Φ11.2	1
56	1200-1356	Femur Neck Compression Bolt	1
57	1200-1357	Femur Neck Lag Screw Wrench	1
58	1200-1358	Clean Style Φ3.0	1
59	1200-1359	Threaded Guide Pin Φ3.2*400	5
60	1200-1360	Sliding Hammer	1
61	1200-1361	Location Sleeve Rod Φ8.1	1
62	1200-1362	Location Rod Sleeve Φ10.0/Φ8.1	1
63	1200-1363	Location Drill Sleeve Φ8.1/Φ5.2	1
64	1200-1364	Protetive Sleeve+Guide Pin Sleeve	1
64.1	1200-1364-1	Reamer Drill Bit Sleeve Φ17.5X140	1
64.2	1200-1364-2	Wire Sleeve Φ17.5/Φ3.2	1
65	1200-1130	Olive Guide Wire Ø2.5*1000 (Nitinol Alloy)	1
66	1200-1366	Guide Wire Holder	1
67	1200-1367	T-handle Quick Coupling	1
68	1200-1368	Aluminum Box	1
69	1200-1369	Template for Development	1

DFN Distal Femur Intramedullary Nail Instrument Set (Spiral Blade Screw Type) 1200-21










NO	REF	Description	Qty.
1	1200-2125	Blade Screw Connector M7*1	1
2	1200-2115	Wire Sleeve Φ13/Φ3.2	1
3	1200-2116	Protective Sleeve Φ13	1
4	1200-2114	Cannulated AWL	1
5	1200-2117	Soft Tissue Protector	1
6	1200-2150	Outer Sleeve Φ10/Φ8.2/120	1
7	1200-2151	Soft Tissue Separator	1
8	1200-2152	Location Bar Sleeve Φ5.2	1
9	1200-2164	Drill Bit Φ4.8*300	2
10	1200-2163	Drill Bit Φ4.8*350	1
11	1200-2165	Limitator Φ4.8/SW3.0	1
12	1200-2127	Locking Sleeve Φ8.1/Φ4.2/173	2
13	1200-2128	Sleeve Pin Φ4.2	1
14	1200-2160	T-handle Universal Screwdriver SW6.5	1
15	1200-2162	Sleeve Pin Φ4.8	1
16	1200-2161	Φ6.0 Locking SleeveΦ8.1/Φ4.8/173	2
17	1200-2126	Outer Sleeve Φ10/Φ8.2/155	2
18	1200-2137	T Connector Bolt Wrench SW6.5	1
19	1200-2142	Self-holding Torx Screwdriver T25/M2.0	1
20	1200-2140	Open Spanner SW11	1
21	1200-2134	Nail Connetor M8*1	1
22	1200-2123	Countersink Drill Φ12.5/290	1
23	1200-2104	T-handle Reduction Rod	1
24	1200-2132	Depth Gague 10-110mm	1
25	1200-2124	Blade Screw Inserter	1
26	1200-2105	Proximal Cannulated Drill Bit Φ3.2/Φ13	1
27	1200-2153	Location Bar Drill Φ5.2	1
28	1200-2154	Location Bar Flat Drill Φ5.2	1
29	1200-2106	Threaded K-wire Φ3.2*320	5
30	1200-2130	Drill Bit Φ4.2*300	2
31	1200-2155	Location Bar	1
32	1200-2129	Drill Bit Φ4.2*350	1
33	1200-2131	Limitator ϕ4.2/SW3.0	1
34	1200-2146	Bolt Wrench SW5.0	1
35	1200-2168	Blade Screw Removal Connector M7*1/M8*1	1
36	1200-2167	Torx Screw Holder	1
37	1200-2166	T25*230 Quick Coupling Torx Screwdriver	1
38	1200-2120	Sleeve Pin Φ3.2	1
39	1200-2119	Blade Screw Sleeve Φ12.7/Φ3.2	1
40	1200-2133	Limitator Wrench SW3.0	1
41	1200-2102	T-handle Triangle	1
42	1200-2118	Wire Sleeve Φ15.5/Φ12.7	1
43	1200-2122	Depth Gague 40-120mm	1
44	1200-2147	Φ5.0 Locking Screw Lateral Guider Bar	1
45	1200-1130	Olive Guide Wire Ø2.5*1000 (Nitinol Alloy)	1
46	1200-2141	Inserter Connector Block M8*1	1
47	1200-2101	Sliding Hammer	1
48	1200-2103	T-handle Pin Holder	1
49	1200-2143	Proximal Guider Bar 280-400mm	1
50	1200-2144	Distal Guider Bar 280-400mm	1
51	1200-2112	Development Ruler	1
52	1200-2107	Φ13 Flexible Reamer	1
53	1200-2108	Φ12 Flexible Reamer	1
54	1200-2109	Φ11 Flexible Reamer	1
55	1200-2110	Φ10 Flexible Reamer	1
56	1200-2111	Φ9 Flexible Reamer	1
57	1200-2145	Guider Bar Bolt M8*1/SW5/38	3
58	1200-2149	Lateral Guider Bar Bolt M6/SW5.0/36	1
59	1200-2136	Connector Bolt M8*1/SW6.5	2
60	1200-2135	Handle	1
61	1200-2156	Proximal Guider Bar 160-200	1
62	1200-2158	Proximal Guider Bar 220-260	1
63	1200-2139	Φ6.0 Locking Screw Guider Block	1
64	1200-2138	Φ12.5 Blade Screw Guider Block	1
65	1200-2159	Distal Guider Bar 220-260	1
66	1200-2157	Distal Guider Bar 160-200	1
67	1200-2148	Position Block	1
68	1200-2169-N	Aluminim Box	1

Expert Reversed Femoral Intramedullary Nail Instrument Set 1200-20









NO	REF	Description	Qty.
1	1200-2001	Flexible Reamerφ9	1
2	1200-2002	Flexible Reamerφ10	1
3	1200-2003	Flexible Reamerφ11	1
4	1200-2004	Flexible Reamerφ12	1
5	1200-2005	Flexible Reamerφ13	1
6	1200-2006	Proximal Cannulated Drillφ3.2/φ14	1
7	1200-2007	Development Ruler	1
8	1200-2008	Threaded K-wireφ3.2*300	3
9	1200-2009	T-handle Reduction Rod	1
10	1200-2010	Cannulated AWL	1
11	1200-2011	Protective Sleeveφ14	1
12	1200-2012	Soft Tissue Protector	1
13	1200-2013	Cannulated T-handle	1
14	1200-2014	Adaptor	1
15	1200-2015	Guide Wire Holding Forcep	1
16	1200-2016	Location Rod Φ8.1/φ5.2	1
17	1200-2017	T-handle Screwdriver SW3.5	1
18	1200-2018	End Cap Hex Holding Forcep SW3.5	1
19	1200-2019	Depth Gague 0-90mm	1
20	1200-2020	Location Rod Drill Bit Φ5.2*250	1
21	1200-2021	Location Rod Flat Drill Bit Φ5.2	1
22	1200-2022	End Cap Ball Spanner SW3.5	1
23	1200-2023	Drill Bit Φ4.0*300	3
23.1	1200-2024	Limitator Φ4.0/SW3.0	1
24	1200-2025	Temporary Location Rod Φ4.0	1
25	1200-2026	Drill Sleeve Φ4.0/150	2
26	1200-2027	Location Rod Sleeve Φ5.2/140	1
27	1200-2028	Limitator Spanner SW3.0	1
28	1200-2029	Nail Removal Connector M8*1/M10*1	1
29	1200-2030	Locking Screwdriver SW3.5	1
30	1200-2031	Location Block	1
31	1200-2032	Outer Sleeveφ10/φ8.2/120	3
32	1200-2033	Soft Tissue Separatorφ8.1/138	1
33	1200-2034	Sliding Hammer	1
34	1200-2035	Extended Connecting Bolt M8*1/M10*1/SW11	1
35	1200-2036	Locking Bolt Spanner SW6.5	1
36	1200-2037	Distal Location Stand	1
37	1200-2038	Distal Guider Rod	1
38	1200-2039	Locking Bolt Univeral Spanner SW6.5	1
39	1200-2040	Nail Removal Rod M10*1	1
40	1200-2041	Proximal Guider Rod	1
41	1200-2042	Handle	1
42	1200-2043	Connect Bolt M8*1/SW6.5	2
43	1200-2044	Spanner SW11	1
44	1200-2045	Bolt Wrench SW5.0	1
45	1200-2046	Handle Locking Bolt M8*1/SW5	2
46	1200-2047	Guider Rod Locking Bolt M8*1/SW5	1
47	1200-2048	Distal Location Stand Bolt M6/SW5	2
48	1200-2049	Olive Wire Φ2.5/φ4.0/1000	1
49	1200-2050	Aluminim Box	1

Hindfoot Fusion Ankle Nail 1200-16




NO	REF	Description	Qty.
1	1200-1601	4.3mm Sleeve (Φ10/Φ8/Φ4.3)	1
1.1	1200-1601-1	Sleeve Φ10/Φ8*155	2
1.2	1200-1601-2	Φ8/Φ4.3 Sleeve	1
1.3	1200-1601-3	4.3mm Soft Tissue Separator	1
2	1200-1602	4.8mm Sleeve (Φ10/Φ8/Φ4.8)	1
2.1	1200-1602-1	Φ8/Φ4.8 Drill Sleeve	1
2.2	1200-1602-2	4.8mm Soft Tissue Separator	1
3	1200-1603	T-handle Quick Coupling	1
4	1200-1604	Drill Guider	1
5	1200-1605	Cannulated AWL	1
6	1200-1606	Countersink Drill Φ7.6	1
7	1200-1607	Proximal Drill Φ3.5/Φ12.5*210	1
8	1200-1608	Drill Bit 4.3*300	1
9	1200-1609	Drill Bit 4.3*300 with Limitator	1
10	1200-1610	Drill Bit 4.8*350	1
11	1200-1611	Drill Bit 4.8*350 with Limitator	1
12	1200-1612	Slide Rod M8*1/SW11	1
13	1200-1613	Hammer Connector M8*1/SW11	1
14	1200-1614	Nail Remover M10/SW11	1
15	1200-1211	Cannulated Flexible Reamer Φ7.5*420mm	1
16	1200-1212	Cannulated Flexible Reamer Φ8.5*420mm	1
17	1200-1213	Cannulated Flexible Reamer Φ9.5*420mm	1
18	1200-1214	Cannulated Flexible Reamer Φ10.5*420mm	1
19	1200-1215	Cannulated Flexible Reamer Φ11.5*420mm	1
20	1200-1216	Cannulated Flexible Reamer Φ12.5*420mm	1
21	1200-1621	K-wire Φ3.2*343	3
22	1200-1622	Threaded K-wire Φ3.2*343	3
23	1200-1623	Depth Gague 10-110mm	1
24	1200-1624	Depth Gague 10-90mm	1
25	1200-1625	Star Screwdrivr T25 Quick Coupling	1
26	1200-1626	T-handle Universal Hex Screwdriver SW8.0	1
27	1200-1627	L-wrench SW3	1
28	1200-1628	Handle Guider	1
29	1200-1629	Slide Hammer	1
30	1200-1630	Star Screwdrivr T30	1
31	1200-1631	Star Screwdrivr T25	1
32	1200-1632	End Cap Cannulated Star Screwdrivr T25	1
33	1200-1633	Developing Calculator	1
34	1200-1634	Multi-hole Guider	1
35	1200-1635	Connect Bolt M10*107	2
36	1200-1636	Guide Pin Holding Device	1
37	1200-1131	Olive Guide Wire 3.9*700mm (Nitinol Alloy)	1
38	1200-1638	Handle Limited Bar	1
39	1200-1640-N	Aluminim Box	1

Elastic Nail Instrument Set 1200-06




NO	REF	Description	Qty
1	1200-0601	Hammer	1
2	1200-0602	AWL	1
3	1200-0603	Locking Pliers	1
4	1200-0604	Wrench	1
5	1200-0605	Hammer Guider	1
6	1200-0606	Cutter	1
7	1200-0607	Double Drill Sleeve 3.2/4.5mm	1
8	1200-0608	End Cup Inserter Small	1
9	1200-0609	End Cup Inserter Large	1
10	1200-0610	Drill Bit ϕ2.7*115mm	1
11	1200-0611	Drill Bit ϕ3.2*150mm	1
12	1200-0612	Drill Bit ϕ4.5*150mm	1
13	1200-0613	Elastic Nail Inserter	1
14	1200-0614	Standard Tamp	1
15	1200-0615	Standard Tamp	1
16	1200-0616	Bender	1
17	1200-0617	Bender	1
18	1200-0618-N	Aluminium Box	1

Ulna & Radius Intramedullary Nail Instrument Set 1200-18




NO	REF	Description	Qty.
1	1200-1801	Drill Bit 2.8*255mm	2
2	1200-1802	T-handle Drill Bit 3.1*320mm	1
3	1200-1803	T-handle Drill Bit 3.7*320mm	1
4	1200-1804	T-handle Tap 3.5*170mm	1
5	1200-1805	Screwdriver SW2.5	1
6	1200-1806	Screwdriver SW2.5	1
7	1200-1807	Locking Bolt	1
8	1200-1808	Handle	1
9	1200-1809	Guide Sleeve,Φ5.2mm	1
10	1200-1810	Drill Sleeve,Φ2.8×Φ5.2mm	1
11	1200-1811	Locating Pin,Φ5.2mm	1
12	1200-1812	Sleeve	1
13	1200-1813	Nut	1
14	1200-1814	Proximal Targeting Device,Ulna	1
15	1200-1815	Proximal Targeting Device,Radius	1
16	1200-1816	Locking Screw	1
17	1200-1817	Drill Bit,Φ6.1mm	1
18	1200-1818	Awl,Φ6.1mm	1
19	1200-1819	Nail Tray	1
20	1200-1820	Aluminium Box	1

Expert Fibular Intramedullary Nail Instrument Set 1200-28




NO	REF	Description	Qty
1	1200-2801	Guide Wire Depth Gague 230mm	1
2	1200-2802	Quick Coupling T-handle	1
3	1200-2803	Cannulated AWL 160mm	1
4	1200-2804	Connecting Bolt M4*100	2
5	1200-2805	Reduction Forcep 130mm	1
6	1200-2806	Cannulated Proximal Drill ϕ6.2*145	1
7	1200-2807	Cannulated Reamer Drill ϕ3.2*320	1
8	1200-2808	Cannulated Reamer Drill ϕ4.2*320	1
9	1200-2809	Guide Wire ϕ1.6*180mm	3
10	1200-2810	Threaded Guide Wire ϕ1.6*180mm	3
11	1200-2811	Guide Wire ϕ1.6*350mm	3
12	1200-2812	Reduction Sleeve ϕ1.7/ϕ4*140	1
13	1200-2813	Reduction Shaft ϕ4*130	1
14	1200-2814	Proximal Protect Sleeve ϕ7.7/ϕ6.7	1
15	1200-2815	Guide Wire Sleeve ϕ6.6/ϕ1.7*60	1
16	1200-2816	Aiming Target Device	1
17	1200-2817	Drill Sleeve ϕ6.6/ϕ3.3*58	1
18	1200-2818	Drill Sleeve ϕ6.6/ϕ4.3*58	1
19	1200-2819	Spanner ϕ4*120	1
20	1200-2820	Hammer 200	1
21	1200-2821	Torx Screwdriver T15*205	1
22	1200-2822	Torx Screwdriver T15*150	1
23	1200-2823	Inserter M6*85	1
24	1200-2824	Depth Gague with Hook 285(30-70mm)	1
25	1200-2825	Straight Depth Gague 245(10-40mm)	1
26	1200-2826	Protection Sleeveϕ8.0/ϕ6.0*75	2
27	1200-2827	Drill Sleeve ϕ5.9/ϕ2.6*89	1
28	1200-2828	Torcar ϕ2.5*102	1
29	1200-2829	Drill Sleeve ϕ5.9/ϕ3.8*89	1
30	1200-2830	Torcar ϕ3.7*102.5	1
31	1200-2831	Protect Sleeveϕ8.0/ϕ5.0*75	2
32	1200-2832	Sleeve ϕ4.9/ϕ2.1*89	2
33	1200-2833	Torcar ϕ2.0*102	2
34	1200-2834	Nail Extraction Device M4*220	1
35	1200-2835	Tap HA3.5*190	1
36	1200-2836	Drill Bit ϕ3.7*190	2
37	1200-2837	Drill Bit ϕ2.5*190	2
38	1200-2838	Limitator ϕ2.5	1
39	1200-2839	Drill Bit ϕ2.0*160	2
40	1200-2840	Limitator ϕ2.0	1
41	1200-2841	Limitator Spanner SW2.5*52	1
42	1200-2842	Guider Wire Holding Forcep	1
43	1200-2843	Aluminium Box	1

Intramedullary Nail Removal Set 1200-12




NO	REF	Description	Qty
1	1200-1201	End Cap Wrench 180mm SW11	1
2	1200-1202	Wrench Φ5	1
3	1200-1202	Wrench Φ5	1
4	1200-1204	Wire Cutter	1
5	1200-1205	Open Wrench SW11	1
6	1200-1206	Hex Screwdriver SW4.5	1
7	1200-1207	Hex Screwdriver SW5.0	1
8	1200-1208	Locking Screw Extractor 250mm	1
9	1200-1209	Hex Screwdriver SW2.5	1
10	1200-1210	Hex Screwdriver SW3.5	1
11	1200-1211	Hex Screwdriver SW4.0	1
12	1200-1212	Quick Coupling T-handle	1
13	1200-1213	Extractor Chuck Unversal Large	1
14	1200-1214	Extractor Chuck M6/M10	1
15	1200-1215	Extractor Chuck SW4.0/M8	1
16	1200-1216	Extractor Chuck SW4.5/M8	1
17	1200-1217	Extractor Chuck M10*1	1
18	1200-1218	Extractor Chuck M8*1	1
19	1200-1219	Extractor Chuck M8	1
20	1200-1220	Extractor Chuck Unversal Small	1
21	1200-1221	Extractor Chuck M11	1
22	1200-1222	Extractor Chuck M10	1
23	1200-1223	Screwdriver M8*1/M10*1	1
24	1200-1224	Hammer M10*1	1
25	1200-1225	Unversal Joint M10/M10*1	1
26	1200-1226-N	Aluminium Box	1

Flexible Reamer Stryker Quick Coupling 1200-10



NO	REF	Description	Qty
1	1200-1001	Reamer Head Φ7.5	1
2	1200-1002	Reamer Head Φ8	1
3	1200-1003	Reamer Head Φ8.5	1
4	1200-1004	Reamer Head Φ9	1
5	1200-1005	Reamer Head Φ9.5	1
6	1200-1006	Reamer Head Φ10	1
7	1200-1007	Reamer Head Φ10.5	1
8	1200-1008	Reamer Head Φ11	1
9	1200-1009	Reamer Head Φ11.5	1
10	1200-1010	Reamer Head Φ12	1
11	1200-1011	Reamer Head Φ12.5	1
12	1200-1012	Reamer Head Φ13	1
13	1200-1013	Bar 7.5mm	1
14	1200-1014	Bar 8.5mm	1
15	1200-1015	Quick Coupling T-Handle	1
16	1200-1016-N	Aluminium Box	1

Flexible Reamer Stryker, Fixed Type 1200-11




NO	REF	Description	Qty
1	1200-1101	Reamer Φ7.5	1
2	1200-1102	Reamer Φ8	1
3	1200-1103	Reamer Φ8.5	1
4	1200-1104	Reamer Φ9	1
5	1200-1105	Reamer Φ9.5	1
6	1200-1106	Reamer Φ10	1
7	1200-1107	Reamer Φ10.5	1
8	1200-1108	Reamer Φ11	1
9	1200-1109	Reamer Φ11.5	1
10	1200-1110	Reamer Φ12	1
11	1200-1111	Reamer Φ12.5	1
12	1200-1112	Reamer Φ13	1
13	1200-1113	Quick Coupling T-Handle	1
14	1200-1114-N	Aluminium Box	1

Olive Guide Wire




NO	REF	Description	Material	Qty
1	1200-1115	Φ2.5/4*1m Length	Stainless Steel	1
1	1200-1130	Φ2.5/4*1m Length	Nitinol Alloy	1


Humeral Intramedullary Nail Instrument Set 1200-01




NO	REF	Description	Qty
1	1200-0101	Drill Bit 5.2mm	1
2	1200-0102	Open Wrench SW11	1
3	1200-0103	Tap HA3.5mm	1
4	1200-0104	Distal Positiong Frame	1
5	1200-0105	Depth Gague 0-60mm	1
6	1200-0106	Drill Bit 2.9*250mm	1
7	1200-0107	Drill Bit 5.2*300mm	1
8	1200-0108	Reamer 8.5*340mm	1
9	1200-0109	Reamer 8.0*340mm	1
10	1200-0110	Reamer 7.5*340mm	1
11	1200-0111	AWL	1
12	1200-0112	Sleeve ø8/Φ6	1
13	1200-0113	Screwdriver SW2.5	1
14	1200-0112	Sleeve ø8/Φ6	1
15	1200-0115	Quick Coupling T-Handle	1
16	1200-0116	Sighting Device Handle	1
17	1200-0117	Nail Connector Cannulated M6	1
18	1200-0118	Distal Guider	1
19	1200-0119	Proximal Guider	1
20	1200-0120	Fixed Connector	1
21	1200-0121	Location Rod	1
22	1200-0122	Drill Sleeve ø5.2(Out Sleeve +Inner Sleeve)	1
22.1	1200-0122.1	Out Sleeve ø10xø8x94mm	1
22.2	1200-0122.2	Inner Sleeve ø5.2xø8.0x150	1
23	1200-0123	Hex Wrench SW5.0	1
24	1200-0124	Gauge Cannula ø3.5	1
25	1200-0125	Universal Joint	1
26	1200-0126	Guide Rod	1
27	1200-0127	Hammer	1
28	1200-1128	Guide Wire 2.0*500mm (Nitinol Alloy)	1
29	1200-0129-N	Aluminium Box	1
30	1200-0130	Bolt M6*1/36	1
31	1200-0130	Bolt M6*1/36	1

Tibial Intramedullary Nail Instrument Set 1200-02










NO	REF	Description	Qty
1	1200-0201	Universal Joint M6&M10x1	1
2	1200-0202	Distal Positiong Frame Φ8x140	1
3	1200-0203	Quick Coupling T-Handle	1
4	1200-0204	Fixed Connector	1
5	1200-0205	Location Rod	1
6	1200-0206	Screwdriver	1
7	1200-0207	T-handle Drill Bit 5.2mm	1
8	1200-0208	Depth Gague 10-100mm	1
9	1200-0209	Drill Bit 5.2*300mm	1
10	1200-0210	Drill Bit 4.0*300mm	1
11	1200-0211	Drill Bit with Limitator 4.0*300mm	1
11.1	1200-0211-1	4.0 Limitator	1
12	1200-0212	Guide Rod	1
13	1200-0213	Reamer 8mm	1
14	1200-0214	Reamer 9mm	1
15	1200-0215	Reamer 10mm	1
16	1200-0216	Reamer 11mm	1
17	1200-1129	Guide Wire 2.5*660mm (Nitinol Alloy)	1
18	1200-0218	Distal Guider	1
19	1200-0219	Proximal Guider	1
20	1200-0220	Location Forcep	1
21	1200-0221	Drill Sleeve Φ4.0 (Out Sleeve +Inner Sleeve)	1
21.1	1200-0221-1	Outer Sleeve ø8xø10x125mm	1
21.2	1200-0221-2	Inner Sleeve(ø4.0xø8.0x150)	1
22	1200-0221	Drill Sleeve Φ4.0 (Out Sleeve +Inner Sleeve)	1
23	1200-0223	Hex Wrench SW5.0	1
24	1200-0224	Hex Wrench SW3.0	1
25	1200-0225	Drill Sleeve Φ5.2 (Out Sleeve +Inner Sleeve)	1
25.1	1200-0225-1	Inner Sleeve(ø5.2xø8.0x150)	1
26	1200-0226-1	Hammer M10*1	1
27	1200-0227	Sighting Device Handle	1
28	1200-0228	Bolt M12*1/47	1
29	1200-0229	Bolt M8*1/41	1
30	1200-0230	Bolt M8*1/32.5	1
31	1200-0231	Nail Connector Solid M6	1
32	1200-0232	Nail Connector Cannulated M6	1
33	1200-0233	Open Wrench SW11.0	1
34	1200-0234	AWL	1
35	1200-0225-N	Aluminium Box	1

Femoral Intramedullary Nail Instrument Set 1200-03










NO	REF	Description	Qty
1	1200-0301	Universal Joint M8*1	1
2	1200-0302	Distal Positiong Frame ø8*140	1
3	1200-0303	Open Wrench SW11.0	1
4	1200-0304	Quick Coupling T-Handle	1
5	1200-0305	Screwdriver SW3.5	1
6	1200-0306	Drill Sleeve ø5.2	1
6.1	1200-0306-1	Outer Sleeve ø8xø10x125mm	/
6.2	1200-0306-2	Inner Sleeve ø5.2xø8.0x150)	/
7	1200-0307	Hex Wrench SW3.0	1
8	1200-0308	Hex Wrench SW5.0	1
9	1200-0309	Drill Sleeve ø4.0	1
9.1	1200-0309-1	Inner Sleeve ø4.0xø8.0x150)	/
10	1200-0309	Drill Sleeve ø4.0	1
11	1200-0311	T-handle Drill Bit ø5.2	
12	1200-0312	Depth Gague 10-100mm	1
13	1200-0313	Drill Bit 5.2*300mm	1
14	1200-0314	Drill Bit ϕ4.0*300	1
15	1200-0315	Drill Bit with Limitator ϕ4.0*300	1
15.1	1200-0315-1	Drill Bit ø4.0*300	1
15.2	1200-0315-2	ø4.0 Limitator	1
16	1200-0316	Reamer 10mm	1
17	1200-0317	Reamer 11mm	1
18	1200-0318	Reamer 12mm	1
19	1200-0319	Reamer 13mm	1
20	1200-0320	AWL	1
21	1200-1129	Guide Wire ø2.5x660mm	1
22	1200-0322	Hammer M10*1	1
23	1200-0323	Guide Rod	1
24	1200-0324	Connctor Rod	1
25	1200-0325	Nail Connector M8*1	1
26	1200-0326	Location Rod	1
27	1200-0327	Sighting Device Handle	1
28	1200-0328	Bolt M8*1/32.5	1
29	1200-0329	Bolt M8*1/41	1
30	1200-0329	Bolt M8*1/41	1
31	1200-0329	Bolt M8*1/41	1
32	1200-0332	Fixed Connector	1
33	1200-0333	Location Forcep	1
34	1200-0334	Connector M10*1	1
35	1200-0335	Distal Guider	1
36	1200-0336-N	Aluminium Box	1

Reversed Femoral & Gama Intramedullary Nail Instrument Set 1200-04










NO	REF	Description	Qty
1	1200-0401	Drill Sleeve 2.5mm	1
2	1200-0402	Drill Sleeve 4.0mm	1
3	1200-0403	Drill Sleeve 6.5mm	1
4	1200-0404	Open Wrench SW12.0	1
5	1200-0405	Drill Bit Ø4 with Stopper	1
5.1	1200-0405-1	Ø4 Limitator	1
6	1200-0406	Drill Bit Ø4	1
7	1200-0407	Hex Screwdriver SW3.5	1
8	1200-0408	Depth Gague 0-90mm	1
9	1200-0409	K-wire 2.5mm	2
10	1200-0410	Threaded K-wire 2.5mm	2
11	1200-0411	Drill Bit Φ6.5/Φ4	1
11.1	1200-0411-1	Drill Bit Φ4/Φ6.5*320	1
11.2	1200-0411-2	Drill Bit Ø6.5 Limitator	1
12	1200-0412	Solid Reamer Ø9	1
13	1200-0413	Solid Reamer Ø10	1
14	1200-0414	Solid Reamer Ø11	1
15	1200-0415	Solid Reamer Ø12	1
16	1200-0416	Solid Reamer Ø13	1
17	1200-0417	AWL	1
18	1200-0418	Wrench	1
19	1200-0419	Quick Coupling T-handle	1
20	1200-0420	Hammer	1
21	1200-0421	T-handle Solid Reamer Ø13	1
22	1200-0422	Sleeve Φ8/Φ10x155	1
23	1200-0422	Sleeve Φ8/Φ10x155	1
24	1200-0424	Location Forcep	1
25	1200-0425	Sleeve Φ8/Φ10x120	1
26	1200-0425	Sleeve Φ8/Φ10x120	1
27	1200-0427	Tap Φ6	1
28	1200-0428	Unversal Joint M10×1	1
29	1200-0429	Location Forcep	1
30	1200-0430	Guider Bar	1
31	1200-0431	Hex Key Small SW3.0	1
32	1200-0432	Hex Key Large SW5.0	1
33	1200-0433	Forcing Cone Short Φ8*140	1
34	1200-0434	Forcing Cone Long Φ8*175	1
35	1200-0435	Connector M10×1	1
36	1200-0435	Connector M10×1	1
37	1200-0437	Guider Handle	1
38	1200-0438	Bolt M6×1/36	1
39	1200-0438	Bolt M6×1/36	1
40	1200-1129	Guide Wire 2.5*660mm (Nitinol Alloy)	1
41	1200-0441-N	Aluminium Box	1

Femoral Intramedually Nail & Femoral Reconstruction Intramedually Nail Instrument Set 1200-05









NO	REF	Description	Qty
1	1200-0501	Solid Reamer Ø8	1
2	1200-0502	Solid Reamer Ø9	1
3	1200-0503	Solid Reamer Ø10	1
4	1200-0504	Solid Reamer Ø11	1
5	1200-0505	Solid Reamer Ø12.5	1
6	1200-0506	Drill Bit Ø6.5/Ø4*320mm	1
7	1200-0507	Ø4.0*300 Drill Bit With Limitator	2
7.1	1200-0507-1	Ø4.0 Limitator	1
8	1200-0508	Drill Bit Ø5.2*300	1
9	1200-0509	Depth Gague 10-100	1
10	1200-0510	Location Forcep	1
11	1200-0511	Drill Sleeve Ø2.5	1
12	1200-0512	Drill Sleeve Ø6.5	1
13	1200-0513	Drill Sleeve Ø4.0	2
14	1200-0514	Drill Sleeve Ø5.2	1
15	1200-0515	Open Wrench SW11.0	1
16	1200-0516	T-handle Wrench	1
17	1200-0517	Sleeve Ø10/Ø8 (Short)	1
18	1200-0517	Sleeve Ø10/Ø8 (Short)	2
19	1200-0519	Forcing Cone Short Ø8×140	1
20	1200-0520	Sleeve Ø10/Ø8 (Long)	2
21	1200-0521	Forcing Cone Long Ø8*175	1
22	1200-0522	Hex Key Large SW5.0	1
23	1200-0523	Hex Key Small SW3.0	1
24	1200-0524	AWL	1
25	1200-0525	K-wire Depth Gague	1
26	1200-0526	Location Forcep M4×0.7	1
27	1200-0527	T-handle Drill Bit Ø5.2	1
28	1200-0528	Location Rod	1
29	1200-0529	Tap	1
30	1200-0530	T-handle Screwdriver SW3.5	1
31	1200-0531	Unversal Joint M8*1	1
32	1200-0532	Connctor Rod	1
33	1200-0533	Hammer	1
34	1200-0534	Guider Bar	1
35	1200-0535	Fixed Connector	1
36	1200-0536	Guider Handle	1
37	1200-0537	Bolt M8*1/31.5	1
38	1200-0538	Bolt M8*1/41	1
39	1200-0539	Quick Coupling T-handle	1
40	1200-0538	Bolt M8*1/41	1
41	1200-0538	Bolt M8*1/41	1
42	1200-0542	Connector M8*1	1
43	1200-0543	Connector M10*1	1
44	1200-0542	Connector M8*1	1
45	1200-0545	Distal Guider	1
46	1200-1129	Guide Wire 2.5*660mm (Nitinol Alloy)	1
47	1200-0549-N	Aluminium Box	1


Humeral Intramedullary Nail Box 1000-0116




Tibial Intramedullary Nail Box 1000-0117




Femoral Intramedullary Nail Box 1000-0118



Reversed Femoral Nail Box 1000-0119



Gamma Interlocking Nail Box 1000-0120




Femoral Reconstruction Intramedullary Nail Box 1000-0121




Expert Tibial Intramedullary Nail Box 1000-0127




PFNA Nail Box 1000-0124




Expert Femoral Intramedullary Nail Box 1000-0123




Multi-lock Humeral Intramedullary Nail Box 1000-0130




Ankle Intramedullary Nail Box 1000-0129



Expert Reversed Femoral Intramedullary Nail Box 1000-0133



Intertan Intramedullary Nail Box 1000-0131



DFN Intramedullary Nail Box 1000-0135

