CZMEDITECH

TÜVRheinland ISO:13485



2025

LOCKING PLATE SYSTEM

PRODUCT CATALOG

www.czmeditech.com

CZMEDITECH

Changzhou Meditech Technology Co., Ltd.

Address: 9th. Floor, Inno Laser Building, Science & Education Town, Wujin District, Changzhou City, Jiangsu Province, China. PC: 213164

Website: www.czmeditech.com

Tel/Fax: +86-519-85855955

3.5mm Pediatric Eight-plate



REF	Holes	Length
01.1261-01	2 holes*10mm	10mm
01.1261-02	2 holes*12mm	12mm
01.1261-03	2 holes*16mm	16mm

Use 3.5mm Cannulated Screw Full-threaded

3.5mm Cannulated Screw Full-threaded



REF	Specification
01.1261-04	3.5*10mm
01.1261-05	3.5*12mm
01.1261-06	3.5*14mm
01.1261-07	3.5*16mm
01.1261-08	3.5*18mm
01.1261-09	3.5*20mm
01.1261-10	3.5*22mm
01.1261-11	3.5*24mm

REF	Specification
01.1261-12	3.5*26mm
01.1261-13	3.5*28mm
01.1261-14	3.5*30mm
01.1261-15	3.5*32mm
01.1261-16	3.5*35mm
01.1261-17	3.5*40mm
01.1261-18	3.5*45mm
01.1261-19	3.5*50mm

4.5 Pediatric Hinge Locking plate



REF	Holes	Length
01.1264-01	2 holes*12mm	12mm
01.1264-02	2 holes*16mm	16mm

Use 4.5mm Cannulated Screw Full-threaded

4.5mm Pediatric Eight-plate



REF	Holes	Length
01.1262-01	2 holes*12mm	12mm
01.1262-02	2 holes*16mm	16mm
01.1262-03	2 holes*20mm	20mm
01.1262-04	2 holes*25mm	25mm

Use 4.5mm Cannulated Screw Full-threaded

4.5mm Pediatric Plate



REF	Holes	Length
01.1263-01	4 holes*12mm	12mm
01.1263-02	4 holes*16mm	16mm
01.1263-03	4 holes*20mm	20mm

Use 4.5mm Cannulated Screw Full-threaded

4.5mm Cannulated Screw Full-threaded



REF	Specification
01.1262-05	4.5*10
01.1262-06	4.5*12
01.1262-07	4.5*14
01.1262-08	4.5*16
01.1262-09	4.5*18
01.1262-10	4.5*20
01.1262-11	4.5*22
01.1262-12	4.5*24
01.1262-13	4.5*26

REF	Specification
01.1262-14	4.5*28
01.1262-15	4.5*30
01.1262-16	4.5*32
01.1262-21	4.5*34
01.1262-22	4.5*36
01.1262-23	4.5*38
01.1262-18	4.5*40
01.1262-19	4.5*45
01.1262-20	4.5*50

3.5mm Pediatric Sliding Barrel Locking Plate



REF	Holes	Length
01.1273-01	4 holes L	80mm
01.1273-02	4 holes R	80mm

Use 3.5mm Locking Screw

3.5mm Pediatric Sliding Straight Locking Plate



REF	Holes	Length
01.1274.01	5 holes	60mm
01.1274.02	7 holes	80mm
01.1274.03	9 holes	100mm
01.1274.04	11 holes	120mm

Use 3.5mm Locking Screw

2.7mm LCP Pediatric Hip Plate



REF	Holes	Length
01.7003-01	3 holes*100°	48.2mm
01.7003-02	3 holes*110°	48.2mm
01.7003-03	4 holes*120°	58.2mm
01.7003-04	6 holes*120°	78.2mm
01.7003-05	3 holes*130°	48.2mm
01.7003-06	10 holes*130°	118.2m

Use 2.7mm Locking Screw, 2.7mm Cortical Screw

3.5mm LCP Pediatric Hip Plate



REF	Holes	Length
01.7004-01	3 holes*90°	75mm
01.7004-02	4 holes*90°	87mm
01.7004-03	5 holes*90°	99mm
01.7004-04	6 holes*90°	111mm
01.7004-05	7 holes*90°	123mm
01.7004-06	8 holes*90°	135mm
01.7004-07	9 holes*90°	147mm
01.7004-08	3 holes*100°	75mm
01.7004-09	3 holes*110°	75mm
01.7004-10	3 holes*120°	62mm
01.7004-11	4 holes*120°	75mm
01.7004-12	6 holes*120°	101mm
01.7004-13	8 holes*120°	127mm
01.7004-14	10 holes*120°	153mm
01.7004-15	3 holes*130°	75mm
01.7004-16	4 holes*130°	87mm
01.7004-17	5 holes*130°	99mm
01.7004-18	7 holes*130°	123mm
01.7004-19	9 holes*130°	147mm
01.7004-20	3 holes*150°	64mm

Use 3.5mm Locking Screw, 3.5mm Cortical Screw

5.0mm LCP Pediatric Hip Plate



REF	Holes	Length
01.7005-01	3 holes*90°	96mm
01.7005-02	4 holes*90°	112mm
01.7005-03	5 holes*90°	122mm
01.7005-04	7 holes*90°	220mm
01.7005-05	9 holes*90°	252mm
01.7005-06	3 holes*100°	101mm
01.7005-07	3 holes*110°	100mm
01.7005-08	3 holes*120°	99mm
01.7005-09	4 holes*120°	115mm
01.7005-10	6 holes*120°	147mm
01.7005-11	8 holes*120°	179mm
01.7005-12	10 holes*120°	211mm
01.7005-13	3 holes*130°	96mm
01.7005-14	4 holes*130°	112mm
01.7005-15	5 holes*130°	122mm
01.7005-16	7 holes*130°	220mm
01.7005-17	9 holes*130°	252mm
01.7005-18	3 holes*140°	99mm
01.7005-19	4 holes*140°	115mm
01.7005-20	6 holes*140°	147mm
01.7005-21	3 holes*150°	77.5mm

Use 5.0mm Locking Screw, 4.5mm Cortical Screw

2.7mm LCP Pediatric Straight Plate



REF	Holes	Length
01.7010-01	5 holes	49.5mm
01.7010-02	6 holes	58.5mm
01.7010-03	7 holes	67.5mm
01.7010-04	8 holes	76.5mm
01.7010-05	9 holes	85.5mm
01.7010-06	10 holes	94.5mm

Use 2.7mm Locking Screw, 2.7mm Cortical Screw

2.7mm Cortex Screw, T8 Stardrive Self-tapping



REF	Specification
030390010	2.7*10mm
030390012	2.7*12mm
030390014	2.7*14mm
030390016	2.7*16mm
030390018	2.7*18mm
030390020	2.7*20mm

REF	Specification
030390022	2.7*22mm
030390024	2.7*24mm
030390026	2.7*26mm
030390028	2.7*28mm
030390030	2.7*30mm

2.7mm Locking Screw, T8 Stardrive Self-tapping



REF	Specification
030340010	2.7*10mm
030340012	2.7*12mm
030340014	2.7*14mm
030340016	2.7*16mm
030340018	2.7*18mm
030340020	2.7*20mm
030340022	2.7*22mm
030340024	2.7*24mm

REF	Specification
030340026	2.7*26mm
030340028	2.7*28mm
030340030	2.7*30mm
030340032	2.7*32mm
030340034	2.7*34mm
030340036	2.7*36mm
030340038	2.7*38mm
030340040	2.7*40mm

3.5mm Locking Screw (Stardrive)



REF	Specification
5100-3901	3.5*12mm
5100-3902	3.5*14mm
5100-3903	3.5*16mm
5100-3904	3.5*18mm
5100-3905	3.5*20mm
5100-3906	3.5*22mm
5100-3907	3.5*24mm
5100-3908	3.5*26mm
5100-3909	3.5*28mm
5100-3910	3.5*30mm
5100-3911	3.5*32mm
5100-3912	3.5*34mm
5100-3913	3.5*36mm
5100-3914	3.5*38mm
5100-3915	3.5*40mm
5100-3916	3.5*42mm

REF	Specification
5100-3917	3.5*44mm
5100-3918	3.5*46mm
5100-3919	3.5*48mm
5100-3920	3.5*50mm
5100-3921	3.5*52mm
5100-3922	3.5*54mm
5100-3923	3.5*56mm
5100-3924	3.5*58mm
5100-3925	3.5*60mm
5100-3926	3.5*65mm
5100-3927	3.5*70mm
5100-3928	3.5*75mm
5100-3929	3.5*80mm
5100-3930	3.5*85mm
5100-3931	3.5*90mm
5100-3932	3.5*95mm

5.0mm Locking Screw (Stardrive)



REF	Specification
5100-4001	5.0*22mm
5100-4002	5.0*24mm
5100-4003	5.0*26mm
5100-4004	5.0*28mm
5100-4005	5.0*30mm
5100-4006	5.0*32mm
5100-4007	5.0*34mm
5100-4008	5.0*36mm
5100-4009	5.0*38mm
5100-4010	5.0*40mm
5100-4011	5.0*42mm
5100-4012	5.0*44mm
5100-4013	5.0*46mm
5100-4014	5.0*48mm

REF	Specification
5100-4015	5.0*50mm
5100-4016	5.0*52mm
5100-4017	5.0*54mm
5100-4018	5.0*56mm
5100-4019	5.0*58mm
5100-4020	5.0*60mm
5100-4021	5.0*65mm
5100-4022	5.0*70mm
5100-4023	5.0*75mm
5100-4024	5.0*80mm
5100-4025	5.0*85mm
5100-4026	5.0*90mm
5100-4027	5.0*95mm

3.5mm Cortical Screw (Stardrive)



REF	Specification
5100-4101	3.5*12
5100-4102	3.5*14
5100-4103	3.5*16
5100-4104	3.5*18
5100-4105	3.5*20
5100-4106	3.5*22
5100-4107	3.5*24
5100-4108	3.5*26
5100-4109	3.5*28
5100-4110	3.5*30
5100-4111	3.5*32

REF	Specification
5100-4112	3.5*34
5100-4113	3.5*36
5100-4114	3.5*38
5100-4115	3.5*40
5100-4116	3.5*42
5100-4117	3.5*44
5100-4118	3.5*46
5100-4119	3.5*48
5100-4120	3.5*50
5100-4121	3.5*55
5100-4122	3.5*60

4.5mm Cortical Screw (Stardrive)



REF	Specification
5100-4201	4.5*22mm
5100-4202	4.5*24mm
5100-4203	4.5*26mm
5100-4204	4.5*28mm
5100-4205	4.5*30mm
5100-4206	4.5*32mm
5100-4207	4.5*34mm
5100-4208	4.5*36mm
5100-4209	4.5*38mm
5100-4210	4.5*40mm

REF	Specification
5100-4211	4.5*42mm
5100-4212	4.5*44mm
5100-4213	4.5*46mm
5100-4214	4.5*48mm
5100-4215	4.5*50mm
5100-4216	4.5*52mm
5100-4217	4.5*54mm
5100-4218	4.5*56mm
5100-4219	4.5*58mm
5100-4220	4.5*60mm

1.5S Mini Locking Plate



REF	Holes	Thickness
021260004	4 holes	23mm
021260006	6 holes	36mm
Thickness:1.0mm, Width: 4.5mm		

1.5S Mini Reconstruction Locking Plate



REF	Holes	Thickness
021270004	4 holes	20mm
021270006	6 holes	30mm
021270008	8 holes	40mm
021270010	10 holes	50mm
Thickness:1.0mm, Width: 4.5mm		

1.5S Mini T Locking Plate (3 holes)



REF	Holes	Thickness
021280004	4 holes	25mm
021280006	6 holes	35mm
021280008	8 holes	45mm
Thickness:1.0mm, Width: 4.5mm		

1.5S Mini T Locking Plate (4 holes)



REF	Holes	Thickness
020980004	4 holes	25mm
020980006	6 holes	35mm
020980008	8 holes	45mm
Thickness:1.0mm, Width: 4.5mm		

1.5S Mini Y Locking Plate



REF	Holes	Thickness
020990004	4 holes	26mm
020990006	6 holes	36mm
020990008	8 holes	46mm
Thickness:1.0mm, Width: 4.5mm		

1.5S Mini Condylar Locking Plate



REF	Holes	Thickness
021000004	4 holes	26mm
021000006	6 holes	36mm
021000008	8 holes	46mm
Thickness:1.0mm, Width: 4.5mm		

1.5S Mini Strut Locking Plate, oblique-angled



REF	Holes
021011000	8 holes L
021012000	8 holes R
Thickness:1.0mm	

2.0S Mini Locking Plate



REF	Holes	Thickness
021020004	4 holes	31mm
021020005	5 holes	38mm
021020006	6 holes	45mm
021020008	8 holes	59mm
Thickness:1.5mm, Width: 5mm		

2.0S Mini Reconstruction Locking Plate



REF	Holes	Thickness
021030004	4 holes	27mm
021030006	6 holes	40mm
021030008	8 holes	54mm
021030010	10 holes	67mm
Thickness:1.5mm, Width: 5mm		

2.0S Mini T Locking Plate



REF	Holes	Thickness
021040003	3 holes	26mm
021040005	5 holes	39mm
021040007	7 holes	53mm
Thickness:1.5mm, Width: 5mm		

2.0S Mini Y Locking Plate



REF	Holes	Thickness
021050003	3 holes	27mm
021050005	5 holes	41mm
021050007	7 holes	55mm
Thickness:1.5mm, Width: 5mm		

2.0S Mini T Reconstruction Locking Plate



REF	Holes	Thickness
021060003	3 holes	26mm
021060005	5 holes	39mm
021060007	7 holes	53mm
Thickness:1.5mm, Width: 5mm		

2.0S Mini Condylar Locking Plate



REF	Holes	Thickness
021070003	3 holes	27mm
021070005	5 holes	41mm
021070007	7 holes	55mm
Thickness:1.5mm, Width: 5mm		

2.4S Mini Locking Plate



REF	Holes	Thickness
021080004	4 holes	36mm
021080005	5 holes	44mm
021080006	6 holes	52mm
021080008	8 holes	68mm
021080010	10 holes	84mm

Thickness:1.5mm, Width: 6.5mm

2.4S Mini Reconstruction Locking Plate



REF	Holes	Thickness
021090004	4 holes	30mm
021090006	6 holes	44mm
021090008	8 holes	58mm
021090010	10 holes	72mm

Thickness:1.3mm, Width: 6.5mm

2.4S Mini T Locking Plate



REF	Holes	Thickness
021100003	3 holes	28mm
021100005	5 holes	43mm
021100007	7 holes	57mm

Thickness:1.5mm, Width: 6.5mm

2.4S Mini Y Locking Plate



REF	Holes	Thickness
021110003	3 holes	31mm
021110005	5 holes	46mm
021110007	7 holes	60mm

Thickness:1.5mm, Width: 6.5mm

2.4S Mini T Locking Plate



REF	Holes	Thickness
021120003	3 holes	29mm
021120005	5 holes	44mm
021120007	7 holes	58mm

Thickness:1.5mm, Width: 6.5mm

2.4S Mini T Locking Plate



REF	Holes	Thickness
021130003	3 holes	30mm
021130005	5 holes	45mm
021130007	7 holes	59mm

Thickness:1.5mm, Width: 6.5mm

2.7S Mini Locking Plate



REF	Holes	Thickness
021140004	4 holes	40mm
021140005	5 holes	49mm
021140006	6 holes	58mm
021140008	8 holes	76mm
021140010	10 holes	94mm

Thickness:2.0mm, Width: 7.5mm

2.7S Mini Reconstruction Locking Plate



REF	Holes	Thickness
021150004	4 holes	33mm
021150006	6 holes	49mm
021150008	8 holes	65mm
021150010	10 holes	81mm

Thickness:1.5mm, Width: 6.5mm

2.7S Mini T Locking Plate



REF	Holes	Thickness
021160003	3 holes	32mm
021160004	4 holes	40mm

Thickness:1.5mm, Width: 7mm

2.7S Mini L Locking Plate



REF	Holes	Thickness
021181003	3 holes L	32mm
021181004	4 holes L	40mm
021181005	3 holes R	32mm
021181006	4 holes R	40mm

Thickness:1.5mm, Width: 7.5mm

2.7S Mini L Locking Plate



REF	Holes	Thickness
021171003	3 holes L	35mm
021171004	4 holes L	42mm
021171005	3 holes R	35mm
021171006	4 holes R	42mm

Thickness:1.5mm, Width: 7.5mm

2.7S Mini Condylar Locking Plate



REF	Holes	Thickness
021190003	3 holes	34mm
021190005	5 holes	50mm
021190007	7 holes	66mm

Thickness:1.5mm, Width: 7.0mm

1/3 Tubular Locking Plate



REF	Holes	Thickness	Width	Length
5100-0201	5 holes	2mm	10mm	71mm
5100-0202	6 holes	2mm	10mm	84mm
5100-0203	7 holes	2mm	10mm	97mm
5100-0204	8 holes	2mm	10mm	110mm
5100-0205	9 holes	2mm	10mm	123mm
5100-0206	10 holes	2mm	10mm	136mm
5100-0207	12 holes	2mm	10mm	162mm

Use 3.5 Locking Screw/3.5 Cortical Screw

Ulna & Radius Locking Plate



REF	Holes	Thickness	Width	Length
5100-0301	6 holes	3.2mm	11mm	92mm
5100-0302	7 holes	3.2mm	11mm	105mm
5100-0303	8 holes	3.2mm	11mm	118mm
5100-0304	9 holes	3.2mm	11mm	131mm
5100-0305	10 holes	3.2mm	11mm	144mm
5100-0306	12 holes	3.2mm	11mm	170mm

Use 3.5 Locking Screw/3.5 Cortical Screw


Acromion of Scapula Locking Plate



REF	Holes	Thickness	Width	Length
01.1154-01	9 holes L	1.5mm	34.2mm	77.3mm
01.1154-11	9 holes R	1.5mm	34.2mm	77.3mm

Use 2.7 Locking Screw

Scapula Medial Locking Plate



REF	Holes	Thickness	Width	Length
01.1157-01	10 holes L	1.5mm	82mm	82mm
01.1157-11	10 holes R	1.5mm	82mm	82mm

Use 2.7 Locking Screw

Scapula Lateral Locking Plate



REF	Holes	Thickness	Width	Length
01.1155-01	6 holes L	1.5mm	8mm	89mm
01.1155-11	6 holes R	1.5mm	8mm	89mm

Use 2.7 Locking Screw

Glenoid Cavity Locking Plate



REF	Holes	Thickness	Width	Length
01.1156-01	4 holes L	1.5mm	20.1mm	42mm
01.1156-11	4 holes R	1.5mm	20.1mm	42mm

Use 2.7 Locking Screw

S-clavicle Locking Plate



REF	Holes	Thickness	Width	Length
5100-0401	5 holes L	3mm	10.5mm	54mm
5100-0402	6 holes L	3mm	10.5mm	67mm
5100-0403	7 holes L	3mm	10.5mm	81mm
5100-0404	8 holes L	3mm	10.5mm	94mm
5100-0405	9 holes L	3mm	10.5mm	107mm
5100-0406	10 holes L	3mm	10.5mm	131mm
5100-0407	5 holes R	3mm	10.5mm	54mm
5100-0408	6 holes R	3mm	10.5mm	67mm
5100-0409	7 holes R	3mm	10.5mm	81mm
5100-0410	8 holes R	3mm	10.5mm	94mm
5100-0411	9 holes R	3mm	10.5mm	107mm
5100-0412	10 holes R	3mm	10.5mm	131mm

Use 3.5 Locking Screw/3.5 Cortical Screw/4.0 Cancellous Screw

S-clavicle Locking Plate-III



REF	Holes	Thickness	Width	Length
5100-8701	6 holes	3.2mm	10mm	92mm
5100-8702	7 holes	3.2mm	10mm	105mm
5100-8703	8 holes	3.2mm	10mm	119mm
5100-8704	6 holes	3.2mm	10mm	92mm
5100-8705	7 holes	3.2mm	10mm	105mm
5100-8706	8 holes	3.2mm	10mm	119mm

Use 3.5 Locking Screw/3.5 Cortical Screw

Distal Clavicular Locking Plate-I



REF	Holes	Thickness	Width	Length
5100-0501	3 holes L	3mm	10mm	55mm
5100-0502	4 holes L	3mm	10mm	68mm
5100-0503	5 holes L	3mm	10mm	81mm
5100-0504	6 holes L	3mm	10mm	94mm
5100-0505	7 holes L	3mm	10mm	107mm
5100-0506	3 holes R	3mm	10mm	55mm
5100-0507	4 holes R	3mm	10mm	68mm
5100-0508	5 holes R	3mm	10mm	81mm
5100-0509	6 holes R	3mm	10mm	94mm
5100-0510	7 holes R	3mm	10mm	107mm

Use 2.7/3.5 Locking Screw/3.5 Cortical Screw/4.0 Cancellous Screw

Distal Clavicular Locking Plate-I



REF	Holes	Thickness	Width	Length
5100-8801	3holes L	3mm	10mm	67mm
5100-8802	4 holes L	3mm	10mm	81mm
5100-8803	5 holes L	3mm	10mm	95mm
5100-8804	6 holes L	3mm	10mm	108mm
5100-8805	7 holes L	3mm	10mm	122mm
5100-8806	8 holes L	3mm	10mm	136mm
5100-8807	3 holes R	3mm	10mm	67mm
5100-8808	4 holes R	3mm	10mm	81mm
5100-8809	5 holes R	3mm	10mm	95mm
5100-8810	6 holes R	3mm	10mm	108mm
5100-8811	7 holes R	3mm	10mm	122mm
5100-8812	8 holes R	3mm	10mm	136mm

Use 2.7/3.5 Locking Screw/3.5 Cortical Screw/4.0 Cancellous Screw

Clavicle Hook Locking Plate



REF	Holes	Thickness	Width	Length
5100-0601	2 holes L	3mm	11.5mm	89mm
5100-0602	3 holes L	3mm	11.5mm	103mm
5100-0603	4 holes L	3mm	11.5mm	119mm
5100-0604	5 holes L	3mm	11.5mm	134mm
5100-0605	6 holes L	3mm	11.5mm	148mm
5100-0606	2 holes R	3mm	11.5mm	89mm
5100-0607	3 holes R	3mm	11.5mm	103mm
5100-0608	4 holes R	3mm	11.5mm	119mm
5100-0609	5 holes R	3mm	11.5mm	134mm
5100-0610	6 holes R	3mm	11.5mm	148mm

Use 3.5 Locking Screw/3.5 Cortical Screw/4.0 Cancellous Screw

Distal Clavicular Locking Plate



REF	Holes	Thickness	Width	Length
01.1158-01	3 holes L	4.2mm	11mm	61mm
01.1158-02	4 holes L	4.2mm	11mm	71mm
01.1158-03	5 holes L	4.2mm	11mm	81mm
01.1158-11	3 holes R	4.2mm	11mm	61mm
01.1158-12	4 holes R	4.2mm	11mm	71mm
01.1158-13	5 holes R	4.2mm	11mm	81mm

Use 2.7/3.5 Locking Screw/3.5 Cortical Screw

Olecranon Locking Plate



REF	Holes	Thickness	Width	Length
5100-0701	3 holes L	2.5mm	11mm	107mm
5100-0702	4 holes L	2.5mm	11mm	120mm
5100-0703	6 holes L	2.5mm	11mm	146mm
5100-0704	8 holes L	2.5mm	11mm	172mm
5100-0705	10 holes L	2.5mm	11mm	198mm
5100-0706	3 holes R	2.5mm	11mm	107mm
5100-0707	4 holes R	2.5mm	11mm	120mm
5100-0708	6 holes R	2.5mm	11mm	146mm
5100-0709	8 holes R	2.5mm	11mm	172mm
5100-0710	10 holes R	2.5mm	11mm	198mm

Use 3.5 Locking Screw/3.5 Cortical Screw/4.0 Cancellous Screw

Olecranon Locking Plate II



REF	Holes	Thickness	Width	Length
01.1062-01	3 holes	3mm	10.2mm	49mm
01.1062-02	4 holes	3mm	10.2mm	63mm
01.1062-03	5 holes	3mm	10.2mm	77mm
01.1062-04	6 holes	3mm	10.2mm	91mm
01.1062-05	7 holes	3mm	10.2mm	105mm
01.1062-06	8 holes	3mm	10.2mm	119mm

Use 3.5 Locking Screw/3.5 Cortical Screw

Distal Ulnar Locking Plate



REF	Holes	Thickness	Width	
5100-0801	6 hoels	1.3mm	5.1mm	
5100-0802	8 hoels	1.3mm	5.1mm	39mm
5100-0803	10 holes	1.3mm	5.1mm	49mm
Use 2.4 Locking Screw/2.4 Cortical Screw				59mm

Distal Ulnar Locking Plate



REF	Holes	Thickness	Width	Length
5100-9501	3 holes	1.8mm	7mm	46mm
5100-9502	4 holes	1.8mm	7mm	57mm
5100-9503	5 holes	1.8mm	7mm	68mm

(Use 2.7 Locking Screw/2.7 Cortical Screw)

VA Distal Lateral Radius Locking Plate



REF	Holes	Thickness	Width	Length
5100-0901	5 holes	2mm	6.7mm	47mm
5100-0902	6 holes	2mm	6.7mm	55mm

(Use 2.4/2.7 Universal Locking Screw/2.7 Locking Screw/2.7 Cortical Screw)

VA Distal Medial Radius Locking Plate



REF	Holes	Thickness	Width	Length
5100-1001	4 holes L	2mm	7.2mm	41mm
5100-1002	5 holes L	2mm	7.2mm	48mm
5100-1003	6 holes L	2mm	7.2mm	55mm
5100-1004	4 holes R	2mm	7.2mm	41mm
5100-1005	5 holes R	2mm	7.2mm	48mm
5100-1006	6 holes R	2mm	7.2mm	55mm

(Use 2.4/2.7 Universal Locking Screw/2.7 Locking Screw/2.7 Cortical Screw)

Distal Dorsal Radial Delta Locking Plate



REF	Holes	Thickness	Width	Length
5100-1101	3 holes L	1.8mm	8.6mm	65mm
5100-1102	4 holes L	1.8mm	8.6mm	73mm
5100-1103	5 holes L	1.8mm	8.6mm	82mm
5100-1104	7 holes L	1.8mm	8.6mm	99mm
5100-1105	9 holes L	1.8mm	8.6mm	116mm
5100-1106	3 holes R	1.8mm	8.6mm	65mm
5100-1107	4 holes R	1.8mm	8.6mm	73mm
5100-1108	5 holes R	1.8mm	8.6mm	82mm
5100-1109	7 holes R	1.8mm	8.6mm	99mm
5100-1110	9 holes R	1.8mm	8.6mm	116mm

Use 2.7 Locking Screw/2.7 Cortical screw

VA Distal Radius Locking Plate



REF	Holes	Thickness	Width	Length
5100-1212	2 holes L	2.2mm	8mm	52mm
5100-1201	3 holes L	2.2mm	8mm	60mm
5100-1202	4 holes L	2.2mm	8mm	69mm
5100-1203	5 holes L	2.2mm	8mm	77mm
5100-1204	6 holes L	2.2mm	8mm	86mm
5100-1205	7 holes L	2.2mm	8mm	94mm
5100-1211	2 holes R	2.2mm	8mm	52mm
5100-1206	3 holes R	2.2mm	8mm	60mm
5100-1207	4 holes R	2.2mm	8mm	69mm
5100-1208	5 holes R	2.2mm	8mm	77mm
5100-1209	6 holes R	2.2mm	8mm	86mm
5100-1210	7 holes R	2.2mm	8mm	94mm

(Use 2.4/2.7 Universal Locking Screw/2.7 Locking Screw/2.7 Cortical Screw)

VA Distal Radius Locking Plate



REF	Holes	Thickness	Width	Length
5100-6601	2 holes L	2.2	8mm	52mm
5100-6602	3 holes L	2.2	8mm	60mm
5100-6603	4 holes L	2.2	8mm	69mm
5100-6604	5 holes L	2.2	8mm	77mm
5100-6605	6 holes L	2.2	8mm	86mm
5100-6606	7 holes L	2.2	8mm	94mm
5100-6607	2 holes R	2.2	8mm	52mm
5100-6608	3 holes R	2.2	8mm	60mm
5100-6609	4 holes R	2.2	8mm	69mm
5100-6610	5 holes R	2.2	8mm	77mm
5100-6611	6 holes R	2.2	8mm	86mm
5100-6612	7 holes R	2.2	8mm	94mm

(Use 2.4/2.7 Universal Locking Screw/2.7 Locking Screw/2.7 Cortical Screw)

Distal Volar Radial Locking Plate With Drill Guide



REF	Holes	Thickness	Width	Length
5100-1301	3 holes L	2.5mm	9mm	49mm
5100-1302	4 holes L	2.5mm	9mm	58mm
5100-1303	5 holes L	2.5mm	9mm	66mm
5100-1304	7 holes L	2.5mm	9mm	83mm
5100-1305	9 holes L	2.5mm	9mm	99mm
5100-1306	3 holes R	2.5mm	9mm	49mm
5100-1307	4 holes R	2.5mm	9mm	58mm
5100-1308	5 holes R	2.5mm	9mm	66mm
5100-1309	7 holes R	2.5mm	9mm	83mm
5100-1310	9 holes R	2.5mm	9mm	99mm

Use 2.7 Locking Screw/2.7 Cortical screw

Proximal Radius Locking Plate



REF	Holes	Thickness	Width	Length
5100-1401	3 holes L	1.8mm	8.7mm	53mm
5100-1402	4 holes L	1.8mm	8.7mm	63mm
5100-1403	5 holes L	1.8mm	8.7mm	72mm
5100-1404	3 holes R	1.8mm	8.7mm	53mm
5100-1405	4 holes R	1.8mm	8.7mm	63mm
5100-1406	5 holes R	1.8mm	8.7mm	72mm

Use 2.4 Locking Screw/2.4 Cortical Screw

Proximal Radius Locking Plate-II



REF	Holes	Thickness	Width	Length
5100-9201	2 holes L	1.7mm	6.9mm	35mm
5100-9202	3 holes L	1.7mm	6.9mm	45mm
5100-9203	4 holes L	1.7mm	6.9mm	54mm
5100-9204	2 holes R	1.7mm	6.9mm	35mm
5100-9205	3 holes R	1.7mm	6.9mm	45mm
5100-9206	4 holes R	1.7mm	6.9mm	54mm

Use 2.4 Locking Screw/2.4 Cortical Screw

Proximal Radius Locking Plate-III



REF	Holes	Thickness	Width	Length
5100-9301	2 holes L	1.5mm	6.2mm	26mm
5100-9302	2 holes R	1.5mm	6.2mm	26mm

Use 2.4 Locking Screw/2.4 Cortical Screw

Coronoid Locking Plate



REF	Holes	Thickness	Width	Length
5200-0201	6 holes L	1.4mm	22.6mm	39mm
5200-0202	6 holes R	1.4mm	22.6mm	39mm

Use 2.4 Locking Screw

Coronoid Locking Plate-II



REF	Holes	Thickness	Width	Length
5100-9001	L	1.4mm	7.3mm	29.3mm
5100-9002	R	1.4mm	7.3mm	29.3mm

Use 2.0/2.4 Locking Screw

Coronoid Locking Plate-III



REF	Holes	Thickness	Width	Length
5100-9101	L	1.5mm	8.3mm	17.6mm
5100-9102	R	1.5mm	8.3mm	17.6mm

Use 2.0/2.4 Locking Screw

Distal Diaphyseal Radius Locking Plate-II



REF	Holes	Thickness	Width	Length
5100-9401	6 holes L	2.5mm	10mm	95.2mm
5100-9402	8 holes L	2.5mm	10mm	121.9mm
5100-9403	10 holes L	2.5mm	10mm	148.7mm
5100-9404	12 holes L	2.5mm	10mm	175.3mm
5100-9405	13 holes L	2.5mm	10mm	188.5mm
5100-9406	6 holes R	2.5mm	10mm	95.2mm
5100-9407	8 holes R	2.5mm	10mm	121.9mm
5100-9408	10 holes R	2.5mm	10mm	148.7mm
5100-94019	12 holes R	2.5mm	10mm	175.3mm
5100-9410	13 holes R	2.5mm	10mm	188.5mm

Use 3.5 Locking Screw/3.5 Cortical Screw

Distal Dorsal Radial Delta Locking Plate



REF	Holes	Thickness	Width	Length
01.1065-01	3 holes L	2.5mm	8.5mm	46mm
01.1065-02	4 holes L	2.5mm	8.5mm	56mm
01.1065-03	5 holes L	2.5mm	8.5mm	66mm
01.1065-04	6 holes L	2.5mm	8.5mm	76mm
01.1065-11	3 holes R	2.5mm	8.5mm	46mm
01.1065-12	4 holes R	2.5mm	8.5mm	56mm
01.1065-13	5 holes R	2.5mm	8.5mm	66mm
01.1065-14	6 holes R	2.5mm	8.5mm	76mm

Use 2.7 Locking Screw/2.7 Cortical Screw

Wrist Fusion Locking Plate



REF	Holes	Thickness	Width	Length
01.1067-01	9 holes	3.2mm	11.2mm	117mm
01.1067-11	8 holes	3.2mm	11.2mm	112mm

Use 2.7/3.5 Locking Screw/2.7/3.5 Cortical Screw

Humeral Shaft Locking Plate



REF	Holes	Thickness	Width	Length
5100-0101	6 holes	3.6mm	13mm	92mm
5100-0102	7 holes	3.6mm	13mm	105mm
5100-0103	8 holes	3.6mm	13mm	118mm
5100-0104	9 holes	3.6mm	13mm	131mm
5100-0105	10 holes	3.6mm	13mm	144mm
5100-0106	12 holes	3.6mm	13mm	170mm
5100-0107	14 holes	3.6mm	13mm	196mm

Use 3.5 Locking Screw/3.5 Cortical Screw

Proximal Humeral Locking Plate



REF	Holes	Thickness	Width	Length
5100-1501	3 holes	4mm	12mm	90mm
5100-1502	4 holes	4mm	12mm	102mm
5100-1503	5 holes	4mm	12mm	114mm
5100-1504	6 holes	4mm	12mm	126mm
5100-1505	7 holes	4mm	12mm	138mm
5100-1506	8 holes	4mm	12mm	150mm
5100-1507	10 holes	4mm	12mm	174mm
5100-1508	12 holes	4mm	12mm	198mm

Use 3.5 Locking Screw/3.5 Cortical Screw/4.0 Cancellous Screw

Proximal Humeral Locking Plate-III



REF	Holes	Thickness	Width	Length
5100-8901	2 holes L	4.2mm	12.5mm	86mm
5100-8902	3 holes L	4.2mm	12.5mm	99mm
5100-8903	4 holes L	4.2mm	12.5mm	112mm
5100-8904	6 holes L	4.2mm	12.5mm	138mm
5100-8905	8 holes L	4.2mm	12.5mm	164mm
5100-8906	10 holes L	4.2mm	12.5mm	190mm
5100-8907	12 holes L	4.2mm	12.5mm	216mm
5100-8908	14holes L	4.2mm	12.5mm	242mm
5100-899	2 holes R	4.2mm	12.5mm	86mm
5100-8910	3 holes R	4.2mm	12.5mm	99mm
5100-8911	4 holes R	4.2mm	12.5mm	112mm
5100-8912	6 holes R	4.2mm	12.5mm	138mm
5100-8913	8 holes R	4.2mm	12.5mm	164mm
5100-8914	10 holes R	4.2mm	12.5mm	190mm
5100-8915	12 holes R	4.2mm	12.5mm	216mm
5100-8916	14holes R	4.2mm	12.5mm	242mm

Use 3.5 Locking Screw/3.5 Cortical Screw

Proximal Humeral Greater Tuberosity Locking Plate



REF	Holes	Thickness	Width	Length
5100-1601	5 holes L	1.5mm	13mm	44mm
5100-1602	5 holes R	1.5mm	13mm	44mm

Use 2.7/3.5 Locking Screw/2.7/3.5 Cortical Screw

Distal Humeral Extra-articular Locking Plate



REF	Holes	Thickness	Width	Length
01.1107-01	4 holes L	3.2mm	12.3mm	114mm
01.1107-02	5 holes L	3.2mm	12.3mm	128mm
01.1107-03	6 holes L	3.2mm	12.3mm	142mm
01.1107-04	7 holes L	3.2mm	12.3mm	156mm
01.1107-05	8 holes L	3.2mm	12.3mm	170mm
01.1107-06	9 holes L	3.2mm	12.3mm	184mm
01.1107-11	4 holes R	3.2mm	12.3mm	114mm
01.1107-12	5 holes R	3.2mm	12.3mm	128mm
01.1107-13	6 holes R	3.2mm	12.3mm	142mm
01.1107-14	7 holes R	3.2mm	12.3mm	156mm
01.1107-15	8 holes R	3.2mm	12.3mm	170mm
01.1107-16	9 holes R	3.2mm	12.3mm	184mm

Use 3.5 Locking Screw/3.5 Cortical Screw

Distal Lateral Humeral Locking Plate



REF	Holes	Thickness	Width	Length
5100-1701	4 holes L	3.2mm	12mm	86mm
5100-1702	6 holes L	3.2mm	12mm	112mm
5100-1703	8 holes L	3.2mm	12mm	138mm
5100-1704	10 holes L	3.2mm	12mm	164mm
5100-1705	12 holes L	3.2mm	12mm	190mm
5100-1706	4 holes R	3.2mm	12mm	86mm
5100-1707	6 holes R	3.2mm	12mm	112mm
5100-1708	8 holes R	3.2mm	12mm	138mm
5100-1709	10 holes R	3.2mm	12mm	164mm
5100-1710	12 holes R	3.2mm	12mm	190mm

Use 2.7/3.5 Locking Screw/3.5 Cortical Screw

Distal Lateral Humeral Locking Plate



REF	Holes	Thickness	Width	Length
5100-0101	4 holes L	2.5mm	11mm	81mm
5100-0102	6 holes L	2.5mm	11mm	107mm
5100-0103	8 holes L	2.5mm	11mm	133mm
5100-0104	10 holes L	2.5mm	11mm	159mm
5100-0105	12 holes L	2.5mm	11mm	185mm
5100-0106	4 holes R	2.5mm	11mm	81mm
5100-0107	6 holes R	2.5mm	11mm	107mm
5100-0108	8 holes R	2.5mm	11mm	133mm
5100-0109	10 holes R	2.5mm	11mm	159mm
5100-0110	12 holes R	2.5mm	11mm	185mm

Use 3.5 Locking Screw/3.5 Cortical Screw

Distal Medial Humeral Locking Plate



REF	Holes	Thickness	Width	Length
5100-1801	4 holes L	3mm	11.5mm	69mm
5100-1802	6 holes L	3mm	11.5mm	95mm
5100-1803	8 holes L	3mm	11.5mm	121mm
5100-1804	10 holes L	3mm	11.5mm	147mm
5100-1805	12 holes L	3mm	11.5mm	173mm
5100-1806	4 holes R	3mm	11.5mm	69mm
5100-1807	6 holes R	3mm	11.5mm	95mm
5100-1808	8 holes R	3mm	11.5mm	121mm
5100-1809	10 holes R	3mm	11.5mm	147mm
5100-1810	12 holes R	3mm	11.5mm	173mm

Use 2.7/3.5 Locking Screw/3.5 Cortical Screw

Distal Fibular Locking Plate



REF	Holes	Thickness	Width	Length
5100-1901	3 holes L	2.5mm	10mm	81mm
5100-1902	4 holes L	2.5mm	10mm	93mm
5100-1903	5 holes L	2.5mm	10mm	105mm
5100-1904	6 holes L	2.5mm	10mm	117mm
5100-1905	7 holes L	2.5mm	10mm	129mm
5100-1906	8 holes L	2.5mm	10mm	141mm
5100-1907	3 holes R	2.5mm	10mm	81mm
5100-1908	4 holes R	2.5mm	10mm	93mm
5100-1909	5 holes R	2.5mm	10mm	105mm
5100-1910	6 holes R	2.5mm	10mm	117mm
5100-1911	7 holes R	2.5mm	10mm	129mm
5100-1912	8 holes R	2.5mm	10mm	141mm

Use 3.5 Locking Screw /3.5 Cortical Screw

Distal Fibular Locking Plate-II



REF	Holes	Thickness	Width	Length
01.1222-01	3 holes L	2.5mm	10.4mm	84mm
01.1222-02	4 holes L	2.5mm	10.4mm	97mm
01.1222-03	5 holes L	2.5mm	10.4mm	110mm
01.1222-04	6 holes L	2.5mm	10.4mm	123mm
01.1222-05	7 holes L	2.5mm	10.4mm	136mm
01.1222-06	9 holes L	2.5mm	10.4mm	162mm
01.1222-07	11 holes L	2.5mm	10.4mm	188mm
01.1222-11	3 holes R	2.5mm	10.4mm	84mm
01.1222-12	4 holes R	2.5mm	10.4mm	97mm
01.1222-13	5 holes R	2.5mm	10.4mm	110mm
01.1222-14	6 holes R	2.5mm	10.4mm	123mm
01.1222-15	7 holes R	2.5mm	10.4mm	136mm
01.1222-16	9 holes R	2.5mm	10.4mm	162mm
01.1222-17	11 holes R	2.5mm	10.4mm	188mm

Use 2.7/3.5 Locking Screw/2.7/3.5 Cortical Screw

Tibia Locking Plate Narrow



REF	Holes	Thickness	Width	Length
5100-2201	7 holes	5mm	15mm	139mm
5100-2202	8 holes	5mm	15mm	157mm
5100-2203	9 holes	5mm	15mm	175mm
5100-2204	10 holes	5mm	15mm	193mm
5100-2205	12 holes	5mm	15mm	229mm
5100-2206	14 holes	5mm	15mm	265mm

Use 5.0 Locking Screw/4.5 Cortical Screw

Proximal Medial Tibial Osteotomy Locking Plate



REF	Holes	Thickness	Width	Length
5100-2301	5 holes	2.8mm	16mm	115mm

Use 5.0 Locking Screw/4.5 Cortical Screw

Proximal Lateral Tibial Osteotomy Locking Plate



REF	Holes	Thickness	Width	Length
01.1223-01	3 holes L	4.6mm	16mm	104mm
01.1223-11	3 holes R	4.6mm	16mm	104mm

Use 5.0 Locking Screw/4.5 Cortical Screw

Distal Medial Femoral Osteotomy Locking Plate



REF	Holes	Thickness	Width	Length
01.1275-01	3 holes L	4.2mm	18.2mm	121mm
01.1275-02	4 holes L	4.2mm	18.2mm	101mm
01.1275-11	3 holes R	4.2mm	18.2mm	121mm
01.1275-12	4 hoels R	4.2mm	18.2mm	101mm

Use 5.0 Locking Screw/4.5 Cortical Screw

Distal Lateral Femoral Osteotomy Locking Plate



REF	Holes	Thickness	Width	Length
5100-5403	5 holes L	5.6mm	17mm	161mm
5100-5404	5 holes R	5.6mm	17mm	161mm

Use 5.0 Locking Screw/4.5 Cortical Screw

Lateral Ankle Fusion Locking Plate



REF	Holes	Thickness	Width	Length
01.1224-01	4 holes L	4mm	12.4mm	98mm
01.1224-11	4 holes R	4mm	12.4mm	98mm

Use 3.5 Locking Screw/3.5 Cortical Screw

Lateral Tibial Head Buttress Locking Plate



REF	Holes	Thickness	Width	Length
5100-2401	5 holes L	4.6mm	15mm	144mm
5100-2402	7 holes L	4.6mm	15mm	182mm
5100-2403	9 holes L	4.6mm	15mm	220mm
5100-2404	11 holes L	4.6mm	15mm	258mm
5100-2405	13 holes L	4.6mm	15mm	296mm
5100-2406	5 holes R	4.6mm	15mm	144mm
5100-2407	7 holes R	4.6mm	15mm	182mm
5100-2408	9 holes R	4.6mm	15mm	220mm
5100-2409	11 holes R	4.6mm	15mm	258mm
5100-2410	13 holes R	4.6mm	15mm	296mm

Use 5.0 Locking Screw/4.5 Cortical Screw

Proximal Lateral Tibial Locking Plate-I



REF	Holes	Thickness	Width	Length
5100-2501	3 holes L	4.6mm	14mm	117mm
5100-2502	5 holes L	4.6mm	14mm	155mm
5100-2503	7 holes L	4.6mm	14mm	193mm
5100-2504	9 holes L	4.6mm	14mm	231mm
5100-2505	11 holes L	4.6mm	14mm	269mm
5100-2506	3 holes R	4.6mm	14mm	117mm
5100-2507	5 holes R	4.6mm	14mm	155mm
5100-2508	7 holes R	4.6mm	14mm	193mm
5100-2509	9 holes R	4.6mm	14mm	231mm
5100-2510	11 holes R	4.6mm	14mm	269mm

Use 3.5/5.0 Locking Screw/ 3.5 Cortical Screw

Proximal Lateral Tibial Locking Plate-II



REF	Holes	Thickness	Width	Length
5100-2601	5 holes L	4.2mm	12.5mm	97mm
5100-2602	7 holes L	4.2mm	12.5mm	124mm
5100-2603	9 holes L	4.2mm	12.5mm	151mm
5100-2604	11 holes L	4.2mm	12.5mm	178mm
5100-2605	13 holes L	4.2mm	12.5mm	205mm
5100-2606	5 holes R	4.2mm	12.5mm	97mm
5100-2607	7 holes R	4.2mm	12.5mm	124mm
5100-2608	9 holes R	4.2mm	12.5mm	151mm
5100-2609	11 holes R	4.2mm	12.5mm	178mm
5100-2610	13 holes R	4.2mm	12.5mm	205mm

Use 3.5 Locking Screw/3.5 Cortical Screw

Proximal Medial Tibial Locking Plate



REF	Holes	Thickness	Width	Length
5100-2701	4 holes L	4.2mm	13mm	83mm
5100-2702	6 holes L	4.2mm	13mm	109mm
5100-2703	8 holes L	4.2mm	13mm	135mm
5100-2704	10 holes L	4.2mm	13mm	161mm
5100-2705	12 holes L	4.2mm	13mm	187mm
5100-2706	4 holes R	4.2mm	13mm	83mm
5100-2707	6 holes R	4.2mm	13mm	109mm
5100-2708	8 holes R	4.2mm	13mm	135mm
5100-2709	10 holes R	4.2mm	13mm	161mm
5100-2710	12 holes R	4.2mm	13mm	187mm

Use 3.5 Locking Screw/3.5 Cortical Screw

Distal Lateral Tibial Locking Plate-I



REF	Holes	Thickness	Width	Length
5100-2801	5 holes L	3.6mm	16.5mm	122mm
5100-2802	7 holes L	3.6mm	16.5mm	154mm
5100-2803	9 holes L	3.6mm	16.5mm	186mm
5100-2804	11 holes L	3.6mm	16.5mm	218mm
5100-2805	13 holes L	3.6mm	16.5mm	250mm
5100-2806	5 holes R	3.6mm	16.5mm	122mm
5100-2807	7 holes R	3.6mm	16.5mm	154mm
5100-2808	9 holes R	3.6mm	16.5mm	186mm
5100-2809	11 holes R	3.6mm	16.5mm	218mm
5100-2810	13 holes R	3.6mm	16.5mm	250mm

Use 5.0 Locking Screw/4.5 Cortical Screw

Distal Lateral Tibial Locking Plate-II



REF	Holes	Thickness	Width	Length
5100-2901	5 holes L	4.2mm	13mm	136mm
5100-2902	7 holes L	4.2mm	13mm	168mm
5100-2903	9 holes L	4.2mm	13mm	200mm
5100-2904	11 holes L	4.2mm	13mm	232mm
5100-2905	5 holes R	4.2mm	13mm	136mm
5100-2906	7 holes R	4.2mm	13mm	168mm
5100-2907	9 holes R	4.2mm	13mm	200mm
5100-2908	11 holes R	4.2mm	13mm	232mm

Use 3.5 Locking Screw/3.5 Cortical Screw

Distal Medial Tibial Locking Plate-I



REF	Holes	Thickness	Width	Length
5100-3001	5 holes L	4.2mm	14mm	147mm
5100-3002	7 holes L	4.2mm	14mm	179mm
5100-3003	9 holes L	4.2mm	14mm	211mm
5100-3004	11 holes L	4.2mm	14mm	243mm
5100-3005	13 holes L	4.2mm	14mm	275mm
5100-3006	5 holes R	4.2mm	14mm	147mm
5100-3007	7 holes R	4.2mm	14mm	179mm
5100-3008	9 holes R	4.2mm	14mm	211mm
5100-3009	11 holes R	4.2mm	14mm	243mm
5100-3010	13 holes R	4.2mm	14mm	275mm

Use 3.5 Locking Screw/3.5 Cortical Screw

Distal Medial Tibial Locking Plate-II



REF	Holes	Thickness	Width	Length
5100-3101	5 holes L	4.2mm	15.5mm	125mm
5100-3102	7 holes L	4.2mm	15.5mm	151mm
5100-3103	9 holes L	4.2mm	15.5mm	177mm
5100-3104	11 holes L	4.2mm	15.5mm	203mm
5100-3105	5 holes R	4.2mm	15.5mm	125mm
5100-3106	7 holes R	4.2mm	15.5mm	151mm
5100-3107	9 holes R	4.2mm	15.5mm	177mm
5100-3108	11 holes R	4.2mm	15.5mm	203mm

Use 3.5 Locking Screw/3.5 Cortical Screw

Distal Tibial T-Locking Plate



REF	Holes	Thickness	Width	Length
5100-6303	3 holes	3mm	12.3mm	56.5mm
5100-6304	4 holes	3mm	12.3mm	73.5mm
5100-6305	6 holes	3mm	12.3mm	93.5mm
5100-6306	8 holes	3mm	12.3mm	113.5mm

Use 3.5 Locking Screw/3.5 Cortical Screw

MD Distal Tibial Locking Plate



REF	Holes	Thickness	Width	Length
5100-6307	3 holes	2mm	11.2mm	53mm
5100-6308	4 holes	2mm	11.2mm	65mm

Use 3.5 Locking Screw/3.5 Cortical Screw

Distal Tibial Medial Locking Plate



REF	Holes	Thickness	Width	Length
5100-6301	4 holes	3mm	10.3mm	88mm
5100-6302	6 holes	3mm	10.3mm	112mm

Use 3.5 Locking Screw/3.5 Cortical Screw

Distal Tibial Medial Locking Plate



REF	Holes	Thickness	Width	Length
01.1220-01	3 holes L	2.1mm	10mm	70mm
01.1220-02	4 holes L	2.1mm	10mm	70mm
01.1220-11	3 holes R	2.1mm	10mm	93mm
01.1220-12	4 holes R	2.1mm	10mm	93mm

Use 3.5 Locking Screw/3.5 Cortical Screw

Medium Anterolateral Ankle Fusion Plate



REF	Holes	Thickness	Width	Length
5100-8401	3 holes L	3mm	13mm	60mm
5100-8402	3 holes R	3mm	13mm	60mm

Use 3.5 Locking Screw/3.5 Cortical Screw

Anterolateral Ankle Fusion Locking Plate



REF	Holes	Thickness	Width	Length
5100-8501	4 holes L	4mm	14mm	96mm
5100-8502	4 holes R	4mm	14mm	96mm

Use 3.5 Locking Screw/3.5 Cortical Screw

Medium Anterolateral Ankle Fusion Plate



REF	Holes	Thickness	Width	Length
01.1224-01	4 holes L	4mm	12.4mm	60mm
01.1224-11	4 holes R	4mm	12.4mm	60mm

Use 3.5 Locking Screw/3.5 Cortical Screw

Supra-ankle Osteotomy Locking Plate



REF	Holes	Thickness	Width	Length
5100-8601	4 holes	3mm	10mm	110mm

Use 3.5 Locking Screw/3.5 Cortical Screw

Curved Femur Locking Compression Plate Broad



REF	Holes	Thickness	Width	Length
5100-3201	8 holes	6mm	18mm	158mm
5100-3202	9 holes	6mm	18mm	176mm
5100-3203	10 holes	6mm	18mm	194mm
5100-3204	12 holes	6mm	18mm	230mm
5100-3205	14 holes	6mm	18mm	266mm
5100-3206	16 holes	6mm	18mm	302mm

Use 5.0 Locking Screw/4.5 Cortical Screw

Straight Reconstruction Locking Plate



REF	Holes	Thickness	Width	Length
5100-3301	5 holes	3.2mm	11mm	66mm
5100-3302	6 holes	3.2mm	11mm	79mm
5100-3303	7 holes	3.2mm	11mm	92mm
5100-3304	8 holes	3.2mm	11mm	105mm
5100-3305	9 holes	3.2mm	11mm	118mm
5100-3306	10 holes	3.2mm	11mm	131mm
5100-3307	12 holes	3.2mm	11mm	157mm

Use 3.5 Locking Screw/3.5 Cortical Screw

Anterior Sacroilia c Joint Plate



REF	Specification	Thickness	Width	Length
5100-7101	4 holes L	3.1mm	10mm	78mm
5100-7102	4 holes R	3.1mm	10mm	78mm

Use 3.5 Locking Screw/3.5 Cortical Screw/4.0 Cancellous Screw

Anterior Pelvic Plate



REF	Specification	Thickness	Width	Length
5100-7201	7 holes L	3.1mm	10mm	71mm
5100-7202	9 holes L	3.1mm	10mm	95mm
5100-7203	11 holes L	3.1mm	10mm	119mm
5100-7204	7 holes R	3.1mm	10mm	71mm
5100-7205	9 holes R	3.1mm	10mm	95mm
5100-7206	11 holes R	3.1mm	10mm	119mm

Use 3.5 Locking Screw/3.5 Cortical Screw/4.0 Cancellous Screw

Posterio r Pelvic Plate



REF	Specification	Thickness	Width	Length
5100-7301	6 holes L	3.1mm	10mm	72mm
5100-7302	8 holes L	3.1mm	10mm	96mm
5100-7303	10 holes L	3.1mm	10mm	120mm
5100-7304	6 holes R	3.1mm	10mm	72mm
5100-7305	8 holes R	3.1mm	10mm	96mm
5100-7306	10 holes R	3.1mm	10mm	120mm

Use 3.5 Locking Screw/3.5 Cortical Screw/4.0 Cancellous Screw


Anatomical Acetabular Plate



REF	Specification	Thickness	Width	Length
5100-7401	6 holes L	3.1mm	10mm	63mm
5100-7402	8 holes L	3.1mm	10mm	87mm
5100-7403	10 holes L	3.1mm	10mm	111mm
5100-7404	6 holes R	3.1mm	10mm	63mm
5100-7405	8 holes R	3.1mm	10mm	87mm
5100-7406	10 holes R	3.1mm	10mm	111mm

Use 3.5 Locking Screw/3.5 Cortical Screw/4.0 Cancellous Screw

Patella Mesh Locking Plate



REF	Holes	Thickness	Width	Length
5100-3401	16 holes Small	1mm	30mm	38mm
5100-3402	16 holes Medium	1mm	33mm	42mm
5100-3403	16 holes Large	1mm	36mm	46mm

Use 2.7 Locking Screw

Distal Femoral Locking Plate



REF	Holes	Thickness	Width	Length
5100-3501	5 holes L	6mm	17.5mm	164mm
5100-3502	7 holes L	6mm	17.5mm	204mm
5100-3503	9 holes L	6mm	17.5mm	244mm
5100-3504	11 holes L	6mm	17.5mm	284mm
5100-3505	13 holes L	6mm	17.5mm	324mm
5100-3506	5 holes R	6mm	17.5mm	164mm
5100-3507	7 holes R	6mm	17.5mm	204mm
5100-3508	9 holes R	6mm	17.5mm	244mm
5100-3509	11 holes R	6mm	17.5mm	284mm
5100-3510	13 holes R	6mm	17.5mm	324mm

Use 5.0 Locking Screw/4.5 Cortical Screw

Proximal Femoral Locking Plate-I



REF	Holes	Thickness	Width	Length
5100-3601	5 holes L	6mm	18mm	153mm
5100-3602	7 holes L	6mm	18mm	189mm
5100-3603	9 holes L	6mm	18mm	225mm
5100-3604	11 holes L	6mm	18mm	261mm
5100-3605	13 holes L	6mm	18mm	297mm
5100-3606	5 holes R	6mm	18mm	153mm
5100-3607	7 holes R	6mm	18mm	189mm
5100-3608	9 holes R	6mm	18mm	225mm
5100-3609	11 holes R	6mm	18mm	261mm
5100-3610	13 holes R	6mm	18mm	297mm

Use 5.0 Locking Screw/4.5 Cortical Screw

Proximal Femur Locking Plate-II



REF	Holes	Thickness	Width	Length
5100-3701	3 holes L	6.5mm	19mm	133mm
5100-3702	4 holes L	6.5mm	19mm	151mm
5100-3703	5 holes L	6.5mm	19mm	169mm
5100-3704	7 holes L	6.5mm	19mm	205mm
5100-3705	9 holes L	6.5mm	19mm	241mm
5100-3706	11 holes L	6.5mm	19mm	277mm
5100-3707	3 holes R	6.5mm	19mm	133mm
5100-3708	4 holes R	6.5mm	19mm	151mm
5100-3709	5 holes R	6.5mm	19mm	169mm
5100-3710	7 holes R	6.5mm	19mm	205mm
5100-3711	9 holes R	6.5mm	19mm	241mm
5100-3712	11 holes R	6.5mm	19mm	277mm

Use 5.0 Locking Screw/4.5 Cortical Screw,6.5 Cannulated Full-threaded Locking Screw

Proximal Femoral Hook Locking Plate with Cable

REF	Holes	Thickness	Width	Length
5100-4701	4 holes L	6.2mm	17.5mm	233mm
5100-4702	6 holes L	6.2mm	17.5mm	258mm
5100-4703	8 holes L	6.2mm	17.5mm	283mm
5100-4704	10 holes L	6.2mm	17.5mm	308mm
5100-4705	12 holes L	6.2mm	17.5mm	333mm
5100-4706	4 holes R	6.2mm	17.5mm	233mm
5100-4707	6 holes R	6.2mm	17.5mm	258mm
5100-4708	8 holes R	6.2mm	17.5mm	283mm
5100-4709	10 holes R	6.2mm	17.5mm	308mm
5100-4710	12 holes R	6.2mm	17.5mm	333mm

Use 5.0 Locking Screw/ 4.5 Cortical Screw/1.7mm Cable

Proximal Femoral Hook Locking Plate



REF	Holes	Thickness	Width	Length
5100-5301	3 holes L	5.6mm	17.7mm	157.5mm
5100-5302	4 holes L	5.6mm	17.7mm	175.5mm
5100-5303	5 holes L	5.6mm	17.7mm	193.5mm
5100-5304	7 holes L	5.6mm	17.7mm	229.5mm
5100-5305	9 holes L	5.6mm	17.7mm	265.5mm
5100-5306	11 holes L	5.6mm	17.7mm	301.5mm
5100-5307	13 holes L	5.6mm	17.7mm	337.5mm
5100-5308	3 holes R	5.6mm	17.7mm	157.5mm
5100-5309	4 holes R	5.6mm	17.7mm	175.5mm
5100-5310	5 holes R	5.6mm	17.7mm	193.5mm
5100-5311	7 holes R	5.6mm	17.7mm	229.5mm
5100-5312	9 holes R	5.6mm	17.7mm	265.5mm
5100-5313	11 holes R	5.6mm	17.7mm	301.5mm
5100-5314	13 holes R	5.6mm	17.7mm	337.5mm

Use 5.0 Locking Screw/ 4.5 Cortical Screw/ 6.5 Cannulaetd Locking Screw

Cable Positioning Pin (Stardrive)



REF	Holes
5100-4803	3.5mm
5100-4804	5.0mm

Titanium Cable



REF	Specification
5100-4803	1.3mm
5100-4804	1.7mm

FNS Locking Plate (130° CCD angle) (Use 5.0 Locking Screw)



REF	Specification
3300-0101	1 hole
3300-0102	2 holes

FNS Bolts+Antirotation Screws



REF	Specification
3300-0201	75mm
3300-0202	80mm
3300-0203	85mm
3300-0204	90mm
3300-0205	95mm

REF	Specification
3300-0206	100mm
3300-0207	105mm
3300-0208	110mm
3300-0209	115mm

Calcaneous Locking Plate-I, Curved



REF	Holes	Thickness	Width	Length
5100-3801	Small Right	2mm	34mm	60mm
5100-3802	Small Left	2mm	34mm	60mm
5100-3803	Medium Right	2mm	34.5mm	67mm
5100-3804	Medium Left	2mm	34.5mm	67mm
5100-3805	Large Right	2mm	35mm	73mm
5100-3806	Large Left	2mm	35mm	73mm

Use 3.5 Locking Screw

Calcaneous Locking Plate



REF	Holes	Thickness	Width	Length
5100-4905	Short 3 holes Left	1.5mm	8.5mm	76.5mm
5100-4906	Short 3 holes Right	1.5mm	8.5mm	76.5mm
5100-4907	Long 3 holes Left	1.5mm	8.5mm	76.5mm
5100-4908	Long 3 holes Right	1.5mm	8.5mm	76.5mm
5100-4909	Short 4 holes Left	1.5mm	8.5mm	76.5mm
5100-4910	Short 4 holes Right	1.5mm	8.5mm	76.5mm
5100-4911	Long 4 holes Left	1.5mm	8.5mm	76.5mm
5100-4912	Long 4 holes Right	1.5mm	8.5mm	76.5mm

Use 3.5 Locking Screw

MD AP and PT Calcaneal Locking Plate



REF	Holes	Thickness	Width	Length
01.4070-01	Small Right	1.8mm	10mm	56.3mm
01.4070-02	Small Left	1.8mm	10mm	58.9mm
01.4070-03	Medium Right	1.8mm	10mm	67.8mm
01.4070-11	Medium Left	1.8mm	10mm	56.3mm
01.4070-12	Large Right	1.8mm	10mm	58.9mm
01.4070-13	Large Left	1.8mm	10mm	67.8mm

Use 3.5 Locking Screw

MD Posterior Tuberosity Calcaneal Locking Plate



REF	Holes	Thickness	Width	Length
01.4071-01	Small Right	1.8mm	10mm	39.8mm
01.4071-02	Small Left	1.8mm	10mm	49.3mm
01.4071-11	Large Right	1.8mm	10mm	39.8mm
01.4071-12	Large Left	1.8mm	10mm	49.3mm

Use 3.5 Locking Screw

MD Anterior Process Calcaneal Locking Plate



REF	Holes	Thickness	Width	Length
01.4072-01	Small Right	1.8mm	10mm	46mm
01.4072-02	Small Left	1.8mm	10mm	50.8mm
01.4072-11	Large Right	1.8mm	10mm	46mm
01.4072-12	Large Left	1.8mm	10mm	50.8mm

Use 3.5 Locking Screw

MT Fifth Metatarsal Locking Plate



REF	Holes	Thickness	Width	Length
01.4073-01	6 holes L	1.5mm	7mm	48mm
01.4073-11	6 holes R	1.5mm	7mm	48mm

Use 2.7 Locking Screw/ 2.7 Cortical Screw

MT First Metatarsocuneiform Fusion Locking Plate



REF	Holes	Thickness	Width	Length
01.4074-01	8 holes	1.5mm	7.7mm	60mm

Use 2.7 Locking Screw/ 2.7 Cortical Screw

MT L-shape Metatarsal Locking Plate



REF	Holes	Thickness	Width	Length
01.4075-01	4 holes L	1.5mm	8.5mm	45.1mm
01.4075-02	5 holes L	1.5mm	8.5mm	51.6mm
01.4075-11	4 holes R	1.5mm	8.5mm	45.1mm
01.4075-12	5 holes R	1.5mm	8.5mm	51.6mm

Use 3.5 Locking Screw/ 3.5 Cortical Screw

MT T-shape Locking Plate



REF	Holes	Thickness	Width	Length
01.4076-01	2 holes	1.5mm	7.1mm	27.4mm
01.4076-02	3 holes	1.5mm	7.1mm	33.9mm
01.4076-03	4 holes	1.5mm	7.1mm	40.4mm
01.4076-04	5 holes	1.5mm	7.1mm	47mm
01.4076-05	6 holes	1.5mm	7.1mm	53.7mm

Use 2.7 Locking Screw/ 2.7 Cortical Screw

MT Straight Fusion Locking Plate



REF	Holes	Thickness	Width	Length
01.4077-01	2 holes	1.5mm	7.5mm	18.5mm
01.4077-02	4 holes	1.5mm	7.5mm	35.6mm
01.4077-03	3 holes	1.5mm	7.5mm	30mm

Use 2.7 Locking Screw/ 2.7 Cortical Screw

MT First Metatarsophalangeal Fusion Locking Plate



REF	Holes	Thickness	Width	Length
01.4078-01	Small Right	1.5mm	13.7mm	55.3mm
01.4078-02	Small Left	1.5mm	13.7mm	55.3mm
01.4078-11	Large Right	1.5mm	13.7mm	60mm
01.4078-12	Large Left	1.5mm	13.7mm	60mm

Use 2.7 Locking Screw/ 2.7 Cortical Screw

MT X-Locking Plate



REF	Holes	Thickness	Width	Length
01.4079-01	24mm	1.5mm	19mm	24mm
01.4079-02	28.5mm	1.5mm	19mm	28.5mm

Use 2.7 Locking Screw

MT X-Locking Plate



REF	Holes	Thickness	Width	Length
5100-9901	L	1.5mm	15mm	28mm
5100-9902	R	1.5mm	15mm	28mm

Use 2.7 Locking Screw

MT Cuboid Locking Plate



REF	Holes	Thickness	Width	Length
01.4080-01	9 holes L	1.5mm	27.9mm	29.5mm
01.4080-11	9 holes R	1.5mm	27.9mm	29.5mm

Use 2.7 Locking Screw

MT Astragalus Locking Plate



REF	Holes	Thickness	Width	Length
01.4081-01	5 holes	1.5mm	6mm	43mm

Use 2.7 Locking Screw

MT Navicular Locking Plate



REF	Holes	Thickness	Width	Length
01.4082-01	9 holes L	1.5mm	6.3mm	46mm
01.4082-11	9 holes R	1.5mm	6.3mm	46mm

Use 2.7 Locking Screw

MT Calcaneal H-Locking Plate



REF	Holes	Thickness	Width	Length
5100-9701	6mm Height	1.8mm	22mm	25mm
5100-9702	8mm Height	1.8mm	22mm	25mm
5100-9703	10mm Height	1.8mm	22mm	25mm

Use 3.5 Locking Screw

MT Calcaneal H-Locking Plate



REF	Holes	Thickness	Width	Length
5100-9801	0mm Height	2mm	17mm	29mm
5100-9802	8mm Height	2mm	17mm	29mm
5100-9803	10mm Height	2mm	17mm	29mm
5100-9804	12mm Height	2mm	17mm	29mm

Use 3.5 Locking Screw

MT Butterfly-shaped Locking Plate



REF	Holes	Thickness	Width	Length
5100-9601	0mm Height L	1.4mm	15mm	25.3mm
5100-9602	3mm Height L	1.4mm	15mm	25.3mm
5100-9603	4mm Height L	1.4mm	15mm	25.3mm
5100-9604	5mm Height L	1.4mm	15mm	25.3mm
5100-9605	6mm Height L	1.4mm	15mm	25.3mm
5100-9606	7mm Height L	1.4mm	15mm	25.3mm
5100-9607	0mm Height R	1.4mm	15mm	25.3mm
5100-9608	3mm Height R	1.4mm	15mm	25.3mm
5100-9609	4mm Height R	1.4mm	15mm	25.3mm
5100-9610	5mm Height R	1.4mm	15mm	25.3mm
5100-9611	6mm Height R	1.4mm	15mm	25.3mm
5100-9612	7mm Height R	1.4mm	15mm	25.3mm

Use 2.7 Locking Screw

Subtalar Screw(Tarsal Tunnel Approach)



REF	Specification
3105355021	Φ5.5×21
3105365021	Φ6.5×21
3105373021	Φ7.3×21
3105385021	Φ8.5×21
3105395021	Φ9.5×21

Subtalar Screw(Tarsal Sinus Approach)



REF	Specification
3152385015	Φ8.5*15
3152310015	Φ10*15
3152311015	Φ11*15
3152311020	Φ11*20
3152312015	Φ12*15
3152312020	Φ12*20

2.4mm Cortex Screw, T8 Stardrive, Self-tapping



REF	Specification
030350006	2.4*6
030350008	2.4*8
030350010	2.4*10
030350012	2.4*12
030350014	2.4*14
030350016	2.4*16
030350018	2.4*18

REF	Specification
030350020	2.4*20
030350022	2.4*22
030350024	2.4*24
030350026	2.4*26
030350028	2.4*28
030350030	2.4*30

2.4mm Locking Screw, T8 Stardrive, Self-tapping



REF	Specification
040240006	2.4*6
040240008	2.4*8
040240010	2.4*10
040240012	2.4*12
040240014	2.4*14
040240016	2.4*16
040240018	2.4*18

REF	Specification
040240020	2.4*20
040240022	2.4*22
040240024	2.4*24
040240026	2.4*26
040240028	2.4*28
040240030	2.4*30

2.7mm Cortex Screw, T8 Stardrive Self-tapping



REF	Specification	REF	Specification
030390010	2.7*10	030390022	2.7*22
030390012	2.7*12	030390024	2.7*24
030390014	2.7*14	030390026	2.7*26
030390016	2.7*16	030390028	2.7*28
030390018	2.7*18	030390030	2.7*30
030390020	2.7*20		

2.7mm Locking Screw, T8 Stardrive Self-tapping



REF	Specification	REF	Specification
030340010	2.7*10	030340026	2.7*26
030340012	2.7*12	030340028	2.7*28
030340014	2.7*14	030340030	2.7*30
030340016	2.7*16	030340032	2.7*32
030340018	2.7*18	030340034	2.7*34
030340020	2.7*20	030340036	2.7*36
030340022	2.7*22	030340038	2.7*38
030340024	2.7*24	030340040	2.7*40

2.4mm Universal Locking Screw, T8 Stardrive



REF	Specification	REF	Specification
5100-6701	2.4*8	5100-6707	2.4*20
5100-6702	2.4*10	5100-6708	2.4*22
5100-6703	2.4*12	5100-6709	2.4*24
5100-6704	2.4*14	5100-6710	2.4*26
5100-6705	2.4*16	5100-6711	2.4*28
5100-6706	2.4*18	5100-6712	2.4*30

2.7mm Universal Locking Screw, T8 Stardrive



REF	Specification	REF	Specification
5100-6801	2.7*10	5100-6808	2.7*24
5100-6802	2.7*12	5100-6809	2.7*26
5100-6803	2.7*14	5100-6810	2.7*28
5100-6804	2.7*16	5100-6811	2.7*30
5100-6805	2.7*18	5100-6812	2.7*32
5100-6806	2.7*20	5100-6813	2.7*34
5100-6807	2.7*22	5100-6814	2.7*36

3.5mm Locking Screw (Stardrive)



REF	Specification	REF	Specification
5100-3901	3.5*12	5100-3917	3.5*44
5100-3902	3.5*14	5100-3918	3.5*46
5100-3903	3.5*16	5100-3919	3.5*48
5100-3904	3.5*18	5100-3920	3.5*50
5100-3905	3.5*20	5100-3921	3.5*52
5100-3906	3.5*22	5100-3922	3.5*54
5100-3907	3.5*24	5100-3923	3.5*56
5100-3908	3.5*26	5100-3924	3.5*58
5100-3909	3.5*28	5100-3925	3.5*60
5100-3910	3.5*30	5100-3926	3.5*65
5100-3911	3.5*32	5100-3927	3.5*70
5100-3912	3.5*34	5100-3928	3.5*75
5100-3913	3.5*36	5100-3929	3.5*80
5100-3914	3.5*38	5100-3930	3.5*85
5100-3915	3.5*40	5100-3931	3.5*90
5100-3916	3.5*42	5100-3932	3.5*95

5.0mm Locking Screw (Stardrive)



REF	Specification	REF	Specification
5100-4001	5.0*22	5100-4015	5.0*50
5100-4002	5.0*24	5100-4016	5.0*52
5100-4003	5.0*26	5100-4017	5.0*54
5100-4004	5.0*28	5100-4018	5.0*56
5100-4005	5.0*30	5100-4019	5.0*58
5100-4006	5.0*32	5100-4020	5.0*60
5100-4007	5.0*34	5100-4021	5.0*65
5100-4008	5.0*36	5100-4022	5.0*70
5100-4009	5.0*38	5100-4023	5.0*75
5100-4010	5.0*40	5100-4024	5.0*80
5100-4011	5.0*42	5100-4025	5.0*85
5100-4012	5.0*44	5100-4026	5.0*90
5100-4013	5.0*46	5100-4027	5.0*95
5100-4014	5.0*48		

3.5mm Cortical Screw (Stardrive)



REF	Specification	REF	Specification
5100-4101	3.5*12	5100-4112	3.5*34
5100-4102	3.5*14	5100-4113	3.5*36
5100-4103	3.5*16	5100-4114	3.5*38
5100-4104	3.5*18	5100-4115	3.5*40
5100-4105	3.5*20	5100-4116	3.5*42
5100-4106	3.5*22	5100-4117	3.5*44
5100-4107	3.5*24	5100-4118	3.5*46
5100-4108	3.5*26	5100-4119	3.5*48
5100-4109	3.5*28	5100-4120	3.5*50
5100-4110	3.5*30	5100-4121	3.5*55
5100-4111	3.5*32	5100-4122	3.5*60

4.5mm Cortical Screw (Stardrive)



REF	Specification	REF	Specification
5100-4201	4.5*22	5100-4211	4.5*42
5100-4202	4.5*24	5100-4212	4.5*44
5100-4203	4.5*26	5100-4213	4.5*46
5100-4204	4.5*28	5100-4214	4.5*48
5100-4205	4.5*30	5100-4215	4.5*50
5100-4206	4.5*32	5100-4216	4.5*52
5100-4207	4.5*34	5100-4217	4.5*54
5100-4208	4.5*36	5100-4218	4.5*56
5100-4209	4.5*38	5100-4219	4.5*58
5100-4210	4.5*40	5100-4220	4.5*60

4.0mm Cancellous Screw (Stardrive)



REF	Specification	REF	Specification
5100-4301	4.0*12	5100-4311	4.0*32
5100-4302	4.0*14	5100-4312	4.0*34
5100-4303	4.0*16	5100-4313	4.0*36
5100-4304	4.0*18	5100-4314	4.0*38
5100-4305	4.0*20	5100-4315	4.0*40
5100-4306	4.0*22	5100-4316	4.0*42
5100-4307	4.0*24	5100-4317	4.0*44
5100-4308	4.0*26	5100-4318	4.0*46
5100-4309	4.0*28	5100-4319	4.0*48
5100-4310	4.0*30	5100-4320	4.0*50

6.5 Cannulated Full-threaded Locking Screw (Stardrive)



REF	Specification
5100-4401	6.5*50
5100-4402	6.5*55
5100-4403	6.5*60
5100-4404	6.5*65
5100-4405	6.5*70
5100-4406	6.5*75
5100-4407	6.5*80

REF	Specification
5100-4408	6.5*85
5100-4409	6.5*90
5100-4410	6.5*95
5100-4411	6.5*100
5100-4412	6.5*105
5100-4413	6.5*110

Rib Reconstruction Locking Plate



REF	Specification
5100-2001	15 holes L
5100-2002	18 holes L
5100-2003	15 holes R
5100-2004	18 holes R

Rib Plate Locking Screw(Self-tapping)



REF	Specification
5100-2101	2.9*8mm
5100-2102	2.9*10mm
5100-2103	2.9*12mm
5100-2104	2.9*14mm

REF	Specification
5100-2105	2.9*16mm
5100-2106	2.9*18mm
5100-2107	2.9*20mm

Sternum Locking Plate-I



REF	Holes	Thickness	Length
5100-4501	4 holes	1.7mm	20mm

Sternum Locking Plate-II



REF	Holes	Thickness	Length
5100-4502	6 holes	1.7mm	29mm

Sternum Locking Plate-III



REF	Holes	Thickness	Length
5100-4503	8 holes	1.7mm	20mm

Sternum Locking Plate-IV



REF	Holes	Thickness	Length
5100-4504	10 holes Narrow	1.7mm	24mm

Sternum Locking Plate-V



REF	Holes	Thickness	Length
5100-4505	10 holes Wild	1.7mm	33mm

Straight Sternum Locking Plate-I



REF	Holes	Thickness	Length
5100-4506	12 holes	1.7mm	105mm

Straight Sternum Locking Plate-II



REF	Holes	Thickness	Length
5100-4507	20 holes	1.7mm	169mm

Sternum Locking Plate with Clip-I



REF	Thickness	Length
5100-4508	2.3mm	20mm

Sternum Locking Plate with Clip-II



REF	Thickness	Length
5100-4509	2.3mm	29mm

Sternum Locking Plate with Clip-III



REF	Thickness	Length
5100-4510	2.3mm	20mm

Sternum Locking Plate with Clip-IV



REF	Thickness	Length
5100-4511	2.3mm	24mm

Sternum Locking Plate with Clip-V



REF	Thickness	Length
5100-4512	2.3mm	33mm

Straight Sternum Locking Plate with Clip-I



REF	Thickness	Length
5100-4513	2.3mm	105mm

Straight Sternum Locking Plate with Clip-II



REF	Thickness	Length
5100-4514	2.3mm	169mm

Sternum Locking Screw



REF	Specification
5100-4515	3.0*6mm
5100-4516	3.0*8mm
5100-4517	3.0*10mm
5100-4518	3.0*12mm
5100-4519	3.0*14mm
5100-4520	3.0*16mm

Pectus Excavatum Plate



REF	Specification
T4100-4101	12*170mm
T4100-4102	12*180mm
T4100-4103	12*190mm
T4100-4104	12*205mm
T4100-4105	12*215mm

REF	Specification
T4100-4106	12*230mm
T4100-4107	12*240mm
T4100-4108	12*255mm
T4100-4109	12*265mm

Fixing Plate



REF	Specification
17.10.151.150501	15*50mm

Plate Bender



REF	Specification
50.36.001.00	Large 300*65*32mm

Gripper




REF	Specification
50.36.002.00	Straight 250*50*30mm


Guider



REF	Specification
50.36.003.00	480*60*35mm


Pediatric Hinge Locking Plate Instrument Set 3200-18






NO.	REF	Description	Qty.
1	3200-1801	Screwdriver SW2.5	1
2	3200-1802	Cannulated Screwdriver SW2.5	1
3	3200-1803	K-wire 1.5*150	1
4	3200-1804	K-wire 1.5*150	1
5	3200-1805	K-wire 1.5*150	1
6	3200-1806	K-wire 1.5*150	1
7	3200-1807	Target Mould Houlder	1
8	3200-1808	Target Mould Houlder	1
9	3200-1809	K-wire Depth Gague 0-60mm	1
10	3200-1810	Screw Holding Forcep	1
11	3200-1811	Hign Plate Holding Forcep	1
1.2	3200-1812	Drill Sleeve 4.5mm	1
13	3200-1813	Drill Sleeve 4.5mm	1
14	3200-1814	Hex Wrench	1
15	3200-1815	Plate & Screw Box	1
16	3200-1816	Target Mould 2 holes*10mm	1
17	3200-1817	Target Mould 2 holes*12mm	1
18	3200-1818	Target Mould 2 holes*18mm	1
19	3200-1819	Target Mould 2 holes*20mm	1
20	3200-1820	Target Mould 2 holes*25mm	1
21	3200-1821	Target Mould 4 holes*16mm	1
22	3200-1822	Target Mould 4 holes*20mm	2
23	3200-1823	Target Mould 4 holes*12mm	1
24	3200-1824	1.5mm Locking Sleeve	1
25	3200-1825	1.5mm Locking Sleeve	1
26	3200-1826	2.5mm Drill Sleeve	1
27	3200-1827	2.5mm Drill Sleeve	1
28	3200-1828	Sleeve	1
29	3200-1829	Sleeve	1
30	3200-1830	10mm Target Mould Holder	1
31	3200-1831	10mm Target Mould Holder	1
32	3200-1832	1.5mm Wire Sleeve	1
33	3200-1833	1.5mm Wire Sleeve	1
34	3200-1834	3.2mm Drill Sleeve	1
35	3200-1835	1.2mm Wire Sleeve	1
36	3200-1836	1.2mm Wire Sleeve	1
37	3200-1837	3.2mm Drill Sleeve	1
38	3200-1838	Cannulated Drill Bit 3.2*200	1
39	3200-1839	Cannulated Drill Bit 3.2*200 Blcok	1
40	3200-1840	Cannulated Drill Bit 2.5*200	1
41	3200-1841	Cannulated Drill Bit 2.5*200 Blcok	1
42	3200-1842	K-wire 1.2*150	1
43	3200-1843	K-wire 1.2*150	1
44	3200-1844	Aluminium Box	1

2.7/3.5/5.0 Pediatric Osteotomy Locking Plate Instrument Set 3200-22






NO.	REF	Description	Qty.
1	3200-2201	4.2mm Locking Sleeve	2
2	3200-2202	4.2mm Locking Sleeve	1
3	3200-2203	3.0mm Locking Sleeve	2
4	3200-2204	3.0mm Locking Sleeve	1
5	3200-2205	Tap HA2.7*70	1
6	3200-2206	Tap HA4.5*150	1
7	3200-2207	Tap HA3.5*140	1
8	3200-2208	T15 Star Screwdriver	2
9	3200-2209	T20 Star Screwdriver	2
10	3200-2210	T8 Star Screwdriver	2
11	3200-2211	AO Drill Bit 3.2*150	2
12	3200-2212	AO Drill Bit 2.0*200	2
13	3200-2213	AO Drill Bit 2.5*200	2
14	3200-2214	K-wire Depth Gague	1
15	3200-2215	K-wire 2.0*230	4
16	3200-2216	K-wire 2.5*250	4
17	3200-2217	Threaded K-wire 2.0*230	4
18	3200-2218	Threaded K-wire 2.5*300	4
19	3200-2219	AO Drill Bit 4.2*300	2
20	3200-2220	AO Drill Bit 2.9*250	2
21	3200-2221	2.7mm Locking Sleeve	2
22	3200-2222	2.7mm Locking Sleeve	1
23	3200-2223	2.7mm Sleeve	1
24	3200-2224	2.7mm Sleeve	1
25	3200-2225	2.7 Locating Device	2
26	3200-2226	3.5/5.0 Locating Device	2
27	3200-2227	3.5/5.0 Angle Device 80-160°	1
28	3200-2228	2.7 Angle Device 80-160°	1
29	3200-2229	Triangle Location Plate 90°/50°/40°	1
30	3200-2230	Triangle Location Plate 80°/70°/30°	1
31	3200-2231	Triangle Location Plate 100°/60°/20°	1
32	3200-2232	T-handle	1
33	4200-0119	Obilique Reduction Forcep (170mm)	1
34	4200-0210	Obilique Reduction Forcep (230mm)	1
35	4200-0117	Self-centering Bone Holding Forcep (190mm)	1
36	4200-0214	Self-centering Bone Holding Forcep (270mm)	1
37	3200-2233	Guider 2.0/2.7	1
38	3200-2234	Guider 2.5/3.5	1
39	3200-2235	Guider 3.2/4.5	1
40	3200-2236	Straight Handle	1
41	3200-2237	Torque Wrench 1.5 N.m	1
42	3200-2238	2.7 Osteotome Locator	1
43	3200-2239	3.5/5.0 Osteotome Locator	1
44	3200-2240	2.7 Target Device	1
45	3200-2241	3.5 Target Device	1
46	3200-2242	5.0 Target Device	1
47	3200-2243	2.7 Depth Gague	1
48	3200-2244	3.5 Depth Gague	1
49	3200-2245	5.0 Depth Gague	1
50	3200-2246	Torque Wrench 4.0 N.m	1
51	3200-2247	Torque Wrench 0.8 N.m	1
52	3200-2248	Aluminium Box	1

Mini Fragment Locking Plate Instrument Set 3200-10








NO.	REF	Description	Qty
1	3200-1001	1.5mm PlateTray	1
2	3200-1002	2.0mm Plate Tray	1
3	3200-1003	2.4mm Plate Tray	1
4	3200-1004	1.5mm Plate Holder	2
5	3200-1005	1.1mm AO Drill Bit	1
6	3200-1006	T5 Stardriver	1
	3200-1042	T5 Screw Holder	1
7	3200-1007	1.5mm AO Tap	1
8	3200-1008	3.0mm Countersink	1
9	3200-1009	1.1/1.5 Guider	1
10	3200-1010	1.1mm Locking Sleeve	1
11	3200-1011	1.1mm Locking Sleeve	1
12	3200-1012	2.0mm Plate Holder	2
13	3200-1013	1.5mm AO Drill Bit	1
14	3200-1014	T6 Stardriver	1
	3200-1043	T6 Screw Holder	1
15	3200-1015	2.0mm AO Tap	1
16	3200-1016	4.0mm Countersink	1
17	3200-1017	1.5/2.0 Guider	1
18	3200-1018	1.5mm Locking Sleeve	1
19	3200-1019	1.5mm Locking Sleeve	1
20	3200-1020	2.4mm Plate Holder	2
21	3200-1021	2.0mm AO Drill Bit	1
22	3200-1022	T8 Stardriver	1
	3200-1043	T8 Screw Holder	1
23	3200-1023	4.5mm Countersink	1
24	3200-1024	2.4mm AO Tap	1
25	3200-1025	2.0/2.4 Guider	1
26	3200-1026	2.0mm Locking Sleeve	1
27	3200-1027	2.0mm Locking Sleeve	1
28	3200-1028	Bending Forcep	1
29	3200-1029	Plate Cutter	1
30	3200-1030	0.4 N.m Torque Wrench	1
31	3200-1031	0.8 N.m Torque Wrench	1
32	3200-1032	Self-locking Reduction Forcep	1
33	3200-1033	Screwholding Forcep	1
34	3200-1034	AO Quick Coupling Handle	1
35	3200-1035	Tip Reduction Forcep	1
36	3200-1036	Depth Gague 0-30mm	1
37	3200-1037	Depth Gague 0-40mm	1
38	3200-1038	Periosteal Elevator Flat	1
39	3200-1039	Periosteal Elevator Round	1
40	3200-1040	Aluminium Box	1


2.7mm Mini Fragment Locking Plate Instrument Set 3200-11







NO.	REF	Description	Qty
1	3200-1101	2.7mm PlateTray	1
2	3200-1102	2.0/2.7 Guider	1
3	3200-1103	4.5mm Countersink	1
4	3200-1104	2.7mm AO Tap	1
5	3200-1105	T8 Stardriver	1
	3200-1111	T8 Screw Holder	1
6	3200-1106	2.0mm AO Drill Bit	1
7	3200-1107	2.7mm Plate Holder	2
8	3200-1108	2.7mm Locking Sleeve	1
9	3200-1109	2.7mm Locking Sleeve	1

Small Fragment Locking Plate Instrument Set (AO) 3200-13









NO.	REF	Description	Qty.
1	3200-1301	Hex Key SW2.5	1
2	3200-1302	Locking Sleeve 3.0mm for Thin Plates	1
3	3200-1302	Locking Sleeve 3.0mm for Thin Plates	1
4	3200-1304	Wire Sleeve 1.2mm	1
5	3200-1305	Locking Sleeve 3.0mm for Thick Plates	1
6	3200-1305	Locking Sleeve 3.0mm for Thick Plates	1
7	3200-1305	Locking Sleeve 3.0mm for Thick Plates	1
8	3200-1304	Wire Sleeve 1.2mm	1
9	3200-1309	Threaded Guider Wire ϕ1.2*150mm	1
10	3200-1310	Threaded Guider Wire ϕ1.2*150mm	1
11	3200-1311	K Wire ϕ1.2*150mm	1
12	3200-1311	K Wire ϕ1.2*150mm	1
13	3200-1313	AO Drill Bit Ø2.5*200	2
14	3200-1346	AO Drill Bit Ø1.9*200	2
15	3200-1315	AO Drill Bit Ø2.9*250 with Block	1
15.1	3200-1315-1	Block	/
16	3200-1316	AO Drill Bit Ø2.9*250	1
17	3200-1317	Countersink Ø6.0	1
18	3200-1318	Hollow Ø6.0	1
19	3200-1319	Rectractor 8.5mm （0-60mm）	1
20	3200-1320	Rectractor 15.5mm	1
21	3200-1321	Depth Gauge	1
22	3200-1322	T-handle Quick Coupling AO	1
23	3200-1323	Periosteal Dissector 12mm	1
24	3200-1324	Periosteal Dissector 8mm	1
25	3200-1325	Drill & Tap Sleeve combimed 2.5/3.5	1
26	3200-1326	Guider 2.0/4.0	1
27	3200-1327	Transition Interface	1
28	3200-1328	Screwholding Forcep	1
29	3200-1329	Extraction Screw	1
30	3200-1330	Sleeve Key Ø4.0	1
31	3200-1331	Star Screwdriver T15	2
32	3200-1345	Star Screw-Holder (Open Type)	1
33	3200-1333	Tap for Cancellous Screw 4.0mm	1
34	3200-1334	Tap for Locking Screw HC3.5*125mm	1
	3200-1335	Tap for Cortical Screw HA3.5*140mm	1
35	3200-1336	Staight Handle Qucik Coupling AO	1
36	3200-1337	Sharp Reduction Forcep (190mm)	1
37	3200-1338	Torque Handle 1.5N.m	1
38	3200-1339	Self-centering Bone Holding Forcep (190mm)	2
39	3200-1340	Obilique Reduction Forcep (170mm)	1
40	3200-1341	Bending Iron	1
40.1	3200-1341-1	Bending Iron L	/
40.2	3200-1341-2	Bending Iron R	/
41	3200-1342-N	Aluminium Box	1

Large Fragment Locking Plate Instrument Set(AO)3200-14




NO.	REF	Description	Qty
1	3200-1401	Drill & Tap Sleeve combimed 3.2/4.5mm	1
2	3200-1402	Block Hex Key Small SW2.5	1
	3200-1403	Block Hex Key Large SW3.0	1
3	3200-1404	Sleeve Key Ø4.0	1
4	3200-1405	Extraction Screw	1
5	3200-1406	Star Screwdriver T20 (Open Type)	1
6	3200-1407	Star Screwdriver T20	2
7	3200-1408	AO Drill Bit Ø3.2	1
8	3200-1409	AO Drill Bit Ø3.2	1
9	3200-1410	Tap for Cortical Screw 4.5mm	1
10	3200-1411	Tap for Locking Screw 5.0mm	1
11	3200-1412	AO Drill Bit Ø4.2/AO Drill Bit Ø4.2 with Limitator Block	1+1
11.1	3200-1412-1	AO Drill Bit Ø4.2*290	/
11.2	3200-1412-2	Ø4.2 with Limitator Block	/
12	3200-1413	5.0 Cannulated Drill Bit with Block	1
12.1	3200-1413-1	Ø5.0 *280 Cannulated Drill	/
12.2	3200-1413-2	Ø5.0 with Limitator Block	/
13	3200-1414	Threaded K Wire ϕ2.5*300mm	2
14	3200-1415	K Wire/Threaded Guider Wire ϕ2.0*250mm	2+2
14.1	3200-1415-1	K Wire ϕ2.0*250mm	/
14.2	3200-1415-2	Threaded Guider Wire ϕ2.0*250mm	/
15	3200-1416	Locking Sleeve 5.0mm	1
16	3200-1417	Wire Sleeve 2.5*5.0mm	1
17	3200-1418	Countersink ø8.0	1
18	3200-1419	Hollow ø8.0	1
19	3200-1420	Sharp Reduction Forcep (200mm)	1
20	3200-1421	6.5 Cannulated Locking Screwdriver T27	1
21	3200-1422	Periosteal Dissector 8mm	1
22	3200-1423	Periosteal Dissector 15mm	1
23	3200-1424	Screwholding Forcep	1
24	3200-1425	T-handle Quick Coupling AO	1
25	3200-1426	Transition Interface	1
26	3200-1427	Locking Sleeve 4.2mm for Thin Plates	2
27	3200-1428	Locking Sleeve 4.2mm for Thick Plates	1
28	3200-1428	Locking Sleeve 4.2mm for Thick Plates	1
29	3200-1428	Locking Sleeve 4.2mm for Thick Plates	1
30	3200-1431	Wire Sleeve 2.0*4.2mm	1
31	3200-1431	Wire Sleeve 2.0*4.2mm	1
32	3200-1433	Depth Gauge 40-90mm	1
33	3200-1434	Bending Iron	1
33.1	3200-1434-1	Bending Iron L	/
33.2	3200-1434-2	Bending Iron R	/
34	3200-1435	Obilique Reduction Forcep (230mm)	1
35	3200-1436	Torque Handle 4.0N.m	1
36	3200-1437	Self-centering Bone Hold Forcep(270mm)	2
37	3200-1438	Dissector	2
37.1	3200-1438-1	Dissector 16mm	/
37.2	3200-1438-2	Dissector 44mm	/
38	3200-1439	Staight Handle Qucik Coupling	1
39	3200-1440-N	Aluminium Box	1


2.4/2.7 Multi-axial Locking Plates Instrument Set 3200-16



NO.	REF	Description	Qty
1	3200-1601	Alumium Box & Screw Rack	1
2	3200-1602	Multi-axial Cone Guider Ø2.0	1
3	3200-1603	Multi-axial Cone Guider Ø1.8	1
4	3200-1604	Depth Gauge (0-40mm)	1
5	3200-1605	Torx Head Screwdriver T8	1
6	3200-1606	Multi-axial Straight Guider Ø2.0	1
7	3200-1607	Multi-axial Straight Guider Ø1.8	1
8	3200-1608	Screwdriver Handle	1
9	3200-1609	Drill Sleeve Ø1.8	1
10	3200-1610	Drill Sleeve Ø1.8	1
11	3200-1611	Drill Sleeve Ø2.0	1
12	3200-1612	Drill Sleeve Ø2.0	1
13	3200-1613	Plate Bender 2.4/2.7mm	1
14	3200-1614	Plate Bender 2.4/2.7mm	1
15	3200-1615	Drill Guider Ø2.0/2.7	1
16	3200-1616	Drill Guider Ø1.8/2.4	1
17	3200-1617	AO Drill Bit Ø1.8mm	1
18	3200-1618	AO Drill Bit Ø1.8mm	1
19	3200-1619	AO Drill Bit Ø2.0mm	1
20	3200-1620	AO Drill Bit Ø2.0mm	1
21	3200-1621	Drill Guider Ø2.0/2.7	1
22	3200-1622	Drill Guider Ø1.8/2.4	1
23	3200-1623	Torque Wrench 0.8N.m.	1
24	3200-1624	Screw Holding Sleeve	1
25	3200-1625	Countersink Drill Ø4.5	1
26	3200-1626	Countersink Drill Ø4.5	1
27	3200-1627	Torx Head Screwdriver T8 (Quick-coupling)	1
28	3200-1628	Quick Coupling Tap HC2.4	1
29	3200-1629	Quick Coupling Tap HA2.4	1
30	3200-1630	Quick Coupling Tap HA2.7	1
31	3200-1631	Quick Coupling Tap HC2.7	1
32	3200-1632	Guider Pin 1.2*150	1
33	3200-1633	Guider Pin 1.2*150	1
34	3200-1634-N	Aluminium Box	1


Osteotomy Locking Plate Instrument Set 3200-08







NO.	REF	Description	Qty
1	3200-0812	Depth Gauge 0-120mm	1
2	3200-0809	Drill Bit Kirschner Wire Ø2.5*300	2
3	3200-0810	Pointed Kirschner Wire Ø2.5*280	2
4	3200-0811	Pointed Kirschner Wire Ø2.0*280	2
5	3200-0805	Osteotome 25mm	1
6	3200-0806	Osteotome 20mm	1
7	3200-0807	Osteotome 15mm	1
8	3200-0808	Osteotome 10mm	1
9	3200-0801	Qucik Coupling Drill Bit Ø4.3*220	2
9.1	3200-0801-1	Qucik Coupling Drill Bit Ø4.3*220 With Measures	/
9.2	3200-0801-2	Ø4.3 Limitator	/
10	3200-0802	Qucik Coupling Tap HC 5.0*220	1
11	3200-0803	Qucik Coupling Drill Bit Ø3.2*195	1
12	3200-0803	Qucik Coupling Drill Bit Ø3.2*195	1
13	3200-0815	Torque Handle 4.0N.m	1
14	3200-0818	Retractor Forcep	1
15	3200-0813	Angle Measurer	1
16	3200-0816	Spring Drill Ø3.2/4.3	1
17	3200-0817	Straight Quick Coupling Handle	1
18	3200-0819	Quick coupling Hex Screwdriver T4.3*100	1
19	3200-0820	Tap Guide Drill Sleeve Ø5.0*100	1
20	3200-0823	Drill-oriented Drill Sleeve Ø4.3*100	1
21	3200-0824	Drill-oriented Drill Sleeve Ø4.3*100	1
22	3200-0827	Measurer	1
23	3200-0821	Guide Pin Duide Ø2.0	1
24	3200-0821	Guide Pin Duide Ø2.0	1
25	3200-0814	Section Height Monitor	1
26	3200-0828	Section Height Monitor Screwdriver T20/130	1
27	3200-0825-N	Aluminium Box	1

Ankle Locking Plate Instrument Set 3200-27









NO.	REF	Description	Qty
1	3200-2712	AO Drill Bit Φ2.9x150	2
2	3200-2713	AO Drill Bit Φ2.5x150	2
3	3200-2714	AO Drill Bit Φ2.0x150	2
4	3200-2715	AO Drill Bit Φ1.9x150	2
5	3200-2702	Threaded Wire Φ2.5*150	5
6	3200-2701	Threaded Wire Φ1.5*150	5
7	3200-2737	Bone Hook Double Head 180x9x22	2
8	3200-2721	Locking Sleeve Φ3.0*50	1
9	3200-2721	Locking Sleeve Φ3.0*50	1
10	3200-2716	AO T-handle	1
11	3200-2720	Locking Sleeve Φ2.0*50	1
12	3200-2720	Locking Sleeve Φ2.0*50	1
13	3200-2725	Neutral and Load Drill Guide Φ2.5/Φ3.5	1
14	3200-2726	Neutral and Load Drill Guide Φ2.0/Φ2.7	1
15	3200-2727	Screw Holding Forcep	1
16	3200-2719	Wire Sleeve Φ1.5x70	1
17	3200-2719	Wire SleeveΦ1.5x70	1
18	3200-2710	Depth Gague 0-30mm	1
19	3200-2711	Depth Gague 0-60mm	1
20	3200-2736	Periosteal Elevator 8mm	1
21	3200-2739	Bone Elevator 160x5mm	1
22	3200-2740	Bone Elevator 160x8mm	1
23	3200-2741	Bone Elevator 160x13mm	1
24	3200-2738	Skin Retractor 2 Teeth 170x5	2
25	3200-2734	Dissector Double Head 3mm	1
26	3200-2735	Dissector Double Head 5mm	1
27	3200-2722	HC3.5 Multi-angle Guider 30mm	1
28	3200-2704	Toruqe Wrench 0.8NM	1
29	3200-2718	Small Straight Handle AO	1
30	3200-2703	Torque Wrench 1.5NM	1
31	3200-2723	Torx Screwdriver T8*106	2
32	3200-2724	Torx Screwdriver T15*110mm	2
33	3200-2742	HC3.5 Holding Device 110mm	2
34	3200-2706	AO Tap 2.7mm Cortical	1
35	3200-2707	AO Tap 2.7mm Locking	1
36	3200-2708	AO Tap 3.5mm Cortical	1
37	3200-2705	AO Tap 3.5mm Locking	1
38	3200-2709	AO Tap 4.0mm Cancellous	1
39	3200-2717	Straight Handle AO	1
40	3200-2728	Sharp Reduction Forcep	1
41	3200-2731	Plate Cutter	1
42	3200-2730	Plate Bender	1
43	3200-2733	K-wire Distractor 200xΦ1.6xΦ2.6	1
	3200-2732	Knee Distractor 190x9.5x25	1
44	3200-2730	Plate Bender	1
45	3200-2743	Screw Rack	1
46	3200-2744-N	Aluminium Box	1

Rib Reconstruction Locking Plate 3200-09




NO.	REF	Description	Qty
1	3200-0901	Locking Sleeve	1
2	3200-0902	Locking Sleeve	1
3	3200-0903	Screwdriver	1
4	3200-0904	Screwdriver	1
5	3200-0905	Limited Drill Bit 2.2*8mm	1
6	3200-0906	Limited Drill Bit 2.2*10mm	1
7	3200-0907	Limited Drill Bit 2.2*12mm	1
8	3200-0908	Limited Drill Bit 2.2*14mm	1
9	3200-0909	Limited Drill Bit 2.2*16mm	1
10	3200-0910	Limited Drill Bit 2.2*18mm	1
11	3200-0911	Limited Drill Bit 2.2*20mm	1
12	3200-0912	Depth Gague	1
13	3200-0913	Straight Handle	1
14	3200-0913	Straight Handle	1
15	3200-0915	Plate Holding Forcep	1
16	3200-0915	Plate Holding Forcep	1
17	3200-0917	Reduction Forcep	1
18	3200-0917	Reduction Forcep	1
19	3200-0919	Plate Bender	1
20	3200-0920	Plate Bender L	1
21	3200-0921	Plate Bender R	1
22	3200-0922	Drill Guider	1
23	3200-0923-N	Aluminium Box	1

Sternum Locking Plate Instrument Set 3200-17




NO.	REF	Description	Qty
1	3200-1701	Screw Candy	1
2	3200-1702	Temporary holder HC3.0	1
3	3200-1703	Guide drill 2.3	2
4	3200-1704	Temporary holder HC3.0	2
5	3200-1705	Quadrangle screwdriver SW1.7	1
6	3200-1706	2.3 Limited Drill Bit 6mm	1
7	3200-1707	2.3 Limited Drill Bit 8mm	1
8	3200-1708	2.3 Limited Drill Bit 10mm	1
9	3200-1709	2.3 Limited Drill Bit 12mm	1
10	3200-1710	2.3 Limited Drill Bit 14mm	1
11	3200-1711	2.3 Limited Drill Bit 16mm	1
12	3200-1712	Plate bender L=200mm	2
13	3200-1713	Plate shears L=190mm	2
14	3200-1714	Plate Holding Compression Spreader HC3.0	1
15	3200-1715	Percutaneous Guiding Drill 3.0	1
16	3200-1716	Depth Gauge 0-30mm	1
17	3200-1717	Straight Handle	1
18	3200-1718	Aluminium Box	1

FNS Instrument Set 3300-04



NO.	REF	Description	Qty
1	3300-0401	Torque Limiting Attachment, 4 Nm,for AO Reaming Coupler	1
2	3300-0402	Large Cannulated Handle, Quick Coupling, 12 mm Hexagonal	1
3	3300-0403	Transition Interface	1
4	3300-0404	Protection Sleeve	1
5	3300-0405	T25 StarDrive Screwdriver Shaft	1
6	3300-0405	T25 StarDrive Screwdriver Shaft	1
7	3300-0407	T20 StarDrive Screwdriver Shaft	1
8	3300-0408	Multifunction Rod, for Insertion Instruments	1
9	3300-0409	Depth Gauge up to 100 mm	1
10	3300-0410	Direct Measuring Device, for 3.2 mm Guide Wires	1
11	3300-0411	Insertion Handle	1
12	3300-0412	130 Degree Angled Guide, for 3.2 mm Guide Wires	1
13	3300-0413	Insert for Insertion Handle	1
14	3300-0414	Cylinder, for Insertion Instruments	1
15	3300-0415	Correction Guide, for 3.2 mm Guide Wires	1
16	3300-0416	Complete Opening Drill Bit/Reamer	1
17	3300-0417	3.2 mm Guide Wire, 400 mm	4
18	3300-0418	4.3 mm Drill Bi with stoppert, 413 mm Length	1
19	3300-0419	Aluminium Box	1

Subtalar Screw Instrument Set 3200-40




NO.	REF	Description	Qty
1	3200-4017	Peeler	1
2	3200-4015	Cannulated Screwdriver SW4.0	1
3	3200-4016	Cannulated Screwdriver SW4.5	1
4	3200-4010	Trail Φ5.5×21	1
5	3200-4011	Trail Φ6.5×21	1
6	3200-4012	Trail Φ7.3×21	1
7	3200-4013	Trail Φ8.5×21	1
8	3200-4014	Trail Φ9.5×21	1
9	3200-4006	Trail Φ8.5×15	1
10	3200-4007	Trail Φ10×15	1
11	3200-4008	Trail Φ11×15	1
12	3200-4009	Trail Φ12×15	1
13	3200-4005	Bone Hook	1
14	3200-4004	Screw Holding Forcep	1
15	3200-4003	Bone Cutter	1
16	3200-4001	Rechat Handle	1
17	3200-4002	K-wire 2*250mm	2
18	3200-4019	Alumium Box	1

Small Fragment Locking Screw Rack
1000-0107




Size:40*14*11cm
3.5mm Locking Screw Length:12-95mm
3.5mm Cortex Screw Lenght:12-60mm
4.0mm Cancellous Screw Length:12-50mm

Large Fragment Locking Screw Rack
1000-0108



Size:35*13*12cm
5.0mm Locking Screw Length:22-95mm
4.5mm Cortex Screw Lenght:22-60mm
6.5mm Cannulated Locking ScrewLength:50-110mm

Radius Plate Box 1000-0128



For 3-7 holes VA Radius Locking Plate and Locking Screw