CZMEDITECH

TÜVRheinland ISO:13485



2025

SPINE SYSTEM

PRODUCT CATALOG

www.czmeditech.com

CZMEDITECH

Changzhou Meditech Technology Co., Ltd.

Address: 9th. Floor, Inno Laser Building, Science & Education Town, Wujin District, Changzhou City, Jiangsu Province, China. PC: 213164

Website: www.czmeditech.com

Tel/Fax: +86-519-85855955

COMPANY PROFILE

Changzhou Meditech Technology Co., Ltd.

– Advancing Orthopedic and Surgical Innovation

Changzhou Meditech Technology Co., Ltd. is a leading manufacturer and developer of high-quality medical devices, dedicated to improving patient care and surgical outcomes across multiple specialties. Based in Changzhou, China, we specialize in the design, production, and distribution of a comprehensive range of orthopedic products, including spinal implants, trauma fixation devices, joint reconstruction solutions, cranial maxillofacial, sports medicine products, medical power tools and orthopedic instrumets.

Our Product Portfolio Includes

Spinal Implants: Pedicle screws, Plates and interbody cages.
Trauma Fixation Devices: Intramedullary nails, Locking plate, Non-locking Plate, Bone screws and external fixation.
Joint Reconstruction: Hip and knee prosthesis.
Cranial Maxillofacial: 1.5,2.0,2.4 Plates screws, and mesh systems
Sports Medicine: Meniscus Repair, Anchors, Button, Sutures, Tapes, Arthroscopy instruments.
Medical Power Tools: High-precision drills, saws, and reamers for orthopedic and neurosurgical applications.
Customized Solutions: All orthhopedic implants and instruments customized according to drawings or samples.

At Changzhou Meditech, we combine advanced manufacturing technologies with rigorous quality control to deliver reliable and innovative medical solutions. Our state-of-the-art facilities and experienced R&D team work closely with surgeons and healthcare professionals to develop products that meet the highest clinical standards.

Our Strengths

Innovation: Continuous investment in R&D to bring cutting-edge technologies to the market.
Quality: CE and ISO 13485-certified manufacturing processes ensuring product reliability and safety.
Global Reach: A growing international presence, serving 2500+customers in 120+ countries.
Customer-Centric Approach: Customized solutions and exceptional support for healthcare providers.
Sustainability: Commitment to environmentally responsible manufacturing practices.

Changzhou Meditech Technology Co., Ltd. is driven by a mission to enhance musculoskeletal care and help patients regain mobility and quality of life. With a focus on innovation, quality, and collaboration, we are proud to be a trusted partner for orthopedic professionals worldwide.



CONTENTS

01 MINIMALLY INVASIVE PEDICLE SCREW SYSTEM

03 SPINAL PEDICLE SCREW SYSTEM

08 ANTERIOR CERVICAL PLATE SYSTEM

10 POSTERIOR CERVICAL PEDICLE SCREW SYSTEM

12 PEEK CAGE SYSTEM

15 TITANIUM CAGE SYSTEM

18 CERVICAL LAMINOPLASTY SYSTEM

20 SPINAL INSTRUMENT SET

35 SPINAL STERILIZATION CONTAINER

36 KYPHOPLASTY BALLON SYSTEM

MIS Spinal Pedicle Screw System (5.5mm System)




5.5 MIS Polyaxial Screw(Bone Cement)



REF	Specification
2100-6302	Φ5.0×35mm
2100-6303	Φ5.0×40mm
2100-6308	Φ5.5×35mm
2100-6309	Φ5.5×40mm
2100-6310	Φ5.5×45mm
2100-6314	Φ6.0×35mm
2100-6315	Φ6.0×40mm
2100-6316	Φ6.0×45mm
2100-6317	Φ6.0×50mm

REF	Specification
2100-6321	Φ6.5×35mm
2100-6322	Φ6.5×40mm
2100-6323	Φ6.5×45mm
2100-6324	Φ6.5×50mm
2100-6325	Φ7.0×30mm
2100-6326	Φ7.0×35mm
2100-6327	Φ7.0×40mm
2100-6328	Φ7.0×45mm

5.5 MIS Monoaxial Screw(Bone Cement)



REF	Specification
2100-6402	Φ5.0×35mm
2100-6403	Φ5.0×40mm
2100-6408	Φ5.5×35mm
2100-6409	Φ5.5×40mm
2100-6410	Φ5.5×45mm
2100-6414	Φ6.0×35mm
2100-6415	Φ6.0×40mm
2100-6416	Φ6.0×45mm
2100-6417	Φ6.0×50mm

REF	Specification
2100-6420	Φ6.5×35mm
2100-6421	Φ6.5×40mm
2100-6422	Φ6.5×45mm
2100-6423	Φ6.5×50mm
2100-6424	Φ6.5×55mm
2100-6425	Φ7.0×30mm
2100-6426	Φ7.0×35mm
2100-6427	Φ7.0×40mm
2100-6428	Φ7.0×45mm

5.5 Straight Rod



REF	Specification
2100-4501	5.5*60mm
2100-4502	5.5*80mm
2100-4503	5.5*100mm
2100-4504	5.5*120mm
2100-4505	5.5*140mm

REF	Specification
2100-4506	5.5*160mm
2100-4507	5.5*180mm
2100-4508	5.5*200mm
2100-4509	5.5*240mm

5.5 Curved Rod



REF	Specification
2100-4601	5.5*60mm
2100-4602	5.5*70mm
2100-4603	5.5*80mm

REF	Specification
2100-4604	5.5*90mm
2100-4605	5.5*100mm
2100-4606	5.5*120mm

Bone Cement Injector (Sterilized)



REF	Specification
2200-2647	

Minimally Invasive Pedicle Screw System



5.5 Minimally Invasive Monoplane Screw



REF	Specification
2100-4301	5.0*30
2100-4302	5.0*35
2100-4303	5.5*30
2100-4304	5.5*35
2100-4305	5.5*40
2100-4306	6.0*40
2100-4307	6.0*45
2100-4308	6.0*50

REF	Specification
2100-4314	6.5*35
2100-4309	6.5*40
2100-4310	6.5*45
2100-4311	6.5*50
2100-4312	7.0*35
2100-4313	7.0*40
2100-4315	7.0*45

5.5 Minimally Invasive Polyaxial Screw



REF	Specification
2100-4401	5.0*30
2100-4402	5.0*35
2100-4403	5.5*30
2100-4404	5.5*35
2100-4405	5.5*40
2100-4406	6.0*40
2100-4407	6.0*45
2100-4408	6.0*50

REF	Specification
2100-4414	6.5*35
2100-4409	6.5*40
2100-4410	6.5*45
2100-4411	6.5*50
2100-4412	7.0*35
2100-4413	7.0*40
2100-4415	7.0*45

5.5 Straight Rod



REF	Specification
2100-4501	5.5*60
2100-4502	5.5*80
2100-4503	5.5*100
2100-4504	5.5*120
2100-4505	5.5*140


REF	Specification
2100-4506	5.5*160
2100-4507	5.5*180
2100-4508	5.5*200
2100-4509	5.5*240

5.5 Curved Rod



REF	Specification
2100-4601	5.5*60
2100-4602	5.5*70
2100-4603	5.5*80
2100-4604	5.5*90
2100-4605	5.5*100
2100-4606	5.5*120

Spinal Pedicle Screw System (6.0mm System)



6.0 Monoaxial Pedical Screw



REF	Specification
2100-0101	Φ4.5×25mm
2100-0102	Φ4.5×30mm
2100-0103	Φ4.5×35mm
2100-0104	Φ4.5×40mm
2100-0105	Φ4.5×45mm
2100-0106	Φ5.0×30mm
2100-0107	Φ5.0×35mm
2100-0108	Φ5.0×40mm
2100-0109	Φ5.0×45mm
2100-0110	Φ5.5×30mm
2100-0111	Φ5.5×35mm
2100-0112	Φ5.5×40mm
2100-0113	Φ5.5×45mm
2100-0114	Φ5.5×50mm
2100-0129	Φ5.5×55mm
2100-0115	Φ6.0×30mm

REF	Specification
2100-0116	Φ6.0×35mm
2100-0117	Φ6.0×40mm
2100-0118	Φ6.0×45mm
2100-0119	Φ6.0×50mm
2100-0130	Φ6.0×55mm
2100-0120	Φ6.5×30mm
2100-0121	Φ6.5×35mm
2100-0122	Φ6.5×40mm
2100-0123	Φ6.5×45mm
2100-0124	Φ6.5×50mm
2100-0131	Φ6.5×55mm
2100-0125	Φ7.0x35mm
2100-0126	Φ7.0x40mm
2100-0127	Φ7.0x45mm
2100-0128	Φ7.0x50mm
2100-0132	Φ7.0x55mm

6.0 Monoaxial Reduction Screw



REF	Specification
2100-0201	Φ5.0×30mm
2100-0202	Φ5.0×35mm
2100-0203	Φ5.0×40mm
2100-0204	Φ5.0×45mm
2100-0222	Φ5.0×50mm
2100-0205	Φ5.5×30mm
2100-0206	Φ5.5×35mm
2100-0207	Φ5.5×40mm
2100-0208	Φ5.5×45mm
2100-0209	Φ5.5×50mm
2100-0210	Φ6.0×35mm

REF	Specification
2100-0211	Φ6.0×40mm
2100-0212	Φ6.0×45mm
2100-0213	Φ6.0×50mm
2100-0214	Φ6.5×35mm
2100-0215	Φ6.5×40mm
2100-0216	Φ6.5×45mm
2100-0217	Φ6.5×50mm
2100-0218	Φ7.0x35mm
2100-0219	Φ7.0x40mm
2100-0220	Φ7.0x45mm
2100-0221	Φ7.0x50mm

6.0 Polyaxial Pedical Screw



REF	Specification
2100-0301	Φ4.5×20mm
2100-0302	Φ4.5×25mm
2100-0303	Φ4.5×30mm
2100-0304	Φ4.5×35mm
2100-0305	Φ4.5×40mm
2100-0306	Φ4.5×45mm
2100-0329	Φ4.5×50mm
2100-0307	Φ5.0×30mm
2100-0308	Φ5.0×35mm
2100-0309	Φ5.0×40mm
2100-0310	Φ5.0×45mm
2100-0332	Φ5.0×50mm
2100-0333	Φ5.0×55mm

REF	Specification
2100-0311	Φ5.5×30mm
2100-0312	Φ5.5×35mm
2100-0313	Φ5.5×40mm
2100-0314	Φ5.5×45mm
2100-0315	Φ5.5×50mm
2100-0334	Φ5.5×55mm
2100-0316	Φ6.0×35mm
2100-0317	Φ6.0×40mm
2100-0318	Φ6.0×45mm
2100-0319	Φ6.0×50mm
2100-0335	Φ6.0×55mm
2100-0320	Φ6.5×30mm
2100-0321	Φ6.5×35mm

REF	Specification
2100-0322	Φ6.5×40mm
2100-0323	Φ6.5×45mm
2100-0324	Φ6.5×50mm
2100-0337	Φ6.5×55mm
2100-0325	Φ7.0x35mm
2100-0326	Φ7.0x40mm
2100-0327	Φ7.0x45mm
2100-0328	Φ7.0x50mm
2100-0341	Φ7.0x55mm
2100-0351	Φ7.5x35mm
2100-0352	Φ7.5x40mm
2100-0353	Φ7.5x45mm
2100-0354	Φ7.5x50mm

6.0 Polyaxial Reduction Screw



REF	Specification
2100-0421	Φ4.5×30mm
2100-0422	Φ4.5×35mm
2100-0423	Φ4.5×40mm
2100-0424	Φ4.5×45mm
2100-0425	Φ4.5×50mm
2100-0401	Φ5.0×30mm
2100-0402	Φ5.0×35mm
2100-0403	Φ5.0×40mm
2100-0426	Φ5.0×45mm

REF	Specification
2100-0427	Φ5.0×50mm
2100-0404	Φ5.5×30mm
2100-0405	Φ5.5×35mm
2100-0406	Φ5.5×40mm
2100-0407	Φ5.5×45mm
2100-0408	Φ5.5×50mm
2100-0409	Φ6.0×35mm
2100-0410	Φ6.0×40mm
2100-0411	Φ6.0×45mm

REF	Specification
2100-0412	Φ6.0×50mm
2100-0413	Φ6.5×35mm
2100-0414	Φ6.5×40mm
2100-0415	Φ6.5×45mm
2100-0416	Φ6.5×50mm
2100-0417	Φ7.0x35mm
2100-0418	Φ7.0x40mm
2100-0419	Φ7.0x45mm
2100-0420	Φ7.0x50mm

6.0 Iliac Pedicle Screw




REF	Specification
2100-5301	7.5*65mm
2100-5302	7.5*70mm
2100-5303	7.5*75mm
2100-5304	7.5*80mm
2100-5305	8.0*65mm
2100-5306	8.0*70mm
2100-5307	8.0*75mm
2100-5308	8.0*80mm

6.0 Crosslink-I



REF	Specification
2100-0501	60mm
2100-0502	70mm
2100-0503	80mm

6.0 Crosslink-II



REF	Specification
2100-2101	60mm
2100-2102	70mm
2100-2103	80mm

6.0 Rod



REF	Specification
2100-0601	Φ6.0×100mm
2100-0602	Φ6.0×150mm
2100-0603	Φ6.0×200mm
2100-0604	Φ6.0×250mm

REF	Specification
2100-0605	Φ6.0×300mm
2100-0606	Φ6.0×350mm
2100-0607	Φ6.0×400mm
2100-0608	Φ6.0×600mm

Gradient Titanium Rod

REF	Specification
2100-2201	3.5*100-6.0*200mm

6.0mm Pedicle Hook



REF	Specification
2100-2202	

6.0 Square Connector



REF	Specification
10100796	6.0-6.0(SW2.5)

6.0 Extend Connector




REF	Specification
10600019	6.0-6.0(SW2.5)

6.0 Iliac Pedicle Screw Shifter



REF	Specification
2100-5401	6.0*30mm
2100-5402	6.0*40mm
2100-5403	6.0*50mm
2100-5404	6.0*60mm

Spinal Pedicle Screw System (5.5mm System)



5.5 Monoaxial Pedical Screw



REF	Specification
2100-2301	Φ5.0*30mm
2100-2302	Φ5.0*35mm
2100-2303	Φ5.0*40mm
2100-2304	Φ5.0*45mm
2100-2305	Φ5.5*35mm
2100-2306	Φ5.5*40mm
2100-2307	Φ5.5*45mm
2100-2308	Φ5.5*50mm
2100-2309	Φ6.0*35mm
2100-2310	Φ6.0*40mm

REF	Specification
2100-2311	Φ6.0*45mm
2100-2312	Φ6.0*50mm
2100-2313	Φ6.5*35mm
2100-2314	Φ6.5*40mm
2100-2315	Φ6.5*45mm
2100-2316	Φ6.5*50mm
2100-2317	Φ7.0*35mm
2100-2318	Φ7.0*40mm
2100-2319	Φ7.0*45mm
2100-2320	Φ7.0*50mm

5.5 Monoaxial Reduction Screw



REF	Specification
2100-2401	Φ5.0*30mm
2100-2402	Φ5.0*35mm
2100-2403	Φ5.0*40mm
2100-2404	Φ5.0*45mm
2100-2405	Φ5.5*35mm
2100-2406	Φ5.5*40mm
2100-2407	Φ5.5*45mm
2100-2408	Φ5.5*50mm
2100-2409	Φ6.0*35mm
2100-2410	Φ6.0*40mm

REF	Specification
2100-2411	Φ6.0*45mm
2100-2412	Φ6.0*50mm
2100-2413	Φ6.5*35mm
2100-2414	Φ6.5*40mm
2100-2415	Φ6.5*45mm
2100-2416	Φ6.5*50mm
2100-2417	Φ7.0*35mm
2100-2418	Φ7.0*40mm
2100-2419	Φ7.0*45mm
2100-2420	Φ7.0*50mm

5.5 Polyaxial Pedical Screw



REF	
2100-2731	Φ4.5*30mm
2100-2732	Φ4.5*35mm
2100-2733	Φ4.5*40mm
2100-2734	Φ4.5*45mm
2100-2701	Φ5.0*30mm
2100-2702	Φ5.0*35mm
2100-2703	Φ5.0*40mm
2100-2704	Φ5.0*45mm
2100-2721	Φ5.0*50mm
2100-2722	Φ5.0*55mm
2100-2735	Φ5.5*30mm
2100-2705	Φ5.5*35mm

REF	Specification
2100-2706	Φ5.5*40mm
2100-2707	Φ5.5*45mm
2100-2708	Φ5.5*50mm
2100-2723	Φ5.5*55mm
2100-2709	Φ6.0*35mm
2100-2710	Φ6.0*40mm
2100-2711	Φ6.0*45mm
2100-2712	Φ6.0*50mm
2100-2724	Φ6.0*55mm
2100-2713	Φ6.5*35mm
2100-2714	Φ6.5*40mm
2100-2715	Φ6.5*45mm

REF	Specification
2100-2716	Φ6.5*50mm
2100-2725	Φ6.5*55mm
2100-2717	Φ7.0*35mm
2100-2718	Φ7.0*40mm
2100-2719	Φ7.0*45mm
2100-2720	Φ7.0*50mm
2100-2726	Φ7.5*35mm
2100-2727	Φ7.5*40mm
2100-2728	Φ7.5*45mm
2100-2729	Φ7.5*50mm
2100-2730	Φ7.5*55mm

5.5 Polyaxial Reduction Screw



REF	Specification
2100-2801	Φ5.0*30mm
2100-2802	Φ5.0*35mm
2100-2803	Φ5.0*40mm
2100-2804	Φ5.0*45mm
2100-2821	Φ5.5*30mm
2100-2805	Φ5.5*35mm
2100-2806	Φ5.5*40mm
2100-2807	Φ5.5*45mm
2100-2808	Φ5.5*50mm
2100-2809	Φ6.0*35mm
2100-2810	Φ6.0*40mm

REF	Specification
2100-2811	Φ6.0*45mm
2100-2812	Φ6.0*50mm
2100-2813	Φ6.5*35mm
2100-2814	Φ6.5*40mm
2100-2815	Φ6.5*45mm
2100-2816	Φ6.5*50mm
2100-2817	Φ7.0*35mm
2100-2818	Φ7.0*40mm
2100-2819	Φ7.0*45mm
2100-2820	Φ7.0*50mm

5.5 Iliac Pedicle Screw



REF	Specification
2100-5101	Φ7.5*65mm
2100-5102	Φ7.5*70mm
2100-5103	Φ7.5*75mm
2100-5104	Φ7.5*80mm
2100-5105	Φ8.0*65mm
2100-5106	Φ8.0*70mm
2100-5107	Φ8.0*75mm
2100-5108	Φ8.0*80mm

5.5 Crosslink



REF	Specification
2100-2901	60mm
2100-2902	70mm
2100-2903	80mm

5.5 Rod



REF	Specification
2100-3001	Φ5.5×100mm
2100-3002	Φ5.5×150mm
2100-3003	Φ5.5×200mm
2100-3004	Φ5.5×250mm
2100-3005	Φ5.5×300mm
2100-3006	Φ5.5×350mm
2100-3007	Φ5.5×400mm
2100-3008	Φ5.5×600mm

5.5 Square Connector



REF	Specification
10400708	5.5-5.5(SW2.5)

5.5 Extend Connector



REF	Specification
0532055055	5.5-5.5(SW2.5)

5.5 Iliac Pedicle Screw Shifter



REF	Specification
2100-5201	5.5*30mm
2100-5202	5.5*40mm
2100-5203	5.5*50mm
2100-5204	5.5*60mm

Anterior Cervical Plate-I



REF	Specification
2100-0701	4 holes*25mm
2100-0702	4 holes*27mm
2100-0703	4 holes*30mm
2100-0704	4 holes*32mm
2100-0705	6 holes*35mm
2100-0706	6 holes*38mm
2100-0707	6 holes*41mm
2100-0708	6 holes*44mm
2100-0709	6 holes*47mm
2100-0710	8 holes*50mm
2100-0711	8 holes*53mm
2100-0712	8 holes*57mm
2100-0713	8 holes*60mm
2100-0714	8 holes*63mm
2100-0715	8 holes*66mm
2100-0716	8 holes*69mm
2100-0717	10 holes*72mm
2100-0718	10 holes*75mm
2100-0719	10 holes*78mm
2100-0720	10 holes*81mm

Anterior Cervical Screw-I



REF	Specification
2100-0801	Φ4*13mm
2100-0802	Φ4*14mm
2100-0803	Φ4*15mm
2100-0804	Φ4*16mm
2100-0809	Φ4*17mm
2100-0810	Φ4*18mm
2100-0805	Φ4.5*13mm
2100-0806	Φ4.5*14mm
2100-0807	Φ4.5*15mm
2100-0808	Φ4.5*16mm
2100-0811	Φ4.5*17mm
2100-0812	Φ4.5*18mm

Anterior Cervical Plate-II




REF	Specification
2100-0901	4 holes*22.5mm
2100-0902	4 holes*25mm
2100-0903	4 holes*27.5mm
2100-0904	4 holes*30mm
2100-0905	4 holes*32.5mm
2100-0906	4 holes*35mm
2100-0907	6 holes*37.5mm
2100-0908	6 holes*40mm
2100-0909	6 holes*43mm
2100-0910	6 holes*46mm
2100-0911	8 holes*51mm
2100-0912	8 holes*56mm
2100-0913	8 holes*61mm
2100-0914	8 holes*66mm
2100-0915	8 holes*71mm
2100-0916	8 holes*76mm
2100-0917	8 holes*81mm

Anterior Cervical Screw-II



REF	Specification
2100-1001	Φ4*11mm
2100-1002	Φ4*13mm
2100-1003	Φ4*15mm
2100-1004	Φ4*17mm
2100-1005	Φ4*19mm
2100-1006	Φ4.5*11mm
2100-1007	Φ4.5*13mm
2100-1008	Φ4.5*15mm
2100-1009	Φ4.5*17mm
2100-1010	Φ4.5*19mm

Posterior Cervical Screw System



Polyaxial Pedical Screw



REF	Specification
2100-1122	Φ3.5×10mm
2100-1101	Φ3.5×12mm
2100-1102	Φ3.5×14mm
2100-1103	Φ3.5×16mm
2100-1104	Φ3.5×18mm
2100-1105	Φ3.5×20mm
2100-1106	Φ3.5×22mm
2100-1107	Φ3.5×24mm
2100-1108	Φ3.5×26mm
2100-1109	Φ3.5×28mm
2100-1110	Φ3.5×30mm

REF	Specification
2100-1123	Φ4.0×10mm
2100-1111	Φ4.0×12mm
2100-1112	Φ4.0×14mm
2100-1113	Φ4.0×16mm
2100-1114	Φ4.0×18mm
2100-1115	Φ4.0×20mm
2100-1116	Φ4.0×22mm
2100-1117	Φ4.0×24mm
2100-1118	Φ4.0×26mm
2100-1119	Φ4.0×28mm
2100-1120	Φ4.0×30mm

Occipital Plate-I



REF	Specification
2100-1201	32mm
2100-1202	37mm

3.5mm Rod



REF	Specification
2100-1301	3.5*100mm
2100-1302	3.5*200mm

3.5mm Prebend Rod



REF	Specification
2100-1303	3.5*160mm

Occipital Plate-II



REF	Specification
2100-1401	4 holes
2100-1402	5 holes
2100-1403	6 holes

Crosslink



REF	Specification
2100-1501	35mm
2100-1502	40mm
2100-1503	45mm

Laminar Hook



REF	Specification
2100-1601	/

Occipital Screws



REF	Specification
2100-1701	4.0*10mm
2100-1702	4.0*12mm
2100-1703	4.0*14mm
2100-1704	4.0*16mm
2100-1705	4.0*18mm

Domino Bolt



REF	Specification
2100-1602	3.5/6.0mm

Lateral Bolt



REF	Specification
2100-1603	/

Cervical Peek Cage-I



REF	Specification
2100-3801	4*14.2*12mm
2100-3802	5*14.2*12mm
2100-3803	6*14.2*12mm
2100-3804	7*14.2*12mm
2100-3805	8*14.2*12mm
2100-3806	9*14.2*12mm
2100-3807	10*14.2*12mm

Cervical Peek Cage-II



REF	Specification
2100-3901	4*15.4*13mm
2100-3902	5*15.4*13mm
2100-3903	6*15.4*13mm
2100-3904	7*15.4*13mm
2100-3905	8*15.4*13mm

Cervical Peek Cage(2 Locking Screws)



REF	Specification
2100-4701	5mm
2100-4702	6mm
2100-4703	7mm
2100-4704	8mm

REF	Specification
2100-4705	9mm
2100-4706	10mm
2100-4707	11mm
2100-4708	12mm

Cervical Peek Cage Screw



REF	Specification
2100-4901	5mm
2100-4902	6mm
2100-4903	7mm
2100-4904	8mm
Self-driling	

REF	Specification
2100-4705	9mm
2100-4706	10mm
2100-4707	11mm
2100-4708	12mm
Self-tapping	

Cervical Peek Cage (4 Locking Screws)



REF	Specification
2100-4801	5mm
2100-4802	6mm
2100-4803	7mm
2100-4804	8mm

REF	Specification
2100-4805	9mm
2100-4806	10mm
2100-4807	11mm
2100-4808	12mm

Cervical Peek Cage Locking Screw (Self-tapping)



REF	Specification
2100-5001	3.0*12mm
2100-5002	3.0*14mm
2100-5003	3.0*16mm
2100-5004	3.0*18mm

PLIF Peek Cage



REF	Specification
2100-4001	8*22*10mm
2100-4002	10*22*10mm
2100-4003	12*22*10mm
2100-4004	14*22*10mm
2100-4005	8*26*10mm
2100-4006	10*26*10mm

REF	Specification
2100-4007	12*26*10mm
2100-4008	14*26*10mm
2100-4009	8*32*10mm
2100-4010	10*32*10mm
2100-4011	12*32*10mm
2100-4012	14*32*10mm

TLIF Peek Cage



REF	Specification
2100-4105	7mm Height
2100-4101	9mm Height
2100-4102	11mm Height
2100-4103	13mm Height
2100-4104	15mm Height

T-PAL Peek Cage

REF	Specification
2100-4201	7*10*28mm*0°
2100-4202	8*10*28mm*5°
2100-4203	9*10*28mm*5°
2100-4204	10*10*28mm*5°
2100-4205	11*10*28mm*5°
2100-4206	12*10*28mm*5°
2100-4207	13*10*28mm*5°
2100-4208	15*10*28mm*5°
2100-4209	17*10*28mm*5°

REF	Specification
2100-4210	7*12*31mm*0°
2100-4211	8*12*31mm*5°
2100-4212	9*12*31mm*5°
2100-4213	10*12*31mm*5°
2100-4214	11*12*31mm*5°
2100-4215	12*12*31mm*5°
2100-4216	13*12*31mm*5°
2100-4217	15*12*31mm*5°
2100-4218	17*12*31mm*5°

OLIF Cage



REF	Specification
1122040008	40*18*8mm*0°
1122040010	40*18*10mm*0°
1122040012	40*18*12mm*0°
1122040014	40*18*14mm*0°
1122045008	45*18*8mm*0°
1122045010	45*18*10mm*0°
1122045012	45*18*12mm*0°
1122045014	45*18*14mm*0°
1122050008	50*18*8mm*0°
1122050010	50*18*10mm*0°
1122050012	50*18*12mm*0°
1122050014	50*18*14mm*0°
1122055008	55*18*8mm*0°
1122055010	55*18*10mm*0°
1122055012	55*18*12mm*0°
1122055014	55*18*14mm*0°
1123040008	40*18*8mm*6°
1123040010	40*18*10mm*6°
1123040012	40*18*12mm*6°
1123040014	40*18*14mm*6°
1123045008	45*18*8mm*6°
1123045010	45*18*10mm*6°
1123045012	45*18*12mm*6°
1123045014	45*18*14mm*6°

REF	Specification
1123050008	50*18*8mm*6°
1123050010	50*18*10mm*6°
1123050012	50*18*12mm*6°
1123050014	50*18*14mm*6°
1123055008	55*18*8mm*6°
1123055010	55*18*10mm*6°
1123055012	55*18*12mm*6°
1123055014	55*18*14mm*6°
1124040009	40*18*9mm*9°
1124040011	40*18*11mm*9°
1124040013	40*18*13mm*9°
1124040015	40*18*15mm*9°
1124045009	45*18*9mm*9°
1124045011	45*18*11mm*9°
1124045013	45*18*13mm*9°
1124045015	45*18*15mm*9°
1124050009	50*18*9mm*9°
1124050011	50*18*11mm*9°
1124050013	50*18*13mm*9°
1124050015	50*18*15mm*9°
1124055009	55*18*9mm*9°
1124055011	55*18*11mm*9°
1124055013	55*18*13mm*9°
1124055015	55*18*15mm*9°


RAFUS PEEK Cage (Sterilized)



REF	Specification
1023022008	22*9*8mm*0°
1023022009	22*9*9mm*0°
1023022010	22*11*10mm*0°
1024025008	25*9*8mm*0°
1024025009	25*9*9mm*0°
1025025010	25*11*10mm*0°
1025025011	25*11*11mm*0°

REF	Specification
1026028008	28*9*8mm*0°
1026028009	28*9*9mm*0°
1027028010	28*11*10mm*0°
1027028011	28*11*11mm*0°
1028031010	31*11*10mm*0°
1028031011	31*11*11mm*0°

Alif Standalong Peek Cage



REF	Specification
12300034	42*20*11 6°
12300035	42*20*11 10°
12300036	42*20*13 6°
12300037	42*20*13 10°
12300038	42*20*15 6°
12300039	42*20*15 10°
12400213	42*31*13 9°
12400214	42*31*13 12°
12400215	42*31*15 9°
12400216	42*31*15 12°
12400217	42*31*17 9°
12400218	42*31*17 12°

REF	Specification
12400220	30*26*13 9°
12400221	30*26*13 12°
12400222	30*26*15 9°
12400223	30*26*15 12°
12400224	30*26*17 9°
12400225	30*26*17 12°
92100180	42*31*13 6°
92100181	42*31*13 10°
92100182	42*31*15 6°
92100183	42*31*15 10°
92100184	42*31*17 6°
92100185	42*31*17 10°

Alif Peek Cage Locking Screw



REF	Specification
12100022	5.0*24mm
12100023	5.0*29mm
12100024	5.0*34mm

Titanium PLIF Lumbar Cage



REF	Specification
2100-2501	8x10x20mm
2100-2502	8x10x22mm
2100-2503	8x10x26mm
2100-2504	10x10x20mm
2100-2505	10x10x22mm

REF	Specification
2100-2506	10x10x26mm
2100-2507	12x10x20mm
2100-2508	12x10x22mm
2100-2509	12x10x26mm

Interspinous Spacer (Titanium)



REF	Specification
2100-3701	6mm
2100-3702	8mm
2100-3703	10mm
2100-3704	12mm
2100-3705	14mm
2100-3706	16mm

Coflex Interlaminar Device (Titanium)



REF	Specification
2100-6106	6mm
2100-6108	8mm
2100-6110	10mm
2100-6112	12mm
2100-6114	14mm

Stryker Expandable Cervical Cage



REF	Specification
12900483	12*30*1.5(15-19)
12900484	12*30*1.5(18-24)
12900485	12*30*1.5(22-32)

REF	Specification
12900486	12*60*1.5(30-48)
12900487	12*60*1.5(46-64)

Cervical End Cap



REF	Specification
12900477	12*0°
12900478	12*3°
12900479	12*7°

REF	Specification
12900480	14*0°
12900481	14*3°
12900482	14*7°

Stryker Expandable Lumbar Cage



REF	Specification
12900001	18*19*3.0(19-24)
12900002	18*23*3.0(23-30)
12900003	18*29*3.0(29-42)
12900004	18*32*3.0(32-48)
12900005	18*47*3.0(47-63)

REF	Specification
12900006	18*62*3.0(62-78)
92100105	22*25*3.0(23-33.5)
92100106	22*32*3.0(30-47.5)
92100107	22*37*3.0(35-57.5)

Lumbar End Cap



REF	Specification
12900007	21*20*6.5*0°
12900008	21*20*7*3°
12900009	21*20*8.5*8°

REF	Specification
92100102	22*0°
92100103	22*3°
92100104	22*8°

Lumbar Extension



REF	Specification
92100101	18*15mm
92100108	22*15mm

Titanium Mesh Cage



REF	Specification
2100-2601	10x100mm
2100-2602	12x100mm
2100-2603	14x100mm
2100-2604	16x100mm
2100-2605	18x100mm
2100-2606	20x100mm

Expandable Titanium Cage



REF	Specification
2100-3101	12*20mm
2100-3102	12*28mm
2100-3103	12*35mm
2100-3104	14*20mm
2100-3105	14*28mm
2100-3106	14*35mm
2100-3107	16*20mm

REF	Specification
2100-3108	16*28mm
2100-3109	16*35mm
2100-3110	18*20mm
2100-3111	18*28mm
2100-3112	18*35mm
2100-3113	24*38mm

Titanium Cervical Cage (Wedge-shaped)



REF	Specification
100101000	4*15*12.5*7°
100102000	4.5*15*12.5*7°
100103000	5*15*12.5*7°
100104000	5.5*15*12.5*7°
100105000	6*15*12.5*7°

REF	Specification
100106000	6.5*15*12.5*7°
100107000	7*15*12.5*7°
100108000	8.5*15*12.5*7°
100109000	10*15*12.5*7°

Titanium Cervical Cage (Arc-shaped)



REF	Specification
100201000	4*15*12.5*7°
100202000	4.5*15*12.5*7°
100203000	5*15*12.5*7°
100204000	5.5*15*12.5*7°
100205000	6*15*12.5*7°

REF	Specification
100206000	6.5*15*12.5*7°
100207000	7*15*12.5*7°
100208000	8.5*15*12.5*7°
100209000	10*15*12.5*7°

Expandable Posterior Lumbar Titanium Cage



REF	Specification
12700088	23*10*7(0°-12°)
12700083	23*10*9(0°-12°)
12700084	23*10*10(0°-12°)
12700085	23*11*11(0°-12°)
12700086	23*10*12(0°-12°)
12700087	23*10*13(0°-12°)

LIFUS Titanium Cage



REF	Specification
1029022008	22*8*8*0°
1030022009	22*9*9*0°
1031022010	22*10*10*0°
1029025008	25*8*8*0°
1030025009	25*9*9*0°
1031025010	25*10*10*0°
1031025011	25*11*11*0°
1031025012	25*12*12*0°

REF	Specification
1029028008	28*8*8 0°
1030028009	28*9*9 0°
1031028010	28*10*10 0°
1031028011	28*11*11 0°
1031028012	28*12*12 0°
1031031010	31*10*10 0°
1031031011	31*11*11 0°
1031031012	31*12*12 0°

3D Printing Plif Cage



REF	Specification	REF	Specification	REF	Specification
2100-5601	7*22*9*0°	2100-5612	10*22*11*0°	2100-5623	13*26*9*0°
2100-5602	8*22*9*0°	2100-5613	11*22*11*0°	2100-5624	14*26*9*0°
2100-5603	9*22*9*0°	2100-5614	12*22*11*0°	2100-5625	7*26*11*0°
2100-5604	10*22*9*0°	2100-5615	13*22*11*0°	2100-5626	8*26*11*0°
2100-5605	11*22*9*0°	2100-5616	14*22*11*0°	2100-5627	9*26*11*0°
2100-5606	12*22*9*0°	2100-5617	7*26*9*0°	2100-5628	10*26*11*0°
2100-5607	13*22*9*0°	2100-5618	8*26*9*0°	2100-5629	11*26*11*0°
2100-5608	14*22*9*0°	2100-5619	9*26*9*0°	2100-5630	12*26*11*0°
2100-5609	7*22*11*0°	2100-5620	10*26*9*0°	2100-5631	13*26*11*0°
2100-5610	8*22*11*0°	2100-5621	11*26*9*0°	2100-5632	14*26*11*0°
2100-5611	9*22*11*0°	2100-5622	12*26*9*0°		

3D Printing Cervical Cage



REF	Specification	REF	Specification	REF	Specification
2100-5501	4*11*14*0°	2100-5509	12*11*14*0°	2100-5517	9*11*14*7°
2100-5502	5*11*14*0°	2100-5510	13*11*14*0°	2100-5518	17*11*14*7°
2100-5503	6*11*14*0°	2100-5511	14*11*14*0°	2100-5519	11*11*14*7°
2100-5504	7*11*14*0°	2100-5512	4*11*14*7°	2100-5520	12*11*14*7°
2100-5505	8*11*14*0°	2100-5513	5*11*14*7°	2100-5521	13*11*14*7°
2100-5506	9*11*14*0°	2100-5514	6*11*14*7°	2100-5522	14*11*14*7°
2100-5507	10*11*14*0°	2100-5515	7*11*14*7°		
2100-5508	11*11*14*0°	2100-5516	8*11*14*7°		

3D Printing Alif Cage



REF	Specification	REF	Specification	REF	Specification
2100-5801	10*22*30*0°	2100-5810	18*24*32*0°	2100-5819	16*28*38*0°
2100-5802	12*22*30*0°	2100-5811	10*26*34*0°	2100-5820	18*28*38*0°
2100-5803	14*22*30*0°	2100-5812	12*26*34*0°	2100-5821	10*30*42*0°
2100-5804	16*22*30*0°	2100-5813	14*26*34*0°	2100-5822	12*30*42*0°
2100-5805	18*22*30*0°	2100-5814	16*26*34*0°	2100-5823	14*30*42*0°
2100-5806	10*24*32*0°	2100-5815	18*26*34*0°	2100-5824	16*30*42*0°
2100-5807	12*24*32*0°	2100-5816	10*28*38*0°	2100-5825	18*30*42*0°
2100-5808	14*24*32*0°	2100-5817	12*28*38*0°		
2100-5809	16*24*32*0°	2100-5818	14*28*38*0°		

3D Printing Tlif Cage



REF	Specification	REF	Specification	REF	Specification
2100-5701	7*40*14*0°	2100-5720	15*45*18*0°	2100-5739	13*45*22*0°
2100-5702	9*40*14*0°	2100-5721	7*50*18*0°	2100-5740	15*45*22*0°
2100-5703	11*40*14*0°	2100-5722	9*50*18*0°	2100-5741	7*50*22*0°
2100-5704	13*40*14*0°	2100-5723	11*50*18*0°	2100-5742	9*50*22*0°
2100-5705	15*40*14*0°	2100-5724	13*50*18*0°	2100-5743	11*50*22*0°
2100-5706	7*45*14*0°	2100-5725	15*50*18*0°	2100-5744	13*50*22*0°
2100-5707	9*45*14*0°	2100-5726	7*55*18*0°	2100-5745	15*50*22*0°
2100-5708	11*45*14*0°	2100-5727	9*55*18*0°	2100-5746	7*55*22*0°
2100-5709	13*45*14*0°	2100-5728	11*55*18*0°	2100-5747	9*55*22*0°
2100-5710	15*45*14*0°	2100-5729	13*55*18*0°	2100-5748	11*55*22*0°
2100-5711	7*40*18*0°	2100-5730	15*55*18*0°	2100-5749	13*55*22*0°
2100-5712	9*40*18*0°	2100-5731	7*60*18*0°	2100-5750	15*55*22*0°
2100-5713	11*40*18*0°	2100-5732	9*60*18*0°	2100-5751	7*60*22*0°
2100-5714	13*40*18*0°	2100-5733	11*60*18*0°	2100-5752	9*60*22*0°
2100-5715	15*40*18*0°	2100-5734	13*60*18*0°	2100-5753	11*60*22*0°
2100-5716	7*45*18*0°	2100-5735	15*60*18*0°	2100-5754	13*60*22*0°
2100-5717	9*45*18*0°	2100-5736	7*45*22*0°	2100-5755	15*60*22*0°
2100-5718	11*45*18*0°	2100-5737	9*45*22*0°		
2100-5719	13*45*18*0°	2100-5738	11*45*22*0°		

Posterior Cervical Laminoplasty System

Lateral Hole Plate



REF	Specification
SL2001-01	5 holes *8mm
SL2001-02	5 holes *10mm
SL2001-03	5 holes *12mm
SL2001-04	5 holes *14mm
SL2001-05	5 holes *16mm

Hinge Plate



REF	Specification
SL2002-02	4 holes *10mm
SL2002-03	4 holes *12mm
SL2002-04	4 holes *14mm

Graft Lateral Hole Plate



REF	Specification
SL2003-03	5 holes *10mm
SL2003-04	5 holes *12mm
SL2003-05	5 holes *14mm

Graft Plate



REF	Specification
SL2004-04	5 holes *10mm
SL2004-05	5 holes *12mm
SL2004-06	5 holes *14mm

Open Door Lateral Hole Plate



REF	Specification
SL2005-01	4 holes *5*10mm
SL2005-02	4 holes *5*12mm
SL2005-03	4 holes *5*14mm
SL2006-01	4 holes *7*10mm
SL2006-02	4 holes *7*12mm
SL2006-03	4 holes *7*14mm

Open Door Plate



REF	Specification
SL2007-01	4 holes *5*10mm
SL2007-02	4 holes *5*12mm
SL2007-03	4 holes *5*14mm
SL2008-01	4 holes *7*10mm
SL2008-02	4 holes *7*12mm
SL2008-03	4 holes *7*14mm

Laminoplasty Bone Screws



REF	Specification
SL2009-01	2.0*5mm
SL2009-02	2.0*6mm
SL2009-03	2.0*8mm

REF	Specification
SL2009-04	2.0*10mm
SL2009-05	2.0*12mm

Laminoplasty Bone Screws



REF	Specification
SL2010-01	2.5*5mm
SL2010-02	2.5*6mm
SL2010-03	2.5*8mm

REF	Specification
SL2010-04	2.5*10mm
SL2010-05	2.5*12mm

Anterior Thoracic Plate System

Anterior Thoracic Plate



REF	Specification
2100-1801	60mm
2100-1802	65mm
2100-1803	70mm
2100-1804	75mm
2100-1805	80mm
2100-1806	85mm
2100-1807	90mm

REF	Specification
2100-1808	95mm
2100-1809	100mm
2100-1810	105mm
2100-1811	110mm
2100-1812	120mm
2100-1813	130mm

Thoracic Bolt



REF	Specification
2100-1901	5.5*30mm
2100-1902	5.5*35mm
2100-1903	5.5*40mm

Thoracic Screw



REF	Specification
2100-2001	5.0*30mm
2100-2002	5.0*35mm
2100-2003	5.0*40mm

Anterior Thoracolumbar Plate System

Anterior Thoracolumbar Plate



REF	Specification
2100-3301	50mm
2100-3302	60mm
2100-3303	65mm
2100-3304	70mm
2100-3305	75mm
2100-3306	80mm
2100-3307	85mm

REF	Specification
2100-3308	90mm
2100-3309	95mm
2100-3310	100mm
2100-3311	105mm
2100-3312	110mm
2100-3313	120mm
2100-3314	130mm

Thoracolumbar Bolt




REF	Specification
2100-3401	6.5*30mm
2100-3402	6.5*35mm
2100-3403	6.5*40mm
2100-3404	6.5*45mm
2100-3405	6.5*50mm


Thoracolumbar Screw




REF	Specification
2100-3501	6.5*30mm
2100-3502	6.5*35mm
2100-3503	6.5*40mm
2100-3504	6.5*45mm
2100-3505	6.5*50mm

5.5 MIS Posterior Thoracolumbar Instrument Set 2200-26










NO	REF	Description	Qty.
1	2200-2601	Puncture Needle 30-100mm	4
2	2200-2602	MIS Sleeve	8
3	2200-2603	Multi-stage Sleeve 5 Stages	2
4	2200-2604	Guide Wire Removal	2
5	2200-2605	Torx Screwdriver T27*280	1
6	2200-2606	Cannulated Tap Φ7.5	1
7	2200-2607	Cannulated Tap Φ7.0	1
8	2200-2608	Cannulated Tap Φ6.5	1
9	2200-2609	Cannulated Tap Φ6.0	1
10	2200-2610	Cannulated Tap Φ5.5	1
11	2200-2611	Cannulated Tap Φ5.0	1
12	2200-2612	Cannulated Tap Φ4.5	1
13	2200-2613	Adjustable Screwdriver	1
14	2200-2614	AWL	2
15	2200-2615	Location Plate	1
16	2200-2616	Removal Screwdriver	1
17	2200-2617	Drive Screwdriver	2
18	2200-2618	Nut holder T27*306	2
19	2200-2619	Compression Screwdriver T27*365	2
20	2200-2620	Guide Wire Φ1.5*480	8
21	2200-2621	Against Wrench	1
22	2200-2622	Parallel Connector Wrench	1
23	2200-2623	Rod Holding Forcep	1
24	2200-2624	MIS Sleeve Unlock Forcep	2
25	2200-2625	Cross Connector 3 Holes	1
26	2200-2626	Parallel Rod Measuring Device	1
27	2200-2627	Cross Rod Measuring Device	1
28	2200-2628	Rod Location Wrench	1
29	2200-2629	Arc Connector	2
30	2200-2630	Cross Connector 2 Holes	1
31	2200-2631	Parallel Connector	2
32	2200-2632	Rod Bender	1
33	2200-2633	Pre Lock Torx Screwdriver T27*368	1
34	2200-2634	Compression Forceo	1
35	2200-2635	Continuous Self-breaking Screwdriver	2
36	2200-2636	MIS Rod Placement Forcep	2
37	2200-2637	Distractor Forcep Long	1
38	2200-2638	Distractor Forcep	1
39	2200-2639	MIS Rechat Handle	2
40	2200-2640	T-shaped Handle	1
41	2200-2646-N	Aluminium Box	1

6.0mm Spinal Pedicle Screw Instrument Set 2200-28










NO	REF	Description	Qty.
1	2200-2801	6.0mm Rod Pushing Forcep	1
2	2200-2737	12N.m Torque Wrench	1
3	2200-2717	Fixation Pin Ball-type	2
4	2200-2717	Fixation Pin Ball-type	1
5	2200-2717	Fixation Pin Ball-type	1
6	2200-2718	Fixation Pin Pillar-type	2
7	2200-2718	Fixation Pin Pillar-type	1
8	2200-2718	Fixation Pin Pillar-type	1
9	2200-2803	6.0mm Screwdriver for Monoaxial Screw	1
10	2200-2802	6.0mm Screwdriver for Polyaxial Screw	1
11	2200-2712	In-situ Bending Iron L	1
12	2200-2713	In-situ Bending Iron R	1
13	2200-2716	Crosslink Screwdriver SW3.5 Holder	1
14	2200-2804	6.0mm Screw Nut SW5	1
15	2200-2707	Mould Rod 300mm	1
16	2200-2701	Double-Head Probe (Straight & Bent)	1
17	2200-2702	Single-head Probe(Straight)	1
18	2200-2805	6.0mm Tap ϕ4.0 DLC Coating	1
19	2200-2806	6.0mm Tap ϕ5.0 DLC Coating	1
20	2200-2807	6.0mm Tap ϕ6.0 DLC Coating	1
21	2200-2808	6.0mm Tap ϕ7.0 DLC Coating	1
22	2200-2809	6.0mm Screw Nut Holder SW5	1
23	2200-2708	Crosslink Screwdriver SW3.5	1
24	2200-2810	6.0mm Screw Cutter for Long Arm Screw	1
25	2200-2731	Insert Device for Fixation Pin	1
26	2200-2724	Parallel Compressor	1
27	2200-2723	Rod Twist	1
28	2200-2725	Parallel Spreader	1
29	2200-2719	Crosslink Measurement	1
30	2200-2720	Screw Measurement	1
31+32	2200-2845	6.0mm Spinal Persuader with sleeve	1
33	2200-2714	Pedicle Probe Straight	1
34	2200-2715	Pedicle Probe Bent	1
35	2200-2730	Rod Holde	1
36	2200-2734	AWL	1
37	2200-2733	Rod Bender	1
38	2200-2732	Rod Pusherial	1
39	2200-2735	Straight Rechat Screwdriver	1
40	2200-2736	T-handle Quick Coupling	1
41	2200-2813	6.0mm Counter Torque for Screw Cutter	1
42	2200-2721	Rod Holding Forcep	1
43	2200-2840-N	Aluminium Box	1

5.5mm Spinal Pedicle Screw Instrument Set 2200-27









NO	REF	Description	Qty.
1	2200-2701	Double-Head Probe (Straight & Bent)	1
2	2200-2702	Single-head Probe(Straight)	1
3	2200-2703	5.5mm Tap ϕ4.5	1
4	2200-2704	5.5mm Tap ϕ5.5	1
5	2200-2705	5.5mm Tap ϕ6.5	1
6	2200-2706	5.5mm Tap ϕ7.5	1
7	2200-2707	Mould Rod 300mm	1
8	2200-2708	Crosslink Screwdriver SW3.5	1
9	2200-2709	5.5mm Screw Cutter for Long Arm Screw	1
10	2200-2710	5.5mm Nut Screwdriver T27	1
11	2200-2711	5.5mm Screw Nut Holder T27	1
12	2200-2712	In-situ Bending Iron L	1
13	2200-2713	In-situ Bending Iron R	1
14	2200-2714	Pedicle Probe Straight	1
15	2200-2715	Pedicle Probe Bent	1
16	2200-2716	Crosslink Screwdriver SW3.5 Holder	1
17	2200-2717	Fixation Pin Ball-type	2
18	2200-2717	Fixation Pin Ball-type	2
19	2200-2718	Fixation Pin Pillar-type	2
20	2200-2718	Fixation Pin Pillar-type	2
21	2200-2719	Crosslink Measurement	1
22	2200-2720	Screw Measurement	1
23	2200-2721	Rod Holding Forcep	1
24	2200-2722	5.5mm Rod Pushing Forcep	1
25	2200-2723	Rod Twist	1
26	2200-2724	Parallel Compressor	1
27	2200-2725	Parallel Spreader	1
28+29	2200-2743	5.5mm Spinal Persuader with Sleeve	1
30	2200-2729	5.5mm Screwdriver for Monoaxial Screw	1
31	2200-2728	5.5mm Screwdriver for Polyaxial Screw	1
32	2200-2730	Rod Holde	1
33	2200-2731	Insert Device for Fixation Pin	1
34	2200-2732	Rod Pusherial	1
35	2200-2733	Rod Bender	1
36	2200-2734	AWL	1
37	2200-2735	Straight Rechat Screwdriver	1
38	2200-2736	T-handle Quick Coupling	1
39	2200-2737	12N.m Torque Wrench	1
40	2200-2738	5.5mm Counter Torque for Screw Cutter	1
41	2200-2740-N	Aluminium Box	1


PTED Access Instrument Set (Percutaneous Transforaminal Endoscopic Discectomy) 2200-18




NO	REF	Description	Qty.
1	2200-1801	TOM Shidi (point tip)	1
2	2200-1802	TOM Shidi (blunt tip)	1
3	2200-1803	TOM Shidi	1
4	2200-1804	Manual Cannulated Bone Drill Ø4	1
5	2200-1805	Manual Cannulated Bone Drill Ø6	1
6	2200-1806	Manual Cannulated Bone Drill Ø7	1
7	2200-1807	Manual Cannulated Bone Drill Ø8	1
8	2200-1808	Manual Cannulated Bone Drill Ø9	1
9	2200-1809	Ball Handle	1
10	2200-1810-N	Aluminium Box	1

Anterior Cervical Plate Instrument Set 2200-02









NO	REF	Description	Qty.
1	2200-0201	Cervical Plate and Screw Box	1
2	2200-0202	Drill Bit Ø2.5	1
3	2200-0202	Drill Bit Ø2.5	1
4	2200-0204	Screw Holding Sleeve	1
5	2200-0204	Screw Holding Sleeve	1
6	2200-0206	Curette	1
7	2200-0207	Screwdriver Hex SW2.5	1
8	2200-0208	Tap with Stopper	1
9	2200-0209	AWL	1
10	2200-0210	Brace Screwdriver	1
11	2200-0211	Nut Screwdriver	1
12	2200-0212	Screwdriver Hex SW2.5	1
13	2200-0213	Hand Drill with Stopper	1
14	2200-0214	Plate Holder Forcep	1
15	2200-0215	Cervical Retractor	1
16	2200-0215	Cervical Retractor	1
17	2200-0217	Guider	1
18	2200-0218	Distractor	1
19	2200-0219	Location Screw Screwdriver	1
20	2200-0220	Brace Screw	2
21	2200-0221	Plate Bender	1
22	2200-0222	Location Screw	4
23	2200-0223-N	Aluminium Box	1


Laminar Shaping Plate Instrument Set 2200-09







NO	REF	Description	Qty.
1	2200-0901	Plate and Screw Box	1
2	2200-0902	Cross Screwdriver	1
3	2200-0902	Cross Screwdriver	1
4	2200-0904	AO Limited Bit 1.5*5mm	1
5	2200-0905	AO Limited Bit 1.5*6mm	1
6	2200-0906	AO Limited Bit 1.5*8mm	1
7	2200-0907	AO Limited Bit 1.5*10mm	1
8	2200-0908	AO Limited Bit 1.5*12mm	1
9	2200-0909	Mold Trial 8/10mm	1
10	2200-0910	Mold Trial 12/14mm	1
11	2200-0911	Mold Trial 16/18mm	1
12	2200-0912	Plate Holder	1
13	2200-0913	Lamina Elevator	1
14	2200-0914	Rongeur	1
15	2200-0915	Curette 3mm*10°	1
16	2200-0916	Straight Handle AO Quick Coupling	1
17	2200-0916	Straight Handle AO Quick Coupling	1
18	2200-0918	Plate Bender L	1
19	2200-0919	Plate Bender R	1
20	2200-0920-N	Almunium Box	1

Posterior Cervical Screw Instrument Set 2200-03









NO	REF	Description	Qty.
1	2200-0301	In-situ Bending Iron Left	1
2	2200-0302	In-situ Bending Iron Right	1
3	2200-0303	Distractor	1
4	2200-0304	Feeler for Screw Channel Bent	1
5	2200-0305	Feeler for Screw Channel Straight	1
6	2200-0335	Hex Nut Holder SW2.5/3.0	1
7	2200-0334	Hex Screwdriver SW3.0 Long	1
8	2200-0308	Drill Bit Ø2.4	1
9	2200-0309	Drill Bit Ø2.7	1
10	2200-0310	Tap Ø3.5	1
11	2200-0311	Tap Ø4.0	1
12	2200-0312	Mould Rod 210mm	1
13	2200-0313	Depth Gague 0-40mm	1
14	2200-0314	Hex Screwdriver SW2.5 Short	1
15	2200-0315	Quick Coupling T-handle	1
16	2200-0316	Rod Pusher	1
17	2200-0317	Hole Open Forcep	1
18	2200-0318	AWL	1
19	2200-0319	Screw/Hook Holder Forcep	1
20	2200-0320	Rod Holder Forcep	1
21	2200-0321	Counter Torque	1
22	2200-0322	Pedicle Screw Screwdriver	1
23	2200-0323	Insert Device for Fixation Pin	1
24	2200-0324	Protection Sleeve	1
25	2200-0325	Drill Guider	1
26	2200-0326	Rod Cutter	1
27	2200-0327	Parallel Compression Forcep	1
28	2200-0328	Rod Twist	1
29	2200-0329	Quick Coupling Straight Handle	1
30	2200-0330	Distractor Forcep	1
31	2200-0331	Rod Bender	1
32	2200-0340	3.0N.m Toruqe Handle	1
33	2200-0332-N	Aluminium Box	1

Posterior Cervical Screw Persuader 2200-0333




Interspinous Spacer Instrument Set 2200-11






NO	REF	Description	Qty.
1	2200-1101	AWL	1
2	2200-1102	Spacer Holder	1
3	2200-1103	Screwdriver SW3.0	1
4	2200-1104	Trial Spacer Holder	1
5	2200-1105	Spreader	1
6	2200-1106	Spacer Case	1
7	2200-1107	Trial Spacer 6mm	1
8	2200-1108	Trial Spacer 7mm	1
9	2200-1109	Trial Spacer 8mm	1
10	2200-1110	Trial Spacer 9mm	1
11	2200-1111	Trial Spacer 10mm	1
12	2200-1112	Trial Spacer 11mm	1
13	2200-1113	Trial Spacer 12mm	1
14	2200-1114	Trial Spacer 14mm	1
15	2200-1115	Trial Spacer 16mm	1
16	2200-1116-N	Aluminium Box	1

Titanium Mesh Cage Instrument Set 2200-05




NO	REF	Description	Qty.
1	2200-0501	Cage Stand	1
2	2200-0502	Pressure 6mm	1
3	2200-0503	Pressure 18mm	1
4	2200-0504	Pusher Straight	1
5	2200-0505	Osteotribe	1
6	2200-0506	Pressure 12mm	1
7	2200-0507	Pusher Curved	1
8	2200-0508	Cage Cutter	1
9	2200-0509	Cage Holding Forcep	1
10	2200-0512	Implant Measure 10/12mm	1
11	2200-0521	Implant Measure 14/16mm	1
12	2200-0522	Implant Measure 18/20mm	1
13	2200-0513-N	Aluminium Box	1

PLIF PEEK Lumbar Cage & Titanium Lumbar Cage Instrument Set 2200-07




NO	REF	Description	Qty.
1	2200-0701	Trail 20*8mm	1
2	2200-0702	Trail 20*12mm	1
3	2200-0703	Trail 22*8mm	1
4	2200-0704	Trail 12*22mm	1
5	2200-0705	Trail 26*8mm	1
6	2200-0706	Trail 26*12mm	1
7	2200-0707	Trail 20*10mm	1
8	2200-0708	Trail 20*14mm	1
9	2200-0709	Trail 22*10mm	1
10	2200-0710	Trail 22*14mm	1
11	2200-0711	Trail 26*10mm	1
12	2200-0712	Reamer 7mm	1
13	2200-0713	Reamer 8mm	1
14	2200-0714	Reamer 9mm	1
15	2200-0715	Bone Graft Inserter	1
16	2200-0716	Hammer	1
17	2200-0717	Trail 26*14mm	1
18	2200-0718	Trail 32*8mm	1
19	2200-0719	Trail 32*10mm	1
20	2200-0720	Trail 32*12mm	1
21	2200-0721	Trail 32*14mm	1
22	2200-0722	Distracter 6*24mm	1
23	2200-0723	Bone Graft Cage	1
24	2200-0724	Cage Holder	1
25	2200-0725	Curette	1
26	2200-0726	Nerve Dissector	1
27	2200-0727	Reamer 8*6.5mm	1
28	2200-0728	Reamer 8.5*7.5mm	1
29	2200-0729	Reamer 9.5*8.5mm	1
30	2200-0730	Reamer 10*10.5mm	1
31	2200-0731	Reamer 10.5*11.5mm	1
32	2200-0732	Implant Cage Box	1
33	2200-0733-N	Aluminium Box	1

TLIF PEEK Cage Instrument Set 2200-08




NO	REF	Description	Qty.
1	2200-0801	T-handle Quick Coupling	1
2	2200-0802	Insert Guider	1
3	2200-0803	Flat Reamer 13mm	1
4	2200-0804	Flat Reamer 11mm	1
5	2200-0805	Trial 7*25mm	1
6	2200-0806	Flat Reamer 9mm	1
7	2200-0807	Trial 9*25mm	1
8	2200-0808	Flat Reamer 7mm	1
9	2200-0809	Trial 11*25mm	1
10	2200-0810	Trial 13*25mm	1
11	2200-0811	Trial 15*25mm	1
12	2200-0812	Cage Holding Forcep	1
13	2200-0813	Bone Graft Inserter	1
14	2200-0814	Bone Graft Cage	1
15	2200-0815	Curved Implater	1
16	2200-0816	Curette 8mm Right	1
17	2200-0817	Side Curette 8mm	1
18	2200-0818	Straight Implater	1
19	2200-0819	Sliding Hammer	1
20	2200-0820	Ring Currete 7mm	1
21	2200-0821	Curette 8mm Left	1
22	2200-0822	Side Curette 6mm	1
23	2200-0823	Curved Implater	1
24	2200-0824	Implant Cage Box	1
25	2200-0825-N	Aluminium Box	1


Cervical Distractor Instrument Set 2200-10





NO	REF	Description	Qty.
1	2200-1001	Retractor Blade Curved 20*30	1
2	2200-1002	Retractor Blade Curved 20*30	1
3	2200-1003	4 Toothed Retractor Blade 20*30	1
4	2200-1004	4 Toothed Retractor Blade 20*30	1
5	2200-1005	Retractor Blade Curved 24*40	1
6	2200-1006	Retractor Blade Curved 24*40	1
7	2200-1007	5 Toothed Retractor Blade 24*40	1
8	2200-1008	5 Toothed Retractor Blade 24*40	1
9	2200-1009	Retractor Blade Blunt 24*40	1
10	2200-1010	Retractor Blade Blunt 24*40	1
11	2200-1011	Retractor	1
12	2200-1012	Holding Forcep	1
13	2200-1013	Retractor Blade Curved 20*50	1
14	2200-1014	Retractor Blade Curved 20*50	1
15	2200-1015	4 Toothed Retractor Blade 20*50	1
16	2200-1016	4 Toothed Retractor Blade 20*50	1
17	2200-1017	Retractor Blade Curved 25*60	1
18	2200-1018	Retractor Blade Curved 25*60	1
19	2200-1019	5 Toothed Retractor Blade 25*60	1
20	2200-1020	5 Toothed Retractor Blade 25*60	1
21	2200-1021	Retractor Blade Blunt 25*60	1
22	2200-1022	Retractor Blade Blunt 25*60	1
23	2200-1023-N	Aluminium Box	1

T-PAL Peek Cage Instrument Set 2200-12











NO	REF	Description	Qty.
1	2200-1201	Reamer 7mm	1
2	2200-1202	Reamer 9mm	1
3	2200-1210	Reamer 11mm	1
4	2200-1208	Reamer 13mm	1
5	2200-1209	Reamer 15mm	1
6	2200-1205	Straight Osteotome	1
7	2200-1207	Ring Type Bone Curette	1
8	2200-1214	Square Type Bone Curette L	1
9	2200-1216	Square Type Bone Curette R	1
10	2200-1212	Square Type Bone Curette	1
11	2200-1222	Quick-coupling T-handle	1
12	2200-1218	Bone Graft Funnel	1
13	2200-1215	Straight Bone File	1
14	2200-1213	Curved Bone File	1
15	2200-1217	Curved Stuffer	1
16	2200-1211	Bone Graft Inserter	1
17	2200-1203	Compactor	1
18	2200-1204	T-PAL Trail Applicator	1
19	2200-1204	T-PAL Trail Applicator	1
20	2200-1243	Slidng Hammer	1
21	2200-1242	Spreader Forcep	1
22	2200-1219	Soft Tissue Retractor 6mm	1
23	2200-1220	Soft Tissue Retractor 8mm	1
24	2200-1221	Soft Tissue Retractor 10mm	1
25	2200-1223	Trial & Implant Box	1
26	2200-1224	Trail T-PAL Spacer 7mm L	1
27	2200-1225	Trail T-PAL Spacer 8mm L	1
28	2200-1226	Trail T-PAL Spacer 9mm L	1
29	2200-1227	Trail T-PAL Spacer 10mm L	1
30	2200-1228	Trail T-PAL Spacer 11mm L	1
31	2200-1229	Trail T-PAL Spacer 12mm L	1
32	2200-1230	Trail T-PAL Spacer 13mm L	1
33	2200-1231	Trail T-PAL Spacer 15mm L	1
34	2200-1232	Trail T-PAL Spacer 17mm L	1
35	2200-1233	Trail T-PAL Spacer 7mm S	1
36	2200-1234	Trail T-PAL Spacer 8mm S	1
37	2200-1235	Trail T-PAL Spacer 9mm S	1
38	2200-1236	Trail T-PAL Spacer 10mm S	1
39	2200-1237	Trail T-PAL Spacer 11mm S	1
40	2200-1238	Trail T-PAL Spacer 12mm S	1
41	2200-1239	Trail T-PAL Spacer 13mm S	1
42	2200-1240	Trail T-PAL Spacer 15mm S	1
43	2200-1241	Trail T-PAL Spacer 17mm S	1
44	2200-1244-N	Aluminium Box	1


Expandable Titanium Cage Instrument Set 2200-15



NO	REF	Description	Qty.
1	2200-0214	Cage Holding Forcep	1
2	4200-1502	Hex Screwdriver SW2.5 Without Sleeve	1
3	2200-1503-N	Aluminium Box	1


Titanium Cervical Cage Instrument Set 2200-23






NO		Description	Qty
1	2200-2301	Cage Trail & Insertor Small	1
2	2200-2302	Cage Trail & Insertor Large	1
3	2200-2303	Ring Curette (Straight, 2mm)	1
	2200-2330	Ring Curette (Straight, 3mm)	1
4	2200-2304	Bent Curette (Straight, 3mm)	1
	2200-2331	Bent Curette (Straight, 6mm)	1
5	2200-2305	Periosteal Elevator	1
6	2200-2306	Cage Trail Wedge Shape 4.0mm	1
	2200-2307	Cage Trail Wedge Shape 4.5mm	1
	2200-2308	Cage Trail Wedge Shape 5.0mm	1
	2200-2309	Cage Trail Wedge Shape 5.5mm	1
	2200-2310	Cage Trail Wedge Shape 6.0mm	1
	2200-2311	Cage Trail Wedge Shape 6.5mm	1
	2200-2312	Cage Trail Wedge Shape 7.0mm	1
	2200-2313	Cage Trail Wedge Shape 8.5mm	1
	2200-2314	Cage Trail Wedge Shape 10.0mm	1
7	2200-2315	Cage Trail Arc Shape 4.0mm	1
	2200-2316	Cage Trail Arc Shape 4.5mm	1
	2200-2317	Cage Trail Arc Shape 5.0mm	1
	2200-2318	Cage Trail Arc Shape 5.5mm	1
	2200-2319	Cage Trail Arc Shape 6.0mm	1
	2200-2320	Cage Trail Arc Shape 6.5mm	1
	2200-2321	Cage Trail Arc Shape 7.0mm	1
	2200-2322	Cage Trail Arc Shape 8.5mm	1
	2200-2323	Cage Trail Arc Shape 10.0mm	1
8	2200-2324	Brace Screwdriver	1
9	2200-2325	Brace Screw	2
10	2200-2326	Distractor	1
11	2200-2327	Bone Graft Box	1
12	2200-2328	Bone Impactor	1
13	2200-2329	Aluminium Box	1


ALIF PEEK Cage Instrument Set 123






NO	REF	Description	Qty
1	1230047	Rotation Screwdriver	1
2	1230053	AWL	1
3	1230050	Drill bit 3.0*25	1
4	1230051	Drill bit 3.0*30	1
5	1230052	Drill bit 3.0*35	1
6	1230055	Screwdriver SW2.5	1
7	1230064	Screw Holder	1
8	1230054	Screwdriver Universal	1
9	1230046	Tap 5.0*25	1
10	1230048	Tap 5.0*30	1
11	1230049	Tap 5.0*35	1
12	1230045	Drill Guider	1
13	102205	Straight handle	1
14	1230063	Graft Box	1
15	315082	Hammer	1
16	1230056	Trail 11mm 6°	1
17	1230057	Trail 11mm 10°	1
18	1230058	Trail 13mm 6°	1
19	1230059	Trail 13mm 10°	1
20	1230060	Trail 15mm 6°	1
21	1230061	Trail 15mm 10°	1
22	1230062	Pusher	1
23	1230044	Cage Holder	1
24	1230065	Aluminium Box	1

Anterior Thoracic & Thoracolumbar Plate Instrument Set 2200-25




NO	REF	Description	Qty
1	2200-2501	Compression Forcep	1
2	2200-2502	Curved Plate Holding Forcep	1
3	2200-2503	Brace Screw P=2.5	1
4	2200-2503	Brace Screw P=2.5	1
5	2200-2505	Brace Screw P=2.75	1
6	2200-2505	Brace Screw P=2.75	1
7	2200-2507	Compression Forcep Sleeve	1
8	2200-2507	Compression Forcep Sleeve	1
9	2200-2509	L Wrench	1
10	2200-2510	Screw Holding Forcep SW8	1
11	2200-2511	Screw Holding Forcep SW9.5	1
12	2200-2512	Drill Bit 3.5*210	1
13	2200-2513	Drill Bit 3.5*210 With Blcok	1
14	2200-2514	Drill Bit 4.0*210	1
15	2200-2515	Drill Bit 4.0*210 With Block	1
16	2200-2516	Location Device	1
17	2200-2517	Probe Straight	1
18	2200-2518	Probe Bent	1
19	2200-2519	Drill Sleeve	1
20	2200-2520	Depth Gague 0-90mm	1
21	2200-2521	Screwdriver Hex SW3.5 Length 270mm	1
22	2200-2522	Screwdriver Hex SW3.5 Length 270mm	1
23	2200-2523	AWL 4.0*300mm	1
24	2200-2524	Wrench SW8	1
25	2200-2525	Wrench SW9.5	1
26	2200-2526	Universal Screwdriver SW3.5*280mm	1
27	2200-2527	Bracescrewdriver	1
28	2200-2528	AWL 3.5*300mm	1
29	2200-2529	Universal Wrench SW8	1
30	2200-2530	Universal Wrench SW9.5	1
31	2200-2531	Inserter Forcep	1
32	2200-2532	Tap 5.0	1
33	2200-2533	Limited Drill Bit 4x20-65mm	1
34	2200-2534	Tap 6.0	1
35	2200-2535	Distractor Forcep	1
36	2200-2536	Distractor Device	1
37	2200-2537	Measurer	1
38	2200-2538	Distractor Forcep With Hook	1
39	2200-2540-N	Aluminium Box	1

Stryker Expandable Cage Instrument Set 2200-30




NO	REF	Description	Qty
1	2200-3001	2200-3001	1
2	2200-3002	2200-3002	1
3	2200-3003	2200-3003	1
4	2200-3004	2200-3004	1
5	2200-3005	2200-3005	1
6	2200-3006	2200-3006	1
7	2200-3007	2200-3007	1
8	2200-3008	2200-3008	1
9	2200-3009	2200-3009	1
10	2200-3010	2200-3010	1
11	2200-3011	2200-3011	1
12	2200-3012	2200-3012	1

Cervical Peek Cage With 2 Locking Screw Instrument Set 2200-21




NO	REF	Description	Qty
1	2200-2101	Implant Box	1
2	2200-2102	Flat Type Pusher	1
3	2200-2103	Ball Type Pusher	1
4	2200-2104	Brace Screw	1
5	2200-2104	Brace Screw	1
6	2200-2106	Screwdriver Stander	1
7	2200-2107	Bone Graft Inserter	1
8	2200-2108	Quick Coupling Handle AO	1
9	2200-2108	Quick Coupling Handle AO	1
10	2200-2110	Trail 5mm	1
	2200-2111	Trail 6mm	1
11	2200-2112	Trail 7mm	1
	2200-2113	Trail 8mm	1
12	2200-2114	Trail 9mm	1
	2200-2115	Trail 10mm	1
13	2200-2116	Trail 11mm	1
	2200-2117	Trail 12mm	1
14	2200-2118	Star Screwdriver Quick Coupling AO	1
15	2200-2119	Drill Bit 12mm	1
16	2200-2120	Drill Bit 14mm	1
17	2200-2121	Drill Bit 16mm	1
18	2200-2122	Drill Bit 18mm	1
19	2200-2123	Drill Guider	1
20	2200-2124	Bone Graft Cage	1
21	2200-2125	Brace Screwdriver	1
22	2200-2126	AWL	1
23	2200-2127	Angle Screwdriver	1
24	2200-2128	AWL with Sleeve	1
25	2200-2129	Cage Holder	1
26	2200-2130	Angled AWL	1
27	2200-2131	Screwdriver Sleeve	1
28	2200-2132	Hammer	1
29	2200-2133	Retractor	1
30	2200-2134-N	Aluminium Box	1


Expandable Posterior Lumbar Titanium Cage Instrument Set 2200-24




NO	REF	Description	Qty
1	2200-2401	Ring Currette Left	1
2	2200-2402	Ring Currette Straight	1
3	2200-2403	Ring Currette Right	1
4	2200-2404	Bent Currette Left	1
5	2200-2405	Bent Currette Right	1
6	2200-2406	Scraper Straight	1
7	2200-2407	Scraper Bent	1
8	2200-2408	Reamer 8mm	1
9	2200-2409	Reamer 10mm	1
10	2200-2410	Reamer 12mm	1
11	2200-2411	Impactor	1
12	2200-2412	Cage Holder	1
13	2200-2413	Cage Holder	1
14	2200-2414	Cage Template 7mm	1
15	2200-2415	Cage Template 9mm	1
16	2200-2416	Cage Template 11mm	1
17	2200-2417	Cage Template 13mm	1
18	2200-2418	Distractor	1
19	2200-2419	Bone Grafe Box	1
20	2200-2420	Aluminium Box	1

Cervical Peek Cage With 4 Locking Screw Instrument Set 2200-22








NO	REF	Description	Qty
1	2200-2201	Implant Box	1
2	2200-2202	Brace Screw	1
3	2200-2202	Brace Screw	1
4	2200-2204	Screwdriver Sleeve	1
5	2200-2205	Sleeve	1
6	2200-2206	Trail 5mm	1
7	2200-2207	Trail 6mm	1
8	2200-2208	Trail 7mm	1
9	2200-2209	Trail 8mm	1
10	2200-2210	Trail 9mm	1
11	2200-2211	Trail 10mm	1
12	2200-2212	Trail 11mm	1
13	2200-2213	Trail 12mm	1
14	2200-2214	Drill Bit 12mm	1
15	2200-2215	Drill Bit 14mm	1
16	2200-2216	Drill Bit 16mm	1
17	2200-2217	Drill Bit 18mm	1
18	2200-2218	Star Screwdriver Quick Coupling AO	1
19	2200-2219	Quick Coupling Handle AO	1
20	2200-2220	Quick Coupling Handle AO	1
21	2200-2221	Screwdriver Stander	1
22	2200-2222	Angle Screwdriver	1
23	2200-2223	Flat Type Pusher	1
24	2200-2224	Ball Type Pusher	1
25	2200-2225	AWL	1
26	2200-2226	Brace Screwdriver	1
27	2200-2227	Cage Holder	1
28	2200-2228	Torque Wrench 1.2N.m	1
29	2200-2229	Bone Graft Inserter	1
30	2200-2230	Drill Guider	1
31	2200-2231	AWL with Sleeve	1
32	2200-2232	Angled AWL	1
33	2200-2233	Hammer	1
34	2200-2237	Bone Graft Cage	1
35	2200-2238	Cage Holder Forcep	1
36	2200-2236	Retractor	1
37	2200-2234-N	Aluminium Box	1


Peek Cervical Cage-II Instrument Set 2200-14



NO	REF	Description	Qty
1	2200-1401	Trail 4mm	1
2	2200-1402	Trail 5mm	1
3	2200-1403	Trail 6mm	1
4	2200-1404	Trail 7mm	1
5	2200-1405	Trail 8mm	1
6	2200-1406	Trail 9mm	1
7	2200-1407	Trail 10mm	1
8	2200-1408	Bone Graft Cage	1
9	2200-1409	Bone Graft Inserter	1
10	2200-1410	Curved Reglator	1
11	2200-1411	Peek Cage Holder (Long)	1
12	2200-1412	Peek Cage Holder (Short)	1
13	2200-1413-N	Aluminium Box	1


Minimally Invasive Pedicle Screw Instrument Set 2200-17






NO	REF	Description	Qty
1	2200-1701	Conical Guide Pin Ø1.5*500	3
2	2200-1702	Blunt Guide Pin Ø1.5*500	3
3	2200-1703	Drill Sleeve Ø7.2*1.7*164	1
4	2200-1704	Drill Sleeve Ø13*7.3*153	1
5	2200-1705	Drill Sleeve Ø15.6*13.1*143	1
6	2200-1706	Cannulated Polyaxial Screwdriver	1
7	2200-1706	Cannulated Polyaxial Screwdriver	1
8	2200-1708	Rod Pusher Ø6	1
9	2200-1709	Stardriver T27	2
10	2200-1710	Hex Screwdriver SW2.5	1
11	2200-1711	Nut Holding Forcep T27	2
12	2200-1712	Tap Ø7.0	1
13	2200-1713	Tap Ø6.5	1
14	2200-1714	Tap Ø6.0	1
15	2200-1715	Tap Ø5.5	1
16	2200-1716	Tap Ø5.0	1
17	2200-1717	Curved Feeler	1
18	2200-1718	Bone Cement Pusher	1
19	2200-1719	Location Plate	1
20	2200-1720	AWL Ø3.3*233	1
21	2200-1720	AWL Ø3.3*233	1
22	2200-1720	AWL Ø3.3*233	1
23	2200-1720	AWL Ø3.3*233	1
24	2200-1724	Screwdriver SW3.5	1
25	2200-1725	Straight Rechat Handle	1
26	2200-1726	T-handle Quick Coupling	1
27	2200-1725	Straight Rechat Handle	1
28	2200-1728	Rod Holding Forcep	1
29	2200-1729	Compression Forcep	1
30	2200-1730	Distractor Forcep	1
31	2200-1731	Reduction Forcep	1
32	2200-1732	Rod Measurement	1
33	2200-1733	Rod Bender	1
34	2200-1728	Rod Holding Forcep	1
35	2200-1735	Break-off Forcep	1
36	2200-1735	Break-off Forcep	1
37	2200-1737	Anti-rotation Sleeve	1
38	2200-1738	Counter Torque for Screw Cutter	1
39	2200-1739	Aluminium Box	1

Peek Cervical Cage-I Instrument Set 2200-06




NO	REF	Description	Qty
1	2200-0601	Bone Graft Inserter	1
2	2200-0602	Trail Holder	1
3	2200-0603	Peek Cage Holder	1
4	2200-0604	Bone Graft Cage	1
5	2200-0605	Cage Box	1
6	2200-0606	Trail 10mm	1
7	2200-0607	Trail 9mm	1
8	2200-0608	Trail 8mm	1
9	2200-0609	Trail 7mm	1
10	2200-0610	Trail 6mm	1
11	2200-0611	Trail 5mm	1
12	2200-0612	Trail 4mm	1
13	2200-0613-N	Aluminium Box	1

OLIF Cage Instrument Set 315




NO	REF	Description	Qty
1	315270	Distractor 7mm	1
2	315-330	Cage Trail (6°) 55*18*8mm	1
3	315-331	Cage Trail (6°) 55*18*10mm	1
4	315-332	Cage Trail (6°) 55*18*12mm	1
5	315-333	Cage Trail (6°) 55*18*14mm	1
6	315-340	Cage Trail (9°) 55*18*9mm	1
7	315-341	Cage Trail (9°) 55*18*11mm	1
8	315-342	Cage Trail (9°) 55*18*13mm	1
9	315-343	Cage Trail (9°) 55*18*15mm	1
10	315-032	Cage Holder	1
11	315-052	Impactor Box	1
12	315-060	Impactor Long	1
13	315-061	Impactor Short	1
14	315-071	Handle	1
15	315-082	Pusher	1
16	315-094	Stripper Large	1
17	315-101	Stripper Small	1
18	315-131	Bone File Arc	1
19	315-132	Bone File Wedge	1
20	315-140	Scraper	1
21	315-171	Curette 5°	1
22	315-180	Ring Curette	1
23	315-120	Square Reamer 7mm	1
24	315-121	Square Reamer 8mm	1
25	315-122	Square Reamer 9mm	1
26	315-123	Square Reamer 10mm	1
27	315-124	Square Reamer 11mm	1
28	315-125	Square Reamer 12mm	1
29	315-126	Square Reamer 13mm	1
30	315-240	knife Holder	1
31	315-211	Rongeur 3mm	1
32	315-191	Nucleus pulposus forceps straight 3mm	1
33	315-311	Nucleus pulposus forceps straight 5mm	1
34	315-202	Nucleus pulposus forceps 45°*3mm	1
35	315-000	Aluminium Box	1

Coflex Interlaminar Device Instrument Set 2200-29



NO	REF	Description	Qty
1	2200-2914	Coflex Interlaminar Device Container	1
2	2200-2901	Distractor Forcep	1
3	2200-2902	Compression Forcep	1
4	2200-2912	Trial 14mm	1
5	2200-2911	Trial 12mm	1
6	2200-2910	Trial 10mm	1
7	2200-2909	Trial 8mm	1
8	2200-2908	Trial 6mm	1
9	2200-2907	Inserter 14mm	1
10	2200-2906	Inserter 12mm	1
11	2200-2905	Inserter 10mm	1
12	2200-2904	Inserter 8mm	1
13	2200-2903	Inserter 6mm	1
14	2200-2913	Hammer	1
15	2200-2915-N	Aluminium Box	1

LIFUS Titanium Cage/RAFUS PEEK Cage Instrument Set 318-005



NO	REF	Description	Qty
1	318-124	Cage Insertor	1
2	318-133	Bone Graft Funnel	1
3	318-380	Cage Trial 8mm	1
4	318-381	Cage Trial 9mm	1
5	318-382	Cage Trial 10mm	1
6	318-383	Cage Trial 11mm	1
7	318-384	Cage Trial 12mm	1
8	318-430	Guide Pin 1.5*300	1
9	318-010	Location Pin 6.3*260	1
10	318-272	Inner & Outer Dilator 10*240	1
11	318-273	Inner & Outer Dilator 10*220	1
12	318-032	Operating Working Channel I 10mm	1
13	318-034	Operating Working Channel I 12mm	1
14	318-042	Operating Working Channel II 10mm	1
15	318-044	Operating Working Channel II 12mm	1
16	318-050	Retractor I 110	1
17	318-290	Reamer 8mm	1
18	318-291	Reamer 9mm	1
19	318-292	Reamer 10mm	1
20	318-293	Reamer 11mm	1
21	318-294	Reamer 12mm	1
22	318-300	Bone File	1
23	318-310	Bone Cutter	1
24	318-320	Scraper(Ring)	1
25	318-330	Scraper(Square)	1
26	318-340	Curette	1
27	318-061	Nuceleus Pulposus Forcep 260*3.0 Straight	1
28	318-063	Nuceleus Pulposus Forcep 260*5.0 Straight	1
29	318-070	Rongeurs 260*3.0	1
30	318-350	T-handle	1
31	318-360	Straight Handle	1
32	318-370	Distractor 6*8mm	1
33	318-146	Impactor for Funnel Long	1
34	318-147	Impactor for Funnel Short	1
35	318-150	Holder for cage end cap SW3.5	1
36	318-000	Aluminium Box	1

Spinal Pedicle Screw Box 1000-0109



Size:28*13*10cm

Mono Screw, Mono Reduction Screw, Poly Screw, Poly Reduction Screw, Crosslink, Rod

Posterior Cervical Screw Box 1000-0110





Size:28*13*10cm

Mono Screw, Mono Reduction Screw, Poly Screw, Poly Reduction Screw, Crosslink, Rod



Minimally Invasive Spine Screw Box 1000-0132



Φ3.7 Thoracic Layer by Layer Puncture(PVP) QN-001


Picture	Accessories	REF	Qty
	Guide Needle Φ1.0	C/YZ-I-Φ1.0	2
	Vertebral Perforator Φ2.5	C/ZC-II- Φ2.5	2
	Hand Drill Φ3.0	C/SZ-I- Φ3.0	1
	Dilated Casing Φ3.0/3.7	C/KQ-I- Φ3.0 C/KG-I- Φ3.7	2
	Cement Delivery Tube Procedure Flat Φ3.0	T/I Flat- Φ3.0	6

Φ3.7 Thoracic Layer by Layer Puncture(PKP) QN-002

Picture	Accessories	REF	Qty
	Guide Needle Φ1.0	C/YZ-I-Φ1.0	2
	Vertebral Perforator Φ2.5	C/ZC-II- Φ2.5	2
	Hand Drill Φ3.0	C/SZ-I- Φ3.0	1
	Dilated Casing Φ3.0/3.7	C/KQ-I- Φ3.0 C/KG-I- Φ3.7	2
	Cement Delivery Tube Procedure Flat Φ3.0	T/I Flat- Φ3.0	6

	Kyphoplasty Ballon Φ10	BL-Z3/10	1
	Balloon Filling Device	BL-CY-20	1

Φ3.7 Thoracic One Puncture(PVP) QN-003

Picture	Accessories	REF	Qty
	Vertebral Perforator (3 blades tip) Φ3.7	C/CZ-IV Φ3.7	2
	Hand Drill Φ3.0	C/SZ-I- Φ3.0	1
	Cement Delivery Tube Procedure Flat Φ3.0	T/I Flat- Φ3.0	4


Φ3.7 Thoracic One Puncture(PKP) QN-004


Picture	Accessories	REF	Qty
	Vertebral Perforator (3 blades tip) Φ3.7	C/CZ-IV Φ3.7	2
	Hand Drill Φ3.0	C/SZ-I- Φ3.0	1
	Cement Delivery Tube Procedure Flat Φ3.0	T/I Flat- Φ3.0	4
	Kyphoplasty Ballon Φ10	BL-Z3/10	1
	Balloon Filling Device	BL-CY-20	1

Φ4.2 Lumbar Layer by Layer Puncture(PVP) QN-005

Picture	Accessories	REF	Qty
	Guide Needle Φ1.5	C/YZ-I-Φ1.5	2
	Vertebral Perforator Φ3.0	C/ZC-II- Φ3.0	2
	Hand Drill Φ3.5	C/SZ-I- Φ3.5	1
	Dilated Casing Φ3.5/4.2	C/KQ-I- Φ3.0 C/KG-I- Φ4.2	2
	Cement Delivery Tube Procedure Flat Φ3.5	T/I Flat- Φ3.5	6

Φ4.2 Lumbar Layer by Layer Puncture(PKP) QN-006


Picture	Accessories	REF	Qty
	Guide Needle Φ1.5	C/YZ-I-Φ1.5	2
	Vertebral Perforator Φ3.0	C/ZC-II- Φ3.0	2
	Hand Drill Φ3.5	C/SZ-I- Φ3.5	1
	Dilated Casing Φ3.5/4.2	C/KQ-I- Φ3.5 C/KG-I- Φ4.2	2
	Cement Delivery Tube Procedure Flat Φ3.5	T/I Flat- Φ3.5	6

	Kyphoplasty Ballon Φ15	BL-Z3/15	1
	Balloon Filling Device	BL-CY-20	1


Φ4.2 Lumbar One Puncture(PVP) QN-007

Picture	Accessories	REF	Qty
	Vertebral Perforator (3 blades tip) Φ4.2	C/CZ-IV Φ4.2	2
	Hand Drill Φ3.5	C/SZ-I- Φ3.5	1
	Cement Delivery Tube Procedure Flat Φ3.5	T/I Flat- Φ3.5	4

Φ4.2 Lumbar One Puncture(PKP) QN-008

Picture	Accessories	REF	Qty
	Vertebral Perforator (3 blades tip) Φ4.2	C/CZ-IV Φ4.2	2
	Hand Drill Φ3.5	C/SZ-I- Φ3.5	1
	Cement Delivery Tube Procedure Flat Φ3.5	T/I Flat- Φ3.5	4
	Kyphoplasty Ballon Φ15	BL-Z3/15	1
	Balloon Filling Device	BL-CY-20	1

Kyphoplasty Ballon

Picture	Accessories	REF
	Φ20	BL-Z3/20

Bone Cement Injection

Picture	REF
	BL-100

Spine Bone Cement Germany

Picture	REF
	Osteopal Plus-001

Spine Bone Cement China

Picture	REF
	SV300